



NATIONAL INSTITUTE
FOR HEALTH AND WELFARE

Risto Sippola
Noora Sipilä

Basic tables of the report
Social Determinants of Health Behaviours
Finbalt Health Monitor 1998–2008

© Authors and National Institute for Health and Welfare

National Institute for Health and Welfare 2011

Foreword

This basic table report is a comprehensive description of the data collected by the Finbalt Health Monitor project in 1998–2008. The data have been used in the report *Social Determinants of Health Behaviours – Finbalt Health Monitor 1998–2008* (Prättälä et al. 2011). The Finnish and Baltic researchers of the project have prepared the basic tables alongside with the above-mentioned main report which presents and discusses the actual results. The statistician of the project, Risto Sippola, has had the main responsibility for managing and analyzing the data.

The purpose of the basic table report is to provide the full Finbalt data for further use to those readers of the main report who wish to investigate the data in more detail. The table report includes accurate percentage distributions from 1998 to 2008 of every indicator used in the main report. The indicators are gathered under substance headings e.g. physical activity, smoking etc.

The same structure in presenting the distributions is followed throughout the whole report: first a particular distribution is presented by gender, study year and country. This is followed by the presentation of the country specific distributions by age, education and place of residence. Some of indicators have different cut-points for men and women (e.g. alcohol consumption).

The authors wish that the basic tables of Finbalt Health Monitor encourage researchers for further studies on health behaviours and health in Estonia, Finland, Latvia and Lithuania. We also wish that the models developed in the Finbalt Health Monitor will be applicable and useful in other settings.

Helsinki, August 15th, 2011

The Finbalt group

For further information, please contact principal investigators of the Finbalt Health Monitor. The contact details are available at: www.thl.fi/finbalt.

Estonia

Mare Tekkel, National Institute for Health Development

Finland

Ritva Prättälä (coordinator), National Institute for Health and Welfare

Satu Helakorpi, National Institute for Health and Welfare

Latvia

Iveta Pudule, Centre of Health Economics

Lithuania

Jurate Klumbiene, Lithuanian University of Health Sciences

Contents

Background variables.....	7
Age.....	7
Education.....	7
Place of residence.....	8
Smoking.....	9
Daily smoking.....	9
Smoking index by age group.....	10
Smoking index by education.....	14
Smoking index by place of residence.....	16
Passive smoking at home.....	18
Family member smoking at home by respondent's age group.....	18
Family member smoking at home by respondent's education.....	20
Family member smoking at home by respondent's place of residence.....	21
Alcohol consumption.....	23
Alcohol consumption in the previous seven days in males.....	23
Portions of alcohol drunk during last week by age group in males.....	24
Portions of alcohol drunk during last week by education in males.....	26
Portions of alcohol drunk during last week by place of residence in males.....	28
Alcohol consumption in the previous seven days in females.....	30
Portions of alcohol drunk during last week by age group in females.....	31
Portions of alcohol drunk during last week by education in females.....	33
Portions of alcohol drunk during last week by place of residence in females.....	35
Heavy episodic drinking in males.....	37
Frequency of drinking six or more portions of alcohol at a time by age group in males.....	37
Frequency of drinking six or more portions of alcohol at a time by education in males.....	39
Frequency of drinking six or more portions of alcohol at a time by place of residence in males.....	41
Heavy episodic drinking in females.....	43
Frequency of drinking six or more portions of alcohol at a time by age group in females.....	43
Frequency of drinking six or more portions of alcohol at a time by education in females.....	45
Frequency of drinking six or more portions of alcohol at a time by place of residence in females.....	47
Food habits.....	49
Consumption of fresh vegetables.....	49
Frequency of eating fresh vegetables during last week by age group.....	50
Frequency of eating fresh vegetables during last week by education.....	52
Frequency of eating fresh vegetables during last week by place of residence.....	54
Fat used on bread.....	56
Type of fat mostly used on bread by age group.....	56
Type of fat mostly used on bread by education.....	58
Type of fat mostly used on bread by place of residence.....	59
Fat used in cooking.....	61
Type of fat mostly used for food preparation at home by age group.....	62
Type of fat mostly used for food preparation at home by education.....	66
Type of fat mostly used for food preparation at home by place of residence.....	70
Consumption of meat.....	74
Frequency of eating meat during last week by age group.....	75
Frequency of eating meat during last week by education.....	77

Frequency of eating meat during last week by place of residence	79
Consumption of meat products	81
Frequency of eating meat products during last week by age group.....	82
Frequency of eating meat products during last week by education.....	84
Frequency of eating meat products during last week by place of residence.....	86
Physical activity	88
Leisure-time physical activity.....	88
Leisure-time physical activity by age group.....	89
Leisure-time physical activity by education	93
Leisure-time physical activity by place of residence.....	97
Commuting physical activity	101
Commuting physical activity by age group.....	102
Commuting physical activity by education	106
Commuting physical activity by place of residence	108
Overweight and Obesity.....	110
Body Mass Index (BMI).....	110
BMI by age group.....	111
BMI by education.....	113
BMI by place of residence.....	115
Traffic safety	117
Use of reflector	117
Use of reflector by age group	118
Use of reflector by education.....	120
Use of reflector by place of residence	122
Use of seat belt in the front seat.....	124
Use of seat belt in the front seat by age group.....	124
Use of seat belt in the front seat by education	126
Use of seat belt in the front seat by place of residence.....	127
Use of seat belt in the back seat	129
Use of seat belt in the back seat by age group	129
Use of seat belt in the back seat by education	131
Use of seat belt in the back seat by place of residence	133
Driving under the influence of alcohol	134
Driving under the influence of alcohol by age group.....	135
Driving under the influence of alcohol by education	137
Driving under the influence of alcohol by place of residence	138
Self-assessed health.....	140
Assessment of present state of health	140
Assessment of present state of health by age group	141
Assessment of present state of health by education.....	143
Assessment of present state of health by place of residence	145

Background variables

Age

Table 1. Age distribution by study year, gender and country (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Estonia	20-34	33,9	32,9	33,7	36,8	34,3	32,7	30,6	30,7	30,9	30,8	31,8	33,9
	35-49	38,3	34,9	34,7	33,3	31,7	35,2	38,0	34,8	35,2	33,2	33,4	32,5
	50-64	27,8	32,1	31,6	29,9	34,0	32,2	31,4	34,4	33,9	36,0	34,8	33,7
	Total and missing	528	495	484	1186	1009	1160	695	735	719	1595	1576	1598
		0	0	0	0	0	0	0	0	0	0	0	0
Finland	20-34	30,0	26,7	27,5	27,5	23,6	24,2	30,7	31,1	29,3	28,8	28,8	27,4
	35-49	34,9	39,7	34,0	34,1	35,7	32,5	37,8	35,0	36,6	35,3	33,5	33,0
	50-64	35,1	33,6	38,5	38,4	40,8	43,3	31,6	33,9	34,1	35,8	37,7	39,6
	Total and missing	1551	1440	1365	1382	1346	1275	1647	1748	1603	1675	1634	1694
		0	0	0	0	0	0	0	0	0	0	0	0
Latvia	20-34	39,1	36,4	38,3	35,1	34,5	34,5	34,5	31,4	33,9	30,6	30,2	29,7
	35-49	32,4	36,2	35,5	33,5	35,2	30,7	34,2	34,9	32,2	34,5	33,2	34,0
	50-64	28,4	27,3	26,2	31,4	30,3	34,8	31,3	33,7	34,0	34,9	36,5	36,3
	Total and missing	928	922	775	647	614	566	1159	1218	1013	932	810	818
		0	0	0	0	0	0	0	0	0	0	0	0
Lithuania	20-34	36,0	35,2	30,1	29,9	29,6	29,9	33,4	32,3	31,9	32,1	31,8	28,9
	35-49	36,0	38,1	40,4	39,4	39,6	40,5	37,0	38,3	42,6	37,0	34,3	37,1
	50-64	28,0	26,6	29,6	30,7	30,8	29,6	29,6	29,4	25,6	30,9	34,0	34,0
	Total and missing	820	991	835	775	723	726	1050	1199	1045	1030	1016	1005
		0	0	0	0	0	0	0	0	0	0	0	0

Education

Table 2. Education by study year, gender and country (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Estonia	Low	75,9	69,8	76,1	85,2	64,0	66,4	65,2	62,5	63,6	77,7	56,2	50,6
	High	24,1	30,2	23,9	14,8	36,0	33,6	34,8	37,5	36,4	22,3	43,8	49,4
	Total and missing	514	484	469	1180	984	1107	687	718	703	1584	1509	1540
		14	11	15	6	25	53	8	17	16	11	67	58
Finland	Low	69,7	67,0	64,6	63,5	63,8	59,2	60,7	53,7	54,1	50,7	46,9	45,8
	High	30,3	33,0	35,4	36,5	36,2	40,8	39,3	46,3	45,9	49,3	53,1	54,2
	Total and missing	1523	1414	1333	1357	1329	1256	1620	1727	1568	1654	1615	1656
		28	26	32	25	17	19	27	21	35	21	19	38
Latvia	Low	81,3	66,3	67,0	57,1	66,1	67,5	76,4	54,4	52,2	47,1	55,6	51,9
	High	18,7	33,7	33,0	42,9	33,9	32,5	23,6	45,6	47,8	52,9	44,4	48,1
	Total and missing	918	892	758	618	599	554	1149	1179	990	910	790	806
		10	30	17	29	15	12	10	39	23	22	20	12
Lithuania	Low	73,2	75,5	59,9	66,8	65,7	56,2	61,2	63,0	51,7	54,7	52,3	39,7
	High	26,8	24,5	40,1	33,2	34,3	43,8	38,8	37,0	48,3	45,3	47,7	60,3
	Total and missing	796	961	820	756	703	719	1026	1178	1036	1009	989	987
		24	30	15	19	20	7	24	21	9	21	27	18

Place of residence

Table 3. Place of residence by study year, gender and country (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Estonia	Metropol.	28,5	29,8	25,7	23,9	23,5	25,0	30,5	29,7	28,4	27,8	27,2	31,2
	Other	71,5	70,2	74,3	76,1	76,5	75,0	69,5	70,3	71,6	72,2	72,8	68,8
	Total and missing	520	493	483	1186	1009	1160	686	731	714	1595	1576	1598
		8	2	1	0	0	0	9	4	5	0	0	0
Finland	Metropol.	25,6	23,8	23,7	25,5	24,9	26,7	25,3	26,0	26,7	26,4	29,4	26,5
	Other	74,4	76,2	76,3	74,5	75,1	73,3	74,7	74,0	73,3	73,6	70,6	73,5
	Total and missing	1551	1440	1365	1382	1346	1275	1647	1748	1603	1675	1634	1694
		0	0	0	0	0	0	0	0	0	0	0	0
Latvia	Metropol.	29,0	26,8	27,5	28,7	28,2	29,2	30,0	31,8	31,0	32,2	30,1	30,9
	Other	71,0	73,2	72,5	71,3	71,8	70,8	70,0	68,2	69,0	67,8	69,9	69,1
	Total and missing	928	922	775	647	614	566	1159	1218	1013	932	810	818
		0	0	0	0	0	0	0	0	0	0	0	0
Lithuania	Metropol.	41,6	40,3	53,1	36,1	44,5	45,4	47,2	44,5	56,2	41,5	43,9	50,5
	Other	58,4	59,7	46,9	63,9	55,5	54,6	52,8	55,5	43,8	58,5	56,1	49,5
	Total and missing	820	991	835	775	722	725	1050	1199	1045	1030	1015	1003
		0	0	0	0	1	1	0	0	0	0	1	2

Smoking

Daily smoking

Table 4. Smoking index by study year, gender and country (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Estonia	Daily smokers	45,1	47,9	46,3	50,6	44,0	41,6	20,1	21,2	17,7	22,5	21,3	19,3
	Occasional smokers	6,4	6,3	6,0	4,0	4,2	4,8	5,2	5,6	4,5	4,1	4,1	4,6
	Quitters given up smoking 1-12 months ago	3,2	2,0	1,7	2,7	4,9	3,6	2,2	1,1	2,1	2,3	2,7	2,4
	Ex-smokers given up daily smoking more than one year ago	12,9	14,1	15,9	14,4	17,0	18,7	7,1	6,3	8,3	10,0	11,5	11,1
	No n-smokers	28,8	28,1	27,7	24,2	28,8	30,7	62,3	63,9	65,2	53,4	58,2	61,3
	Insufficient information	3,6	1,6	2,5	4,1	1,1	,6	3,2	1,9	2,2	7,7	2,2	1,3
	Total and missing	528	495	484	1186	1009	1160	695	735	719	1595	1576	1598
		0	0	0	0	0	0	0	0	0	0	0	0
Finland	Daily smokers	31,1	28,5	28,6	28,7	25,8	25,0	19,9	19,9	19,7	19,9	19,8	18,0
	Occasional smokers	5,2	6,3	6,6	7,5	6,8	6,4	5,5	5,9	6,4	5,4	5,7	5,5
	Quitters given up smoking 1-12 months ago	2,7	4,9	4,2	3,5	3,3	3,5	2,0	3,2	2,7	2,6	3,1	3,1
	Ex-smokers given up daily smoking more than one year ago	21,7	20,7	21,4	20,8	21,5	23,4	13,0	12,4	13,3	14,9	15,3	17,7
	No n-smokers	36,9	38,1	37,4	38,4	41,1	39,9	57,2	57,2	55,8	55,9	54,7	54,6
	Insufficient information	2,3	1,4	1,9	1,1	1,5	1,7	2,5	1,5	2,1	1,3	1,5	1,1
	Total and missing	1551	1440	1365	1382	1346	1275	1647	1748	1603	1675	1634	1694
		0	0	0	0	0	0	0	0	0	0	0	0
Latvia	Daily smokers	55,7	55,5	56,4	52,2	49,5	48,4	20,9	18,8	19,9	18,5	18,1	16,1
	Occasional smokers	5,8	4,2	4,5	5,3	3,3	3,5	4,8	5,0	5,7	5,0	4,1	4,5
	Quitters given up smoking 1-12 months ago	2,5	3,3	2,5	3,1	3,1	3,9	1,7	1,8	1,9	1,7	1,9	3,4
	Ex-smokers given up daily smoking more than one year ago	11,7	11,9	12,3	15,6	14,5	16,6	4,1	5,2	4,6	5,0	8,4	9,4
	No n-smokers	21,7	22,9	22,5	23,3	26,9	24,0	64,7	67,1	66,9	69,2	64,7	64,7
	Insufficient information	2,6	2,2	1,9	,5	2,8	3,5	3,7	2,1	,9	,5	2,8	1,8
	Total and missing	928	922	775	647	614	566	1159	1218	1013	932	810	818
		0	0	0	0	0	0	0	0	0	0	0	0
Lithuania	Daily smokers	49,4	51,7	44,2	42,6	43,8	38,8	12,4	15,8	13,1	15,1	13,5	14,4
	Occasional smokers	6,2	7,2	6,9	7,6	5,8	5,4	6,0	6,0	8,6	6,7	6,7	7,8
	Quitters given up smoking 1-12 months ago	2,0	2,4	2,6	3,5	3,6	4,3	2,2	1,3	1,7	1,9	2,9	2,6
	Ex-smokers given up daily smoking more than one year ago	9,4	10,3	15,0	12,4	13,1	14,7	2,3	2,8	4,3	4,1	5,0	5,8
	No n-smokers	29,1	25,4	29,7	31,0	30,7	35,5	73,6	71,4	70,5	70,3	69,5	68,1
	Insufficient information	3,9	3,0	1,6	3,0	2,9	1,2	3,5	2,7	1,7	1,8	2,5	1,4
	Total and missing	820	991	835	775	723	726	1050	1199	1045	1030	1016	1005
		0	0	0	0	0	0	0	0	0	0	0	0

Smoking index by age group

Table 5. Smoking index by age group and gender in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Daily smokers	46,4	49,1	43,6	49,5	42,5	41,2	23,5	22,1	17,6	21,7	19,4	17,6
	Occasional smokers	6,1	10,4	11,0	5,5	7,8	8,4	7,0	8,8	8,1	6,7	6,8	5,9
	Quitters given up smoking 1-12 months ago	2,8	1,8	1,2	3,0	6,1	4,7	4,2	,4	4,1	4,1	4,4	3,1
	Ex-smokers given up daily smoking more than one year ago	5,0	8,0	11,0	8,0	8,7	10,3	4,7	3,5	8,1	7,9	8,2	8,3
	Non-smokers	35,8	30,1	29,4	30,0	34,1	34,6	59,2	64,2	61,7	52,8	59,7	65,1
	Insufficient information	3,9	,6	3,7	3,9	,9	,8	1,4	,9	,5	6,7	1,6	,0
	Total and missing	179	163	163	436	346	379	213	226	222	492	501	541
		0	0	0	0	0	0	0	0	0	0	0	0
35-49	Daily smokers	49,5	54,3	52,4	54,2	50,0	42,2	25,4	26,6	22,5	27,4	24,9	23,9
	Occasional smokers	8,4	5,2	4,8	4,1	2,2	3,7	6,4	6,3	4,0	4,3	3,8	4,4
	Quitters given up smoking 1-12 months ago	2,5	1,7	1,8	2,8	4,1	3,9	1,5	2,0	1,6	1,7	2,8	2,5
	Ex-smokers given up daily smoking more than one year ago	12,4	9,8	16,7	14,9	17,2	21,6	10,6	9,0	6,3	11,3	14,0	12,1
	Non-smokers	24,3	27,2	23,2	20,8	25,6	27,9	53,8	53,1	62,1	49,5	52,8	56,8
	Insufficient information	3,0	1,7	1,2	3,3	,9	,7	2,3	3,1	3,6	5,7	1,7	,2
	Total and missing	202	173	168	395	320	408	264	256	253	529	527	519
		0	0	0	0	0	0	0	0	0	0	0	0
50-64	Daily smokers	37,4	39,6	42,5	47,9	39,9	41,3	10,6	15,0	12,7	18,6	19,5	16,5
	Occasional smokers	4,1	3,1	2,0	2,0	2,3	2,4	1,8	2,0	1,6	1,7	1,8	3,5
	Quitters given up smoking 1-12 months ago	4,8	2,5	2,0	2,3	4,4	2,1	,9	,8	,8	1,2	1,1	1,7
	Ex-smokers given up daily smoking more than one year ago	23,1	25,2	20,3	21,7	25,4	24,1	5,0	5,9	10,7	10,6	12,2	13,0
	Non-smokers	26,5	27,0	30,7	20,8	26,5	29,8	75,7	74,7	71,7	57,3	62,0	61,7
	Insufficient information	4,1	2,5	2,6	5,4	1,5	,3	6,0	1,6	2,5	10,5	3,3	3,5
	Total and missing	147	159	153	355	343	373	218	253	244	574	548	538
		0	0	0	0	0	0	0	0	0	0	0	0

a. Country of study = Estonia

Table 6. Smoking index by age group, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Daily smokers	33,0	28,6	32,7	29,7	29,0	26,5	21,6	19,7	23,0	23,8	19,8	17,5
	Occasional smokers	8,4	10,7	11,2	11,8	11,0	10,4	9,3	11,6	9,8	11,0	10,2	10,1
	Quitters given up smoking 1-12 months ago	3,9	4,9	5,1	5,5	5,7	2,6	2,8	4,8	3,6	5,0	6,0	5,0
	Ex-smokers given up daily smoking more than one year ago	7,9	10,4	6,9	5,8	5,7	10,4	9,1	7,2	6,6	7,5	9,1	8,8
	No non-smokers	46,6	44,8	42,8	46,6	47,6	49,2	56,2	56,4	55,5	51,8	54,7	58,4
	Insufficient information	,2	,5	1,3	,5	,9	1,0	1,0	,4	1,5	1,0	,2	,2
	Total and missing	466	384	376	380	317	309	505	544	470	483	470	464
		0	0	0	0	0	0	0	0	0	0	0	0
35-49	Daily smokers	35,5	33,9	29,7	29,7	26,0	25,8	23,3	23,9	20,1	19,3	22,3	19,0
	Occasional smokers	5,4	5,1	7,3	8,3	5,4	8,2	5,9	4,2	6,1	4,4	5,1	4,3
	Quitters given up smoking 1-12 months ago	2,0	6,1	4,3	3,2	2,7	6,0	1,9	3,8	2,9	2,0	2,7	2,0
	Ex-smokers given up daily smoking more than one year ago	21,4	17,3	18,3	20,2	18,3	20,5	15,9	14,9	16,4	18,6	17,2	17,9
	No non-smokers	33,6	35,8	38,4	37,6	46,0	37,4	51,3	51,8	54,1	55,4	52,2	56,5
	Insufficient information	2,0	1,7	1,9	1,1	1,5	1,9	1,6	1,5	,3	,3	,5	,4
	Total and missing	541	572	464	471	480	414	622	612	586	592	548	559
		0	0	0	0	0	0	0	0	0	0	0	0
50-64	Daily smokers	25,2	22,1	24,6	26,9	23,7	23,6	14,0	15,9	16,3	17,3	17,5	17,6
	Occasional smokers	2,4	4,3	2,7	3,6	5,5	2,9	1,2	2,5	3,8	2,0	2,8	3,3
	Quitters given up smoking 1-12 months ago	2,4	3,5	3,4	2,4	2,6	2,2	1,3	1,2	1,8	1,2	1,1	2,8
	Ex-smokers given up daily smoking more than one year ago	33,8	32,9	34,5	32,2	33,5	32,8	13,3	14,5	15,9	17,2	18,3	23,5
	No non-smokers	32,0	35,5	32,6	33,3	33,0	36,6	65,2	63,3	57,8	59,8	57,0	50,4
	Insufficient information	4,2	1,7	2,3	1,5	1,8	2,0	5,0	2,5	4,4	2,5	3,2	2,4
	Total and missing	544	484	525	531	549	552	520	592	547	600	616	671
		0	0	0	0	0	0	0	0	0	0	0	0

a. Country of study = Finland

Table 7. Smoking index by age group, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Daily smokers	60,6	56,8	53,2	59,0	49,5	50,8	27,8	24,0	26,8	25,6	23,3	19,3
	Occasional smokers	7,7	8,3	7,7	7,0	5,2	6,2	9,5	9,1	8,5	8,8	6,5	6,6
	Quitters given up smoking 1-12 months ago	3,9	3,3	3,4	4,0	4,2	5,1	2,8	2,9	3,5	2,8	3,3	6,6
	Ex-smokers given up daily smoking more than one year ago	4,4	4,8	6,4	6,6	6,1	5,6	4,0	5,5	4,4	5,6	8,6	9,9
	No n-smokers	21,8	25,6	28,6	22,9	33,0	29,7	54,0	57,2	56,3	56,8	55,9	56,8
	Insufficient information	1,7	1,2	,7	,4	1,9	2,6	2,0	1,3	,6	,4	2,4	,8
	Total and missing	363	336	297	227	212	195	400	383	343	285	245	243
		0	0	0	0	0	0	0	0	0	0	0	0
35-49	Daily smokers	58,8	59,9	60,7	58,5	55,1	53,4	22,2	22,8	23,6	23,3	20,4	19,1
	Occasional smokers	5,3	2,1	2,9	2,3	2,3	2,9	3,8	4,2	6,1	4,7	3,7	5,0
	Quitters given up smoking 1-12 months ago	1,7	3,3	1,5	1,8	1,9	2,3	1,0	1,2	1,8	1,9	1,9	2,9
	Ex-smokers given up daily smoking more than one year ago	10,0	14,4	13,8	14,7	14,4	19,0	5,1	7,3	4,9	5,9	6,3	8,6
	No n-smokers	21,3	18,0	17,8	22,6	24,5	19,5	63,6	62,1	62,3	63,4	65,4	62,9
	Insufficient information	3,0	2,4	3,3	,0	1,9	2,9	4,3	2,4	1,2	,9	2,2	1,4
	Total and missing	301	334	275	217	216	174	396	425	326	322	269	278
		0	0	0	0	0	0	0	0	0	0	0	0
50-64	Daily smokers	45,5	48,0	55,2	37,9	43,0	41,6	11,8	9,8	9,6	7,4	11,8	10,8
	Occasional smokers	3,8	1,6	2,0	6,4	2,2	1,5	,8	2,0	2,6	2,2	2,4	2,4
	Quitters given up smoking 1-12 months ago	1,5	3,2	2,5	3,4	3,2	4,1	1,4	1,5	,3	,6	,7	1,3
	Ex-smokers given up daily smoking more than one year ago	23,9	18,3	18,7	26,6	24,2	25,4	3,3	2,7	4,7	3,7	10,1	9,8
	No n-smokers	22,0	25,8	19,7	24,6	22,6	22,3	77,7	81,5	82,0	85,8	71,3	72,7
	Insufficient information	3,4	3,2	2,0	1,0	4,8	5,1	5,0	2,7	,9	,3	3,7	3,0
	Total and missing	264	252	203	203	186	197	363	410	344	325	296	297
		0	0	0	0	0	0	0	0	0	0	0	0

a. Country of study = Latvia

Table 8. Smoking index by age group, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Daily smokers	53,2	58,2	46,6	43,5	44,9	42,4	18,8	20,2	14,4	20,2	18,3	19,7
	Occasional smokers	7,8	10,0	10,4	9,1	4,7	6,0	8,8	10,9	12,3	11,2	8,0	9,0
	Quitters given up smoking 1-12 months ago	2,4	2,6	2,0	3,4	5,6	3,7	3,7	2,1	1,8	3,6	5,6	4,8
	Ex-smokers given up daily smoking more than one year ago	6,4	3,7	6,4	6,9	4,2	5,5	4,0	3,4	3,6	5,4	3,7	5,2
	No n-smokers	28,5	24,1	34,3	34,9	38,3	41,5	63,2	62,0	66,7	58,6	62,8	60,7
	Insufficient information	1,7	1,4	,4	2,2	2,3	,9	1,4	1,6	1,2	,9	1,5	,7
	Total and missing	295	349	251	232	214	217	351	387	333	331	323	290
		0	0	0	0	0	0	0	0	0	0	0	0
35-49	Daily smokers	54,6	54,0	50,4	48,9	48,6	42,9	12,9	18,5	16,6	14,7	13,5	13,4
	Occasional smokers	7,1	7,1	6,2	6,9	7,0	7,1	7,7	6,1	8,5	7,3	9,2	9,7
	Quitters given up smoking 1-12 months ago	1,7	2,1	2,7	2,6	2,8	5,4	2,1	1,1	2,2	1,8	2,3	3,2
	Ex-smokers given up daily smoking more than one year ago	8,5	9,8	13,4	12,8	14,7	13,9	2,3	3,5	5,4	3,7	7,2	6,2
	No n-smokers	24,4	24,9	25,8	26,9	24,5	29,6	71,9	68,0	65,4	69,6	64,1	66,0
	Insufficient information	3,7	2,1	1,5	2,0	2,4	1,0	3,1	2,8	1,8	2,9	3,7	1,6
	Total and missing	295	378	337	305	286	294	388	459	445	381	348	373
		0	0	0	0	0	0	0	0	0	0	0	0
50-64	Daily smokers	37,8	39,8	33,2	33,6	36,8	29,8	4,5	7,6	5,6	10,4	9,0	11,1
	Occasional smokers	3,0	3,4	4,5	7,1	5,4	2,3	,6	,6	4,1	1,3	2,9	4,7
	Quitters given up smoking 1-12 months ago	1,7	2,7	3,2	4,6	2,7	3,3	,6	,6	,7	,3	,9	,0
	Ex-smokers given up daily smoking more than one year ago	14,3	19,7	25,9	17,2	19,7	25,1	,3	1,4	3,4	3,1	4,1	5,8
	No n-smokers	36,1	28,0	30,4	32,4	31,4	37,7	87,5	86,1	83,9	83,3	81,2	76,6
	Insufficient information	7,0	6,4	2,8	5,0	4,0	1,9	6,4	3,7	2,2	1,6	2,0	1,8
	Total and missing	230	264	247	238	223	215	311	353	267	318	345	342
		0	0	0	0	0	0	0	0	0	0	0	0

a. Country of study = Lithuania

Smoking index by education

Table 9. Smoking index by education, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Daily smokers	46,7	54,1	51,8	53,6	52,4	49,8	23,0	26,1	20,1	25,5	27,2	23,2
	Occasional smokers	6,4	5,6	6,2	3,6	3,5	3,9	4,2	4,7	3,6	4,0	3,4	5,1
	Quitters given up smoking 1-12 months ago	3,1	2,4	1,4	2,8	3,7	3,3	2,9	,9	2,2	2,4	2,7	2,6
	Ex-smokers given up daily smoking more than one year ago	13,3	12,4	16,2	14,1	16,5	19,2	6,5	5,3	8,3	10,3	12,0	12,3
	Non-smokers	26,7	23,1	21,0	21,1	22,7	23,1	59,2	60,1	62,9	49,9	51,7	55,2
	Insufficient information	3,8	2,4	3,4	4,8	1,3	,7	4,2	2,9	2,9	8,0	2,9	1,5
	Total and missing	390	338	357	1005	630	735	448	449	447	1231	848	779
		0	0	0	0	0	0	0	0	0	0	0	0
High	Daily smokers	37,1	32,2	29,5	32,6	28,5	26,1	15,5	13,8	13,7	11,6	13,9	15,4
	Occasional smokers	7,3	8,2	6,3	5,7	5,4	5,9	6,7	6,7	5,9	4,8	4,7	4,1
	Quitters given up smoking 1-12 months ago	4,0	1,4	2,7	2,3	7,1	4,6	,8	1,1	2,0	2,0	2,6	2,1
	Ex-smokers given up daily smoking more than one year ago	12,1	17,8	14,3	16,0	18,6	18,3	7,9	8,2	9,0	9,1	11,3	10,4
	Non-smokers	37,1	40,4	47,3	42,9	39,8	44,6	67,8	70,3	68,4	65,7	66,7	67,3
	Insufficient information	2,4	,0	,0	,6	,6	,5	1,3	,0	1,2	6,8	,8	,8
	Total and missing	124	146	112	175	354	372	239	269	256	353	661	761
		0	0	0	0	0	0	0	0	0	0	0	0

a. Country of study = Estonia

Table 10. Smoking index by education, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Daily smokers	35,1	33,9	35,1	34,5	30,0	31,0	23,4	25,1	24,6	26,0	24,8	24,8
	Occasional smokers	4,1	5,3	4,9	6,4	6,3	4,6	5,1	4,0	5,3	3,9	4,4	4,5
	Quitters given up smoking 1-12 months ago	2,8	4,9	3,8	3,5	3,8	3,4	1,9	2,9	2,4	1,8	2,8	2,9
	Ex-smokers given up daily smoking more than one year ago	23,8	22,9	23,0	22,7	25,1	26,6	13,8	14,1	14,4	16,6	17,3	19,6
	Non-smokers	31,2	31,5	30,9	31,4	32,9	32,4	52,5	51,7	50,5	50,1	48,1	46,2
	Insufficient information	2,9	1,6	2,3	1,5	2,0	2,0	3,3	2,2	2,8	1,7	2,6	2,0
	Total and missing	1062	948	861	862	848	744	983	927	849	839	757	759
		0	0	0	0	0	0	0	0	0	0	0	0
High	Daily smokers	21,3	18,2	16,3	18,6	17,7	15,4	14,8	13,9	13,2	13,9	15,3	11,6
	Occasional smokers	8,0	8,2	9,7	9,5	7,7	9,4	6,3	8,3	7,5	7,1	7,0	6,1
	Quitters given up smoking 1-12 months ago	2,4	5,4	4,9	3,8	2,7	3,5	2,2	3,6	3,3	3,4	3,4	3,2
	Ex-smokers given up daily smoking more than one year ago	17,8	16,7	18,9	17,6	15,4	18,9	12,1	10,5	12,7	13,1	13,4	16,2
	Non-smokers	50,1	50,9	49,2	50,1	55,9	51,4	63,9	63,0	62,3	61,6	60,6	62,5
	Insufficient information	,4	,6	1,1	,4	,6	1,4	,8	,8	1,0	,9	,3	,3
	Total and missing	461	466	472	495	481	512	637	800	719	815	858	897
		0	0	0	0	0	0	0	0	0	0	0	0

a. Country of study = Finland

Table 11. Smoking index by education, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Daily smokers	60,5	61,9	63,6	56,4	58,6	56,1	23,6	22,0	24,4	20,7	23,0	20,3
	Occasional smokers	5,2	3,4	3,7	5,4	2,5	2,7	4,0	4,5	5,6	3,7	4,1	3,3
	Quitters given up smoking 1-12 months ago	2,4	3,4	1,8	3,1	2,5	2,9	1,3	1,9	1,2	1,9	1,6	2,9
	Ex-smokers given up daily smoking more than one year ago	11,0	12,5	11,2	16,7	14,1	17,1	3,9	5,6	5,4	3,3	9,1	10,0
	No non-smokers	17,8	16,6	17,7	18,1	19,4	16,8	63,7	64,3	61,9	69,5	59,0	61,7
	Insufficient information	3,1	2,2	2,0	,3	2,8	4,3	3,6	1,7	1,5	,9	3,2	1,7
	Total and missing	746	591	508	353	396	374	878	641	517	429	439	418
		0	0	0	0	0	0	0	0	0	0	0	0
High	Daily smokers	34,3	43,9	40,8	48,7	33,0	32,2	12,9	14,3	15,6	16,4	12,5	11,3
	Occasional smokers	8,7	6,0	6,0	5,3	4,9	5,6	7,4	5,8	6,1	6,0	4,3	5,7
	Quitters given up smoking 1-12 months ago	2,9	3,3	3,6	3,0	3,9	6,1	3,3	1,7	2,5	1,7	2,3	3,9
	Ex-smokers given up daily smoking more than one year ago	15,7	11,3	14,8	14,0	14,8	16,1	4,8	4,8	3,8	6,4	6,8	8,5
	No non-smokers	38,4	34,2	33,2	28,7	40,4	37,8	67,5	71,0	71,7	69,4	71,8	68,8
	Insufficient information	,0	1,3	1,6	,4	3,0	2,2	4,1	2,4	,2	,0	2,3	1,8
	Total and missing	172	301	250	265	203	180	271	538	473	481	351	388
		0	0	0	0	0	0	0	0	0	0	0	0

a. Country of study = Latvia

Table 12. Smoking index by education, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Daily smokers	54,2	57,7	55,2	47,7	53,2	46,0	13,5	17,1	12,5	16,1	15,1	18,1
	Occasional smokers	5,8	5,5	5,5	5,3	5,0	5,0	6,1	5,9	8,6	6,0	6,2	6,6
	Quitters given up smoking 1-12 months ago	2,2	2,2	2,4	4,0	3,7	4,2	2,7	1,3	1,7	2,9	2,7	1,8
	Ex-smokers given up daily smoking more than one year ago	7,9	9,2	15,7	13,1	13,9	14,6	2,7	2,0	4,3	4,0	6,2	5,9
	No non-smokers	25,7	22,2	20,4	25,5	21,0	28,5	71,5	71,2	70,7	68,8	67,7	65,8
	Insufficient information	4,1	3,2	,8	4,4	3,2	1,7	3,5	2,4	2,2	2,2	2,1	1,8
	Total and missing	583	726	491	505	462	404	628	742	536	552	517	392
		0	0	0	0	0	0	0	0	0	0	0	0
High	Daily smokers	38,0	36,2	28,3	31,1	26,6	29,5	11,1	13,8	14,0	14,7	11,9	12,1
	Occasional smokers	7,0	12,3	9,4	12,0	7,1	6,0	6,3	6,4	8,8	7,7	7,2	8,4
	Quitters given up smoking 1-12 months ago	1,4	3,0	3,0	2,4	2,9	4,1	1,5	1,1	1,8	,9	3,2	3,2
	Ex-smokers given up daily smoking more than one year ago	13,1	14,5	13,7	11,6	11,2	15,2	1,8	3,9	4,0	4,4	4,0	5,9
	No non-smokers	38,0	32,3	43,2	42,6	50,2	44,4	76,6	72,0	70,4	71,3	71,0	69,4
	Insufficient information	2,3	1,7	2,4	,4	2,1	,6	2,8	2,8	1,0	1,1	2,8	1,0
	Total and missing	213	235	329	251	241	315	398	436	500	457	472	595
		0	0	0	0	0	0	0	0	0	0	0	0

a. Country of study = Lithuania

Smoking index by place of residence

Table 13. Smoking index by place of residence, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Daily smokers	48,0	43,5	30,6	47,9	42,2	40,0	20,6	24,4	16,3	22,3	20,5	18,5
	Occasional smokers	8,8	7,5	4,8	4,9	2,5	4,8	4,8	6,9	6,4	4,5	6,5	4,4
	Quitters given up smoking 1-12 months ago	6,1	2,7	2,4	1,8	5,5	2,8	1,4	1,4	2,5	2,9	1,9	2,0
	Ex-smokers given up daily smoking more than one year ago	8,1	12,9	17,7	14,8	15,2	19,0	8,1	6,5	8,9	10,8	13,5	12,4
	Non-smokers	27,7	33,3	43,5	25,7	33,8	32,8	64,1	59,4	64,0	53,0	55,5	62,0
	Insufficient information	1,4	,0	,8	4,9	,8	,7	1,0	1,4	2,0	6,3	2,1	,6
	Total and missing	148	147	124	284	237	290	209	217	203	443	429	498
		0	0	0	0	0	0	0	0	0	0	0	0
Other	Daily smokers	44,4	49,7	51,8	51,4	44,6	42,1	20,1	19,6	18,2	22,6	21,5	19,6
	Occasional smokers	5,6	5,5	6,4	3,7	4,7	4,8	5,5	5,1	3,5	4,0	3,1	4,7
	Quitters given up smoking 1-12 months ago	1,9	1,7	1,4	3,0	4,7	3,9	2,5	1,0	2,0	2,0	3,1	2,6
	Ex-smokers given up daily smoking more than one year ago	15,1	14,7	15,3	14,3	17,6	18,6	6,3	6,2	8,2	9,7	10,8	10,5
	Non-smokers	28,5	26,0	22,3	23,7	27,3	30,0	61,6	66,0	65,8	53,5	59,2	60,9
	Insufficient information	4,6	2,3	2,8	3,9	1,2	,6	4,0	2,1	2,3	8,2	2,3	1,5
	Total and missing	372	346	359	902	772	870	477	514	511	1152	1147	1100
		0	0	0	0	0	0	0	0	0	0	0	0

a. Country of study = Estonia

Table 14. Smoking index by place of residence, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Daily smokers	30,2	25,9	27,6	27,2	24,8	25,2	19,7	25,3	22,9	22,6	20,2	19,6
	Occasional smokers	6,8	7,6	6,2	10,2	6,6	7,3	6,3	7,5	6,3	7,2	6,0	6,7
	Quitters given up smoking 1-12 months ago	2,5	3,5	4,0	3,4	4,5	3,8	1,9	3,1	2,8	2,3	4,0	2,2
	Ex-smokers given up daily smoking more than one year ago	19,6	20,4	21,1	20,4	21,2	21,4	13,5	12,1	12,9	14,7	15,8	19,8
	Non-smokers	39,8	41,4	39,6	38,0	41,8	40,2	56,3	51,8	53,5	52,3	53,3	51,2
	Insufficient information	1,0	1,2	1,5	,8	1,2	2,1	2,4	,2	1,6	,9	,6	,4
	Total and missing	397	343	323	353	335	341	416	454	428	442	480	449
		0	0	0	0	0	0	0	0	0	0	0	0
Other	Daily smokers	31,5	29,4	28,9	29,2	26,1	24,9	19,9	17,9	18,5	18,9	19,6	17,4
	Occasional smokers	4,7	5,9	6,7	6,5	6,8	6,1	5,2	5,4	6,5	4,8	5,5	5,1
	Quitters given up smoking 1-12 months ago	2,8	5,4	4,2	3,6	3,0	3,4	2,0	3,2	2,7	2,7	2,7	3,5
	Ex-smokers given up daily smoking more than one year ago	22,4	20,8	21,5	21,0	21,7	24,1	12,8	12,4	13,5	14,9	15,1	16,9
	Non-smokers	36,0	37,1	36,7	38,6	40,9	39,8	57,5	59,0	56,6	57,3	55,3	55,8
	Insufficient information	2,7	1,5	2,0	1,2	1,6	1,6	2,5	1,9	2,2	1,5	1,8	1,4
	Total and missing	1154	1097	1042	1029	1011	934	1231	1294	1175	1233	1154	1245
		0	0	0	0	0	0	0	0	0	0	0	0

a. Country of study = Finland

Table 15. Smoking index by place of residence, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Daily smokers	50,2	50,2	53,1	49,5	46,2	44,8	27,6	22,7	25,2	21,3	19,3	21,7
	Occasional smokers	7,1	6,9	4,2	4,8	2,9	2,4	4,6	6,7	6,7	7,3	7,0	7,5
	Quitters given up smoking 1-12 months ago	3,7	4,5	1,9	4,3	4,6	3,6	,9	2,1	1,9	2,3	2,0	4,3
	Ex-smokers given up daily smoking more than one year ago	11,5	12,1	13,1	16,1	12,7	21,2	4,9	6,7	6,4	5,3	10,2	12,6
	No n-smokers	25,7	23,5	26,3	24,2	29,5	25,5	58,3	58,9	59,2	63,3	58,2	52,2
	Insufficient information	1,9	2,8	1,4	1,1	4,0	2,4	3,7	2,8	,6	,3	3,3	1,6
	Total and missing	269	247	213	186	173	165	348	387	314	300	244	253
		0	0	0	0	0	0	0	0	0	0	0	0
Other	Daily smokers	58,0	57,5	57,7	53,4	50,8	49,9	18,0	17,0	17,6	17,1	17,7	13,6
	Occasional smokers	5,3	3,3	4,6	5,4	3,4	4,0	4,9	4,2	5,3	4,0	2,8	3,2
	Quitters given up smoking 1-12 months ago	2,0	2,8	2,7	2,6	2,5	4,0	2,1	1,7	1,9	1,4	1,8	3,0
	Ex-smokers given up daily smoking more than one year ago	11,8	11,9	11,9	15,4	15,2	14,7	3,8	4,5	3,9	4,9	7,6	8,0
	No n-smokers	20,0	22,7	21,0	23,0	25,9	23,4	67,4	70,9	70,4	72,0	67,5	70,3
	Insufficient information	2,9	1,9	2,1	,2	2,3	4,0	3,7	1,8	1,0	,6	2,7	1,9
	Total and missing	659	675	562	461	441	401	811	831	699	632	566	565
		0	0	0	0	0	0	0	0	0	0	0	0

a. Country of study = Latvia

Table 16. Smoking index by place of residence, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Daily smokers	47,2	48,9	41,5	42,9	42,1	33,4	14,5	17,6	14,7	16,2	12,1	14,2
	Occasional smokers	5,0	8,0	7,2	9,3	5,6	6,1	7,5	5,8	9,2	8,0	6,7	10,3
	Quitters given up smoking 1-12 months ago	2,1	2,8	3,2	3,2	3,4	4,3	2,2	1,1	2,6	1,4	3,8	3,2
	Ex-smokers given up daily smoking more than one year ago	10,3	14,0	13,1	11,8	10,9	15,8	2,0	3,9	5,1	4,7	4,9	6,9
	No n-smokers	32,0	23,6	33,2	30,7	35,5	38,3	70,6	69,6	67,1	68,1	69,7	64,3
	Insufficient information	3,5	2,8	1,8	2,1	2,5	2,1	3,2	1,9	1,4	1,6	2,7	1,2
	Total and missing	341	399	443	280	321	329	496	533	587	427	446	507
		0	0	0	0	0	0	0	0	0	0	0	0
Other	Daily smokers	50,9	53,5	47,2	42,4	45,4	43,2	10,5	14,4	11,1	14,4	14,6	14,5
	Occasional smokers	7,1	6,6	6,6	6,7	5,7	4,8	4,7	6,2	7,9	5,8	6,5	5,2
	Quitters given up smoking 1-12 months ago	1,9	2,2	2,0	3,6	3,7	4,3	2,2	1,4	,7	2,3	2,1	2,0
	Ex-smokers given up daily smoking more than one year ago	8,8	7,8	17,1	12,7	15,0	13,9	2,5	2,0	3,3	3,6	5,1	4,4
	No n-smokers	27,1	26,7	25,8	31,1	26,9	33,3	76,4	72,8	74,9	71,8	69,4	72,2
	Insufficient information	4,2	3,2	1,3	3,4	3,2	,5	3,8	3,3	2,2	2,0	2,3	1,6
	Total and missing	479	592	392	495	401	396	554	666	458	603	569	496
		0	0	0	0	0	0	0	0	0	0	0	0

a. Country of study = Lithuania

Passive smoking at home

Table 17. Family member smoking at home by study year, respondent's gender and country (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Estonia	No, no one smokes	53,4	54,3	51,3	60,9	65,3	72,3	58,6	58,1	60,5	69,9	71,3	74,9
	Yes, someone smokes	46,6	45,7	48,7	39,1	34,7	27,7	41,4	41,9	39,5	30,1	28,7	25,1
	Total and missing	524	486	478	1170	997	1152	686	724	712	1563	1555	1575
		4	9	6	16	12	8	9	11	7	32	21	23
Finland	No, no one smokes	73,0	71,5	72,7	72,6	75,9	74,5	79,0	76,5	77,7	77,4	78,2	77,3
	Yes, someone smokes	27,0	28,5	27,3	27,4	24,1	25,5	21,0	23,5	22,3	22,6	21,8	22,7
	Total and missing	1531	1419	1339	1363	1327	1257	1611	1713	1594	1658	1618	1676
		20	21	26	19	19	18	36	35	9	17	16	18
Latvia	No, no one smokes	32,4	44,0	42,1	46,7	45,7	45,9	42,3	52,8	52,2	54,8	51,0	56,4
	Yes, someone smokes	67,6	56,0	57,9	53,3	54,3	54,1	57,7	47,2	47,8	45,2	49,0	43,6
	Total and missing	918	916	770	644	608	549	1142	1208	1001	932	796	780
		10	6	5	3	6	17	17	10	12	0	14	38
Lithuania	No, no one smokes	50,4	55,6	65,5	65,0	65,4	72,8	56,7	60,4	67,4	68,4	69,0	76,4
	Yes, someone smokes	49,6	44,4	34,5	35,0	34,6	27,2	43,3	39,6	32,6	31,6	31,0	23,6
	Total and missing	790	962	817	745	708	717	1005	1161	1019	1000	989	984
		30	29	18	30	15	9	45	38	26	30	27	21

Family member smoking at home by respondent's age group

Table 18. Family member smoking at home by respondent's age group, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	No, no one smokes	53,1	58,8	48,5	59,8	66,6	69,8	51,4	54,0	61,5	69,3	72,5	75,6
	Yes, someone smokes	46,9	41,3	51,5	40,2	33,4	30,2	48,6	46,0	38,5	30,7	27,5	24,4
	Total and missing	179	160	163	430	344	377	208	224	221	489	499	537
		0	3	0	6	2	2	5	2	1	3	2	4
35-49	No, no one smokes	49,5	49,7	45,8	59,8	62,4	77,1	56,5	51,0	58,2	69,5	69,5	75,3
	Yes, someone smokes	50,5	50,3	54,2	40,2	37,6	22,9	43,5	49,0	41,8	30,5	30,5	24,7
	Total and missing	200	171	168	393	319	406	262	253	251	525	522	515
		2	2	0	2	1	2	2	3	2	4	5	4
50-64	No, no one smokes	59,3	54,8	60,5	63,4	66,8	69,6	68,1	69,2	62,1	70,9	71,7	73,8
	Yes, someone smokes	40,7	45,2	39,5	36,6	33,2	30,4	31,9	30,8	37,9	29,1	28,3	26,2
	Total and missing	145	155	147	347	334	369	216	247	240	549	534	523
		2	4	6	8	9	4	2	6	4	25	14	15

a. Country of study = Estonia

Table 19. Family member smoking at home by respondent's age group, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	No, no one smokes	71,2	72,5	74,8	72,8	74,0	71,5	77,5	77,2	75,2	76,7	79,2	78,8
	Yes, someone smokes	28,8	27,5	25,2	27,2	26,0	28,5	22,5	22,8	24,8	23,3	20,8	21,2
	Total and missing	462	378	369	375	311	305	498	536	467	477	466	462
		4	6	7	5	6	4	7	8	3	6	4	2
35-49	No, no one smokes	71,0	67,3	71,4	71,6	79,0	78,1	77,8	74,8	78,5	77,1	76,1	76,7
	Yes, someone smokes	29,0	32,7	28,6	28,4	21,0	21,9	22,2	25,2	21,5	22,9	23,9	23,3
	Total and missing	531	563	454	465	472	411	617	602	585	590	545	557
		10	9	10	6	8	3	5	10	1	2	3	2
50-64	No, no one smokes	76,6	75,7	72,5	73,4	74,3	73,6	81,9	77,6	79,0	78,2	79,2	76,9
	Yes, someone smokes	23,4	24,3	27,5	26,6	25,7	26,4	18,1	22,4	21,0	21,8	20,8	23,1
	Total and missing	538	478	516	523	544	541	496	575	542	591	607	657
		6	6	9	8	5	11	24	17	5	9	9	14

a. Country of study = Finland

Table 20. Family member smoking at home by respondent's age group, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	No, no one smokes	25,9	40,6	43,9	40,9	49,3	40,5	31,9	42,4	45,2	48,4	46,3	50,6
	Yes, someone smokes	74,1	59,4	56,1	59,1	50,7	59,5	68,1	57,6	54,8	51,6	53,8	49,4
	Total and missing	359	335	296	225	209	190	398	380	343	285	240	235
		4	1	1	2	3	5	2	3	0	0	5	8
35-49	No, no one smokes	32,8	40,2	37,2	42,4	42,1	42,9	42,3	50,9	50,3	49,1	52,5	55,3
	Yes, someone smokes	67,2	59,8	62,8	57,6	57,9	57,1	57,7	49,1	49,7	50,9	47,5	44,7
	Total and missing	299	331	274	217	214	170	390	422	322	322	263	264
		2	3	1	0	2	4	6	3	4	0	6	14
50-64	No, no one smokes	40,8	53,6	46,0	57,9	45,9	54,0	54,0	64,5	61,3	66,2	53,6	62,3
	Yes, someone smokes	59,2	46,4	54,0	42,1	54,1	46,0	46,0	35,5	38,7	33,8	46,4	37,7
	Total and missing	260	250	200	202	185	189	354	406	336	325	293	281
		4	2	3	1	1	8	9	4	8	0	3	16

a. Country of study = Latvia

Table 21. Family member smoking at home by respondent's age group, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	No, no one smokes	44,6	54,8	64,5	61,1	64,2	70,0	53,3	57,9	69,6	66,0	68,8	76,7
	Yes, someone smokes	55,4	45,2	35,5	38,9	35,8	30,0	46,7	42,1	30,4	34,0	31,2	23,3
	Total and missing	289	345	248	226	212	213	345	380	329	326	317	288
		6	4	3	6	2	4	6	7	4	5	6	2
35-49	No, no one smokes	50,0	52,3	61,2	65,0	65,1	73,4	51,3	58,5	62,4	67,8	67,7	77,2
	Yes, someone smokes	50,0	47,7	38,8	35,0	34,9	26,6	48,7	41,5	37,6	32,2	32,3	22,8
	Total and missing	284	369	335	297	281	293	376	448	436	373	341	368
		11	9	2	8	5	1	12	11	9	8	7	5
50-64	No, no one smokes	58,5	61,7	72,6	68,9	67,0	74,9	68,0	65,8	73,2	71,8	70,4	75,3
	Yes, someone smokes	41,5	38,3	27,4	31,1	33,0	25,1	32,0	34,2	26,8	28,2	29,6	24,7
	Total and missing	217	248	234	222	215	211	284	333	254	301	331	328
		13	16	13	16	8	4	27	20	13	17	14	14

a. Country of study = Lithuania

Family member smoking at home by respondent's education**Table 22. Family member smoking at home by respondent's education, gender and study year in Estonia (%).**

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	No, no one smokes	52,2	46,1	43,9	58,2	57,6	67,6	53,3	52,4	55,3	66,9	65,7	68,8
	Yes, someone smokes	47,8	53,9	56,1	41,8	42,4	32,4	46,7	47,6	44,7	33,1	34,3	31,2
	Total and missing	387	330	351	990	620	728	443	443	443	1201	833	762
		3	8	6	15	10	7	5	6	4	30	15	17
High	No, no one smokes	60,5	72,4	74,1	76,4	79,0	81,7	68,9	68,6	68,2	80,9	79,2	81,6
	Yes, someone smokes	39,5	27,6	25,9	23,6	21,0	18,3	31,1	31,4	31,8	19,1	20,8	18,4
	Total and missing	124	145	112	174	353	372	235	264	255	351	658	756
		0	1	0	1	1	0	4	5	1	2	3	5

a. Country of study = Estonia

Table 23. Family member smoking at home by respondent's education, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	No, no one smokes	69,8	66,5	67,7	67,1	71,3	69,6	76,0	69,7	73,3	71,4	72,3	69,6
	Yes, someone smokes	30,2	33,5	32,3	32,9	28,7	30,4	24,0	30,3	26,7	28,6	27,7	30,4
	Total and missing	1050	934	838	848	833	736	953	907	845	831	747	747
		12	14	23	14	15	8	30	20	4	8	10	12
High	No, no one smokes	80,8	82,8	82,1	82,2	84,5	82,5	84,2	84,0	83,5	83,4	83,2	84,3
	Yes, someone smokes	19,2	17,2	17,9	17,8	15,5	17,5	15,8	16,0	16,5	16,6	16,8	15,7
	Total and missing	454	459	469	490	477	502	631	787	714	806	853	893
		7	7	3	5	4	10	6	13	5	9	5	4

a. Country of study = Finland

Table 24. Family member smoking at home by respondent's education, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	No, no one smokes	27,9	38,7	36,0	41,6	37,9	39,0	39,2	45,6	44,1	52,4	44,2	49,5
	Yes, someone smokes	72,1	61,3	64,0	58,4	62,1	61,0	60,8	54,4	55,9	47,6	55,8	50,5
	Total and missing	738	586	505	351	391	359	864	636	508	429	430	394
		8	5	3	2	5	15	14	5	9	0	9	24
High	No, no one smokes	52,0	53,8	55,6	53,4	60,4	60,7	52,2	62,5	61,6	57,2	59,1	63,9
	Yes, someone smokes	48,0	46,2	44,4	46,6	39,6	39,3	47,8	37,5	38,4	42,8	40,9	36,1
	Total and missing	171	301	248	264	202	178	268	534	471	481	347	374
		1	0	2	1	1	2	3	4	2	0	4	14

a. Country of study = Latvia

Table 25. Family member smoking at home by respondent's education, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	No, no one smokes	46,1	51,0	58,3	60,1	60,4	66,4	50,6	55,3	64,9	62,4	61,7	70,6
	Yes, someone smokes	53,9	49,0	41,7	39,9	39,6	33,6	49,4	44,7	35,1	37,6	38,3	29,4
	Total and missing	557	706	480	481	450	399	595	720	513	535	501	377
		26	20	11	24	12	5	33	22	23	17	16	15
High	No, no one smokes	59,5	70,6	76,1	74,7	74,4	81,4	65,8	69,0	70,0	75,4	76,2	80,2
	Yes, someone smokes	40,5	29,4	23,9	25,3	25,6	18,6	34,2	31,0	30,0	24,6	23,8	19,8
	Total and missing	210	228	322	245	238	311	389	423	497	447	462	590
		3	7	7	6	3	4	9	13	3	10	10	5

a. Country of study = Lithuania

Family member smoking at home by respondent's place of residence

Table 26. Family member smoking at home by respondent's place of residence, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	No, no one smokes	51,4	60,5	60,2	60,9	67,2	71,9	65,2	57,5	67,5	69,0	72,2	75,1
	Yes, someone smokes	48,6	39,5	39,8	39,1	32,8	28,1	34,8	42,5	32,5	31,0	27,8	24,9
	Total and missing	148	147	123	281	235	288	207	214	200	436	418	493
		0	0	1	3	2	2	2	3	3	7	11	5
Other	No, no one smokes	53,8	51,6	48,3	60,9	64,7	72,5	56,0	58,5	57,9	70,3	70,9	74,9
	Yes, someone smokes	46,2	48,4	51,7	39,1	35,3	27,5	44,0	41,5	42,1	29,7	29,1	25,1
	Total and missing	368	337	354	889	762	864	470	506	508	1127	1137	1082
		4	9	5	13	10	6	7	8	3	25	10	18

a. Country of study = Estonia

Table 27. Family member smoking at home by respondent's place of residence, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	No, no one smokes	74,0	71,1	73,4	71,7	77,0	75,3	75,4	74,4	74,2	77,1	78,7	75,1
	Yes, someone smokes	26,0	28,9	26,6	28,3	23,0	24,7	24,6	25,6	25,8	22,9	21,3	24,9
	Total and missing	392	336	316	346	331	336	407	442	427	441	478	442
		5	7	7	7	4	5	9	12	1	1	2	7
Other	No, no one smokes	72,7	71,7	72,5	73,0	75,5	74,3	80,1	77,2	78,9	77,5	78,0	78,1
	Yes, someone smokes	27,3	28,3	27,5	27,0	24,5	25,7	19,9	22,8	21,1	22,5	22,0	21,9
	Total and missing	1139	1083	1023	1017	996	921	1204	1271	1167	1217	1140	1234
		15	14	19	12	15	13	27	23	8	16	14	11

a. Country of study = Finland

Table 28. Family member smoking at home by respondent's place of residence, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	No, no one smokes	35,5	46,7	43,9	46,5	46,8	51,3	43,8	53,0	51,9	56,0	46,9	53,3
	Yes, someone smokes	64,5	53,3	56,1	53,5	53,2	48,8	56,2	47,0	48,1	44,0	53,1	46,7
	Total and missing	265	244	212	185	171	160	345	385	310	300	243	246
		4	3	1	1	2	5	3	2	4	0	1	7
Other	No, no one smokes	31,1	43,0	41,4	46,8	45,3	43,7	41,7	52,7	52,4	54,3	52,8	57,9
	Yes, someone smokes	68,9	57,0	58,6	53,2	54,7	56,3	58,3	47,3	47,6	45,7	47,2	42,1
	Total and missing	653	672	558	459	437	389	797	823	691	632	553	534
		6	3	4	2	4	12	14	8	8	0	13	31

a. Country of study = Latvia

Table 29. Family member smoking at home by respondent's place of residence, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	No, no one smokes	54,8	60,1	65,2	67,7	66,7	77,8	57,6	65,2	66,7	71,3	72,4	77,4
	Yes, someone smokes	45,2	39,9	34,8	32,3	33,3	22,2	42,4	34,8	33,3	28,7	27,6	22,6
	Total and missing	330	386	434	269	318	324	472	520	574	415	435	496
		11	13	9	11	3	5	24	13	13	12	11	11
Other	No, no one smokes	47,2	52,6	65,8	63,4	64,3	68,9	55,9	56,5	68,3	66,3	66,2	75,5
	Yes, someone smokes	52,8	47,4	34,2	36,6	35,7	31,1	44,1	43,5	31,7	33,7	33,8	24,5
	Total and missing	460	576	383	476	389	392	533	641	445	585	553	486
		19	16	9	19	12	4	21	25	13	18	16	10

a. Country of study = Lithuania

Alcohol consumption

Alcohol consumption in the previous seven days in males

Table 30. Portions of alcohol drunk during last week in males by study year and country (%).

%		male					
		1998	2000	2002	2004	2006	2008
Estonia	none	28,2	24,0	25,6	23,0	22,1	22,2
	1-9 portions	45,6	41,4	41,5	37,7	40,2	39,7
	10-19 portions	16,7	22,8	19,4	22,6	20,9	21,2
	20 portions or more	9,5	11,7	13,4	16,7	16,7	17,0
	Total and missing	528	495	484	1186	1009	1160
		0	0	0	0	0	0
Finland	none	19,2	21,5	22,2	20,0	24,7	23,7
	1-9 portions	43,4	43,3	43,7	41,8	41,2	41,6
	10-19 portions	23,1	23,8	23,1	24,5	21,8	23,8
	20 portions or more	14,2	11,5	11,1	13,6	12,3	10,9
	Total and missing	1551	1440	1365	1382	1346	1275
		0	0	0	0	0	0
Latvia	none	24,2	30,3	24,0	26,6	25,9	25,1
	1-9 portions	51,3	47,0	49,9	48,2	48,5	48,6
	10-19 portions	15,4	15,2	17,3	17,0	15,8	17,5
	20 portions or more	9,1	7,6	8,8	8,2	9,8	8,8
	Total and missing	928	922	775	647	614	566
		0	0	0	0	0	0
Lithuania	none	26,5	23,0	17,6	21,3	22,8	22,2
	1-9 portions	45,0	46,9	46,0	49,2	43,7	46,1
	10-19 portions	20,0	19,8	25,6	18,3	21,7	21,1
	20 portions or more	8,5	10,3	10,8	11,2	11,8	10,6
	Total and missing	820	991	835	775	723	726
		0	0	0	0	0	0

Portions of alcohol drunk during last week by age group in males

Table 31. Portions of alcohol drunk during last week in males by age group and study year in Estonia (%).

%		male					
		1998	2000	2002	2004	2006	2008
20-34	none	25,7	22,1	22,1	20,0	19,4	19,0
	1-9 portions	46,9	41,1	40,5	36,7	37,3	35,9
	10-19 portions	14,5	24,5	20,9	25,7	23,1	24,3
	20 portions or more	12,8	12,3	16,6	17,7	20,2	20,8
	Total and missing	179	163	163	436	346	379
		0	0	0	0	0	0
35-49	none	22,8	19,7	19,0	24,1	18,1	19,6
	1-9 portions	45,5	42,8	40,5	38,5	37,8	41,4
	10-19 portions	23,3	25,4	22,0	18,5	22,2	21,3
	20 portions or more	8,4	12,1	18,5	19,0	21,9	17,6
	Total and missing	202	173	168	395	320	408
		0	0	0	0	0	0
50-64	none	38,8	30,8	36,6	25,6	28,6	28,2
	1-9 portions	44,2	40,3	43,8	38,0	45,5	41,6
	10-19 portions	10,2	18,2	15,0	23,4	17,5	18,0
	20 portions or more	6,8	10,7	4,6	13,0	8,5	12,3
	Total and missing	147	159	153	355	343	373
		0	0	0	0	0	0

a. Country of study = Estonia

Table 32. Portions of alcohol drunk during last week in males by age group and study year in Finland (%).

%		male					
		1998	2000	2002	2004	2006	2008
20-34	none	17,0	21,6	23,1	21,1	26,8	27,2
	1-9 portions	44,0	39,8	42,0	41,3	37,5	39,2
	10-19 portions	21,9	24,2	23,9	22,1	22,7	23,9
	20 portions or more	17,2	14,3	10,9	15,5	12,9	9,7
	Total and missing	466	384	376	380	317	309
		0	0	0	0	0	0
35-49	none	20,1	17,5	22,4	18,5	24,6	18,1
	1-9 portions	36,8	44,6	40,7	42,9	37,5	43,5
	10-19 portions	26,6	26,2	24,6	25,9	24,2	25,6
	20 portions or more	16,5	11,7	12,3	12,7	13,8	12,8
	Total and missing	541	572	464	471	480	414
		0	0	0	0	0	0
50-64	none	20,2	26,2	21,3	20,7	23,5	25,9
	1-9 portions	49,4	44,4	47,4	41,2	46,6	41,7
	10-19 portions	20,8	20,5	21,1	25,0	19,3	22,3
	20 portions or more	9,6	8,9	10,1	13,0	10,6	10,1
	Total and missing	544	484	525	531	549	552
		0	0	0	0	0	0

a. Country of study = Finland

Table 33. Portions of alcohol drunk during last week in males by age group and study year in Latvia (%).

%		male					
		1998	2000	2002	2004	2006	2008
20-34	none	20,7	27,1	18,9	20,7	26,4	16,9
	1-9 portions	49,0	48,2	48,5	51,5	39,6	50,3
	10-19 portions	19,6	16,7	22,9	18,5	19,3	18,5
	20 portions or more	10,7	8,0	9,8	9,3	14,6	14,4
	Total and missing	363	336	297	227	212	195
		0	0	0	0	0	0
35-49	none	25,6	27,5	24,7	27,2	24,5	24,1
	1-9 portions	49,8	47,9	50,9	46,1	49,1	47,7
	10-19 portions	15,6	16,2	14,9	18,0	16,7	20,7
	20 portions or more	9,0	8,4	9,5	8,8	9,7	7,5
	Total and missing	301	334	275	217	216	174
		0	0	0	0	0	0
50-64	none	27,7	38,1	30,5	32,5	26,9	34,0
	1-9 portions	56,1	44,0	50,7	46,8	58,1	47,7
	10-19 portions	9,5	11,9	12,3	14,3	10,8	13,7
	20 portions or more	6,8	6,0	6,4	6,4	4,3	4,6
	Total and missing	264	252	203	203	186	197
		0	0	0	0	0	0

a. Country of study = Latvia

Table 34. Portions of alcohol drunk during last week in males by age group and study year in Lithuania (%).

%		male					
		1998	2000	2002	2004	2006	2008
20-34	none	24,1	19,8	12,4	14,7	18,2	19,8
	1-9 portions	46,8	48,1	42,6	52,6	45,8	48,8
	10-19 portions	21,4	20,1	31,9	23,7	23,8	17,5
	20 portions or more	7,8	12,0	13,1	9,1	12,1	13,8
	Total and missing	295	349	251	232	214	217
		0	0	0	0	0	0
35-49	none	22,4	23,3	16,9	20,7	20,6	19,0
	1-9 portions	45,1	44,4	44,2	45,9	41,6	45,6
	10-19 portions	23,4	22,0	26,1	19,0	24,5	24,5
	20 portions or more	9,2	10,3	12,8	14,4	13,3	10,9
	Total and missing	295	378	337	305	286	294
		0	0	0	0	0	0
50-64	none	34,8	26,9	23,9	28,6	30,0	28,8
	1-9 portions	42,6	48,9	51,8	50,0	44,4	44,2
	10-19 portions	13,9	16,3	18,6	12,2	16,1	20,0
	20 portions or more	8,7	8,0	5,7	9,2	9,4	7,0
	Total and missing	230	264	247	238	223	215
		0	0	0	0	0	0

a. Country of study = Lithuania

Portions of alcohol drunk during last week by education in males

Table 35. Portions of alcohol drunk during last week in males by education and study year in Estonia (%).

%		male					
		1998	2000	2002	2004	2006	2008
Low	none	30,8	26,9	28,0	24,0	24,4	23,9
	1-9 portions	44,1	38,2	38,4	37,7	38,3	37,6
	10-19 portions	15,9	24,6	19,6	21,5	20,6	20,4
	20 portions or more	9,2	10,4	14,0	16,8	16,7	18,1
	Total and missing	390	338	357	1005	630	735
		0	0	0	0	0	0
High	none	21,0	16,4	18,8	18,3	17,2	18,8
	1-9 portions	51,6	49,3	52,7	37,1	43,8	43,5
	10-19 portions	17,7	19,2	17,9	29,1	22,3	22,6
	20 portions or more	9,7	15,1	10,7	15,4	16,7	15,1
	Total and missing	124	146	112	175	354	372
		0	0	0	0	0	0

a. Country of study = Estonia

Table 36. Portions of alcohol drunk during last week in males by education and study year in Finland (%).

%		male					
		1998	2000	2002	2004	2006	2008
Low	none	21,4	24,1	23,0	21,5	26,8	24,5
	1-9 portions	45,1	43,5	44,0	41,3	40,1	39,5
	10-19 portions	20,9	21,6	22,1	23,9	21,2	24,9
	20 portions or more	12,6	10,9	10,9	13,3	11,9	11,2
	Total and missing	1062	948	861	862	848	744
		0	0	0	0	0	0
High	none	13,9	15,0	21,0	16,2	20,6	21,9
	1-9 portions	39,3	43,3	42,8	43,0	43,9	44,5
	10-19 portions	28,6	28,5	24,4	26,5	23,1	22,7
	20 portions or more	18,2	13,1	11,9	14,3	12,5	10,9
	Total and missing	461	466	472	495	481	512
		0	0	0	0	0	0

a. Country of study = Finland

Table 37. Portions of alcohol drunk during last week in males by education and study year in Latvia (%).

%		male					
		1998	2000	2002	2004	2006	2008
Low	none	25,5	34,0	24,6	29,5	28,8	26,2
	1-9 portions	49,2	42,6	48,0	47,6	43,7	44,7
	10-19 portions	16,0	14,7	16,5	13,9	16,2	17,9
	20 portions or more	9,4	8,6	10,8	9,1	11,4	11,2
	Total and missing	746	591	508	353	396	374
		0	0	0	0	0	0
High	none	18,0	22,6	22,8	22,3	20,2	24,4
	1-9 portions	60,5	55,8	53,2	47,5	57,6	54,4
	10-19 portions	13,4	15,9	19,2	22,3	15,3	16,7
	20 portions or more	8,1	5,6	4,8	7,9	6,9	4,4
	Total and missing	172	301	250	265	203	180
		0	0	0	0	0	0

a. Country of study = Latvia

Table 38. Portions of alcohol drunk during last week in males by education and study year in Lithuania (%).

%		male					
		1998	2000	2002	2004	2006	2008
Low	none	27,6	24,0	20,6	22,6	22,3	23,5
	1-9 portions	45,1	45,7	42,0	49,5	45,2	44,8
	10-19 portions	19,7	19,8	26,9	16,6	20,8	21,3
	20 portions or more	7,5	10,5	10,6	11,3	11,7	10,4
	Total and missing	583	726	491	505	462	404
		0	0	0	0	0	0
High	none	23,9	19,1	12,2	17,9	22,4	20,3
	1-9 portions	45,1	50,6	52,0	48,2	41,5	47,9
	10-19 portions	19,2	20,4	24,3	22,3	24,5	21,0
	20 portions or more	11,7	9,8	11,6	11,6	11,6	10,8
	Total and missing	213	235	329	251	241	315
		0	0	0	0	0	0

a. Country of study = Lithuania

Portions of alcohol drunk during last week by place of residence in males

Table 39. Portions of alcohol drunk during last week in males by place of residence and study year in Estonia (%).

%		male					
		1998	2000	2002	2004	2006	2008
Metropol.	none	24,3	27,9	21,8	23,6	27,0	21,4
	1-9 portions	46,6	41,5	49,2	38,7	38,4	40,7
	10-19 portions	18,9	20,4	17,7	22,2	17,3	20,0
	20 portions or more	10,1	10,2	11,3	15,5	17,3	17,9
	Total and missing	148	147	124	284	237	290
		0	0	0	0	0	0
Other	none	29,3	22,5	26,7	22,8	20,6	22,4
	1-9 portions	45,7	41,3	39,0	37,4	40,8	39,3
	10-19 portions	15,9	23,7	20,1	22,7	22,0	21,6
	20 portions or more	9,1	12,4	14,2	17,1	16,6	16,7
	Total and missing	372	346	359	902	772	870
		0	0	0	0	0	0

a. Country of study = Estonia

Table 40. Portions of alcohol drunk during last week in males by place of residence and study year in Finland (%).

%		male					
		1998	2000	2002	2004	2006	2008
Metropol.	none	15,4	18,7	16,7	14,4	20,9	19,1
	1-9 portions	41,1	40,5	42,7	42,2	42,4	41,3
	10-19 portions	24,7	24,5	26,6	27,5	20,6	24,3
	20 portions or more	18,9	16,3	13,9	15,9	16,1	15,2
	Total and missing	397	343	323	353	335	341
		0	0	0	0	0	0
Other	none	20,5	22,4	23,9	22,0	25,9	25,4
	1-9 portions	44,2	44,1	44,0	41,7	40,9	41,8
	10-19 portions	22,6	23,5	22,0	23,5	22,3	23,6
	20 portions or more	12,7	9,9	10,2	12,8	11,0	9,3
	Total and missing	1154	1097	1042	1029	1011	934
		0	0	0	0	0	0

a. Country of study = Finland

Table 41. Portions of alcohol drunk during last week in males by place of residence and study year in Latvia (%).

%		male					
		1998	2000	2002	2004	2006	2008
Metropol.	none	22,3	30,0	23,5	25,8	26,0	23,0
	1-9 portions	50,6	47,8	50,2	45,7	43,9	53,3
	10-19 portions	16,0	12,6	15,5	19,4	16,8	15,2
	20 portions or more	11,2	9,7	10,8	9,1	13,3	8,5
	Total and missing	269	247	213	186	173	165
		0	0	0	0	0	0
Other	none	25,0	30,4	24,2	26,9	25,9	25,9
	1-9 portions	51,6	46,7	49,8	49,2	50,3	46,6
	10-19 portions	15,2	16,1	18,0	16,1	15,4	18,5
	20 portions or more	8,2	6,8	8,0	7,8	8,4	9,0
	Total and missing	659	675	562	461	441	401
		0	0	0	0	0	0

a. Country of study = Latvia

Table 42. Portions of alcohol drunk during last week in males by place of residence and study year in Lithuania (%).

%		male					
		1998	2000	2002	2004	2006	2008
Metropol.	none	23,5	20,3	15,1	17,1	20,9	21,6
	1-9 portions	49,9	47,9	48,5	48,2	44,5	47,7
	10-19 portions	15,8	20,1	25,1	22,9	21,5	20,1
	20 portions or more	10,9	11,8	11,3	11,8	13,1	10,6
	Total and missing	341	399	443	280	321	329
		0	0	0	0	0	0
Other	none	28,6	24,8	20,4	23,6	24,4	22,7
	1-9 portions	41,5	46,3	43,1	49,7	42,9	44,9
	10-19 portions	23,0	19,6	26,3	15,8	21,9	22,0
	20 portions or more	6,9	9,3	10,2	10,9	10,7	10,4
	Total and missing	479	592	392	495	401	396
		0	0	0	0	0	0

a. Country of study = Lithuania

Alcohol consumption in the previous seven days in females

Table 43. Portions of alcohol drunk during last week in females by study year and country (%).

%		female					
		1998	2000	2002	2004	2006	2008
Estonia	none	45,3	43,7	45,5	43,3	44,0	38,9
	1-3 portions	37,1	38,2	41,0	36,6	34,8	38,0
	4-9 portions	14,1	15,4	11,1	15,7	16,3	17,6
	10 portions or more	3,5	2,7	2,4	4,4	4,8	5,4
	Total and missing	695	735	719	1595	1576	1598
		0	0	0	0	0	0
Finland	none	31,4	35,9	34,1	30,9	33,7	34,3
	1-3 portions	32,1	32,5	33,9	32,6	30,4	30,5
	4-9 portions	26,2	23,3	24,3	27,0	26,2	25,3
	10 portions or more	10,3	8,4	7,8	9,4	9,7	10,0
	Total and missing	1647	1748	1603	1675	1634	1694
		0	0	0	0	0	0
Latvia	none	43,1	44,6	40,0	42,2	41,6	38,3
	1-3 portions	38,1	38,9	42,2	38,7	41,4	43,3
	4-9 portions	15,4	13,9	15,0	16,1	13,8	15,4
	10 portions or more	3,5	2,6	2,9	3,0	3,2	3,1
	Total and missing	1159	1218	1013	932	810	818
		0	0	0	0	0	0
Lithuania	none	48,1	45,8	35,1	44,3	40,4	39,5
	1-3 portions	35,1	37,4	41,7	38,3	40,0	39,3
	4-9 portions	14,0	13,7	20,1	13,8	15,7	17,5
	10 portions or more	2,8	3,2	3,1	3,6	3,9	3,7
	Total and missing	1050	1199	1045	1030	1016	1005
		0	0	0	0	0	0

Portions of alcohol drunk during last week by age group in females

Table 44. Portions of alcohol drunk during last week in females by age group and study year in Estonia (%).

%		female					
		1998	2000	2002	2004	2006	2008
20-34	none	36,6	35,8	39,6	35,2	39,9	36,4
	1-3 portions	41,3	42,0	43,2	41,5	35,5	36,4
	4-9 portions	16,0	19,9	13,5	17,1	18,6	19,4
	10 portions or more	6,1	2,2	3,6	6,3	6,0	7,8
	Total and missing	213	226	222	492	501	541
		0	0	0	0	0	0
35-49	none	43,2	42,2	41,9	37,4	40,8	34,3
	1-3 portions	39,4	36,3	44,7	41,4	35,5	40,1
	4-9 portions	14,4	17,6	11,9	16,8	18,8	19,8
	10 portions or more	3,0	3,9	1,6	4,3	4,9	5,8
	Total and missing	264	256	253	529	527	519
		0	0	0	0	0	0
50-64	none	56,4	52,2	54,5	55,7	50,9	45,9
	1-3 portions	30,3	36,8	35,2	27,9	33,6	37,7
	4-9 portions	11,9	9,1	8,2	13,6	11,9	13,6
	10 portions or more	1,4	2,0	2,0	2,8	3,6	2,8
	Total and missing	218	253	244	574	548	538
		0	0	0	0	0	0

a. Country of study = Estonia

Table 45. Portions of alcohol drunk during last week in females by age group and study year in Finland (%).

%		female					
		1998	2000	2002	2004	2006	2008
20-34	none	30,7	34,7	35,1	34,0	41,3	40,7
	1-3 portions	34,9	35,1	35,7	31,9	23,2	26,5
	4-9 portions	24,8	24,1	21,9	26,7	27,2	23,7
	10 portions or more	9,7	6,1	7,2	7,5	8,3	9,1
	Total and missing	505	544	470	483	470	464
		0	0	0	0	0	0
35-49	none	27,5	32,0	28,5	28,4	24,5	30,1
	1-3 portions	31,2	34,0	33,8	30,9	34,3	33,5
	4-9 portions	28,5	24,2	28,5	28,9	28,3	25,6
	10 portions or more	12,9	9,8	9,2	11,8	13,0	10,9
	Total and missing	622	612	586	592	548	559
		0	0	0	0	0	0
50-64	none	36,7	40,9	39,1	31,0	36,0	33,4
	1-3 portions	30,6	28,5	32,4	34,8	32,5	30,7
	4-9 portions	24,8	21,6	21,8	25,5	23,5	26,1
	10 portions or more	7,9	9,0	6,8	8,7	8,0	9,8
	Total and missing	520	592	547	600	616	671
		0	0	0	0	0	0

a. Country of study = Finland

Table 46. Portions of alcohol drunk during last week in females by age group and study year in Latvia (%).

%		female					
		1998	2000	2002	2004	2006	2008
20-34	none	36,0	34,5	30,0	36,1	33,1	35,0
	1-3 portions	41,3	45,4	44,9	37,9	42,9	42,4
	4-9 portions	17,8	16,2	20,7	22,8	18,4	18,9
	10 portions or more	5,0	3,9	4,4	3,2	5,7	3,7
	Total and missing	400	383	343	285	245	243
		0	0	0	0	0	0
35-49	none	41,9	40,0	35,9	38,5	36,1	28,4
	1-3 portions	37,1	40,9	43,9	40,4	45,7	51,1
	4-9 portions	17,9	16,9	17,2	16,8	15,2	16,5
	10 portions or more	3,0	2,1	3,1	4,3	3,0	4,0
	Total and missing	396	425	326	322	269	278
		0	0	0	0	0	0
50-64	none	52,3	58,8	53,8	51,1	53,7	50,2
	1-3 portions	35,5	30,7	37,8	37,8	36,1	36,7
	4-9 portions	9,9	8,5	7,3	9,5	8,8	11,4
	10 portions or more	2,2	2,0	1,2	1,5	1,4	1,7
	Total and missing	363	410	344	325	296	297
		0	0	0	0	0	0

a. Country of study = Latvia

Table 47. Portions of alcohol drunk during last week in females by age group and study year in Lithuania (%).

%		female					
		1998	2000	2002	2004	2006	2008
20-34	none	37,3	39,3	24,9	37,2	36,8	39,0
	1-3 portions	40,7	39,8	45,6	37,5	41,5	39,7
	4-9 portions	17,7	16,5	23,7	19,6	18,0	16,6
	10 portions or more	4,3	4,4	5,7	5,7	3,7	4,8
	Total and missing	351	387	333	331	323	290
		0	0	0	0	0	0
35-49	none	44,3	41,2	32,8	40,9	34,8	28,2
	1-3 portions	36,9	40,5	44,0	42,8	42,8	42,4
	4-9 portions	15,5	14,8	20,9	13,1	17,0	24,4
	10 portions or more	3,4	3,5	2,2	3,1	5,5	5,1
	Total and missing	388	459	445	381	348	373
		0	0	0	0	0	0
50-64	none	65,0	58,9	51,7	55,7	49,3	52,3
	1-3 portions	26,7	30,6	33,0	34,0	35,7	35,7
	4-9 portions	8,0	9,1	14,2	8,5	12,5	10,8
	10 portions or more	,3	1,4	1,1	1,9	2,6	1,2
	Total and missing	311	353	267	318	345	342
		0	0	0	0	0	0

a. Country of study = Lithuania

Portions of alcohol drunk during last week by education in females

Table 48. Portions of alcohol drunk during last week in females by education and study year in Estonia (%).

%		female					
		1998	2000	2002	2004	2006	2008
Low	none	48,7	46,5	50,1	46,1	48,2	43,5
	1-3 portions	35,5	38,1	38,5	34,2	32,1	34,8
	4-9 portions	13,4	12,7	9,6	14,9	15,0	15,8
	10 portions or more	2,5	2,7	1,8	4,9	4,7	5,9
	Total and missing	448	449	447	1231	848	779
		0	0	0	0	0	0
High	none	38,5	38,3	36,3	33,7	38,3	33,6
	1-3 portions	41,0	38,7	45,7	45,0	38,4	41,7
	4-9 portions	15,1	20,1	14,5	18,4	18,2	20,0
	10 portions or more	5,4	3,0	3,5	2,8	5,1	4,7
	Total and missing	239	269	256	353	661	761
		0	0	0	0	0	0

a. Country of study = Estonia

Table 49. Portions of alcohol drunk during last week in females by education and study year in Finland (%).

%		female					
		1998	2000	2002	2004	2006	2008
Low	none	35,0	40,0	37,8	33,5	35,8	36,6
	1-3 portions	29,9	31,9	33,2	33,3	29,2	29,0
	4-9 portions	26,6	19,0	22,9	23,4	25,4	25,6
	10 portions or more	8,5	9,1	6,1	9,9	9,6	8,8
	Total and missing	983	927	849	839	757	759
		0	0	0	0	0	0
High	none	24,5	30,4	29,1	28,1	32,1	32,2
	1-3 portions	36,3	33,5	35,5	31,5	30,9	32,1
	4-9 portions	25,7	28,5	26,0	31,2	27,0	25,3
	10 portions or more	13,5	7,6	9,5	9,2	10,0	10,4
	Total and missing	637	800	719	815	858	897
		0	0	0	0	0	0

a. Country of study = Finland

Table 50. Portions of alcohol drunk during last week in females by education and study year in Latvia (%).

%		female					
		1998	2000	2002	2004	2006	2008
Low	none	44,9	48,5	44,7	47,1	48,1	42,8
	1-3 portions	35,5	33,5	37,5	35,0	36,9	39,7
	4-9 portions	15,7	14,5	14,5	15,2	11,4	14,8
	10 portions or more	3,9	3,4	3,3	2,8	3,6	2,6
	Total and missing	878	641	517	429	439	418
		0	0	0	0	0	0
High	none	37,3	39,8	34,7	37,6	32,5	33,2
	1-3 portions	45,8	45,2	47,4	42,8	47,3	47,4
	4-9 portions	14,8	13,4	15,9	16,6	17,4	16,0
	10 portions or more	2,2	1,7	2,1	2,9	2,8	3,4
	Total and missing	271	538	473	481	351	388
		0	0	0	0	0	0

a. Country of study = Latvia

Table 51. Portions of alcohol drunk during last week in females by education and study year in Lithuania (%).

%		female					
		1998	2000	2002	2004	2006	2008
Low	none	54,9	50,0	41,0	49,6	48,0	48,7
	1-3 portions	30,3	35,2	40,1	36,2	35,4	31,1
	4-9 portions	11,8	11,7	16,2	11,2	13,0	15,8
	10 portions or more	3,0	3,1	2,6	2,9	3,7	4,3
	Total and missing	628	742	536	552	517	392
		0	0	0	0	0	0
High	none	35,7	37,2	28,6	36,8	31,1	33,1
	1-3 portions	43,5	42,2	43,8	41,8	45,3	45,0
	4-9 portions	18,3	17,4	24,4	17,1	19,3	18,5
	10 portions or more	2,5	3,2	3,2	4,4	4,2	3,4
	Total and missing	398	436	500	457	472	595
		0	0	0	0	0	0

a. Country of study = Lithuania

Portions of alcohol drunk during last week by place of residence in females

Table 52. Portions of alcohol drunk during last week in females by place of residence and study year in Estonia (%).

%		female					
		1998	2000	2002	2004	2006	2008
Metropol.	none	43,1	35,5	34,0	38,1	39,2	39,2
	1-3 portions	39,7	36,9	48,3	40,0	35,4	36,9
	4-9 portions	12,0	24,9	15,3	16,5	19,1	18,3
	10 portions or more	5,3	2,8	2,5	5,4	6,3	5,6
	Total and missing	209	217	203	443	429	498
		0	0	0	0	0	0
Other	none	46,3	47,3	49,9	45,3	45,9	38,8
	1-3 portions	35,8	39,1	38,2	35,2	34,6	38,5
	4-9 portions	15,1	11,1	9,6	15,5	15,3	17,3
	10 portions or more	2,7	2,5	2,3	4,0	4,3	5,4
	Total and missing	477	514	511	1152	1147	1100
		0	0	0	0	0	0

a. Country of study = Estonia

Table 53. Portions of alcohol drunk during last week in females by place of residence and study year in Finland (%).

%		female					
		1998	2000	2002	2004	2006	2008
Metropol.	none	23,3	28,6	25,7	28,3	24,2	31,8
	1-3 portions	27,2	33,7	29,9	27,4	32,7	23,8
	4-9 portions	34,9	25,8	32,7	30,3	30,2	31,6
	10 portions or more	14,7	11,9	11,7	14,0	12,9	12,7
	Total and missing	416	454	428	442	480	449
		0	0	0	0	0	0
Other	none	34,1	38,4	37,1	31,9	37,6	35,2
	1-3 portions	33,8	32,1	35,3	34,5	29,5	32,9
	4-9 portions	23,2	22,4	21,2	25,9	24,5	23,0
	10 portions or more	8,9	7,1	6,4	7,8	8,4	9,0
	Total and missing	1231	1294	1175	1233	1154	1245
		0	0	0	0	0	0

a. Country of study = Finland

Table 54. Portions of alcohol drunk during last week in females by place of residence and study year in Latvia (%).

%		female					
		1998	2000	2002	2004	2006	2008
Metropol.	none	41,1	40,3	39,8	41,7	37,7	36,4
	1-3 portions	36,5	39,8	41,4	36,7	43,0	40,3
	4-9 portions	17,0	17,1	15,6	18,3	17,2	19,8
	10 portions or more	5,5	2,8	3,2	3,3	2,0	3,6
	Total and missing	348	387	314	300	244	253
		0	0	0	0	0	0
Other	none	44,0	46,6	40,1	42,4	43,3	39,1
	1-3 portions	38,7	38,5	42,5	39,7	40,6	44,6
	4-9 portions	14,7	12,4	14,7	15,0	12,4	13,5
	10 portions or more	2,6	2,5	2,7	2,8	3,7	2,8
	Total and missing	811	831	699	632	566	565
		0	0	0	0	0	0

a. Country of study = Latvia

Table 55. Portions of alcohol drunk during last week in females by place of residence and study year in Lithuania (%).

%		female					
		1998	2000	2002	2004	2006	2008
Metropol.	none	43,8	40,5	34,2	42,6	33,4	37,7
	1-3 portions	37,5	41,1	41,6	38,2	41,9	42,0
	4-9 portions	15,9	14,3	21,6	15,9	20,2	17,0
	10 portions or more	2,8	4,1	2,6	3,3	4,5	3,4
	Total and missing	496	533	587	427	446	507
		0	0	0	0	0	0
Other	none	52,0	50,0	36,2	45,4	45,9	41,5
	1-3 portions	33,0	34,4	41,9	38,5	38,3	36,3
	4-9 portions	12,3	13,2	18,1	12,3	12,3	18,1
	10 portions or more	2,7	2,4	3,7	3,8	3,5	4,0
	Total and missing	554	666	458	603	569	496
		0	0	0	0	0	0

a. Country of study = Lithuania

Heavy episodic drinking in males

Table 56. Frequency of drinking six or more portions of alcohol at a time by study year and country in males (%).

%		male				
		2000	2002	2004	2006	2008
Estonia	less often than once a week	79,8	78,8	72,8	76,9	79,2
	once a week or more often	20,2	21,2	27,2	23,1	20,8
	Total and missing	486	472	1155	984	1137
		9	12	31	25	23
Finland	less often than once a week	74,6	73,9	72,5	73,2	73,1
	once a week or more often	25,4	26,1	27,5	26,8	26,9
	Total and missing	1411	1345	1359	1309	1230
		29	20	23	37	45
Latvia	less often than once a week	75,7	70,8	71,6	71,6	70,8
	once a week or more often	24,3	29,2	28,4	28,4	29,2
	Total and missing	913	759	633	598	559
		9	16	14	16	7
Lithuania	less often than once a week	82,0	80,5	82,4	81,7	83,0
	once a week or more often	18,0	19,5	17,6	18,3	17,0
	Total and missing	967	807	749	701	704
		24	28	26	22	22

Frequency of drinking six or more portions of alcohol at a time by age group in males

Table 57. Frequency of drinking six or more portions of alcohol at a time by age group and study year in males in Estonia (%).

%		male				
		2000	2002	2004	2006	2008
20-34	less often than once a week	85,4	78,9	70,9	77,0	80,6
	once a week or more often	14,6	21,1	29,1	23,0	19,4
	Total and missing	158	161	426	335	372
		5	2	10	11	7
35-49	less often than once a week	77,9	76,5	74,1	73,3	79,4
	once a week or more often	22,1	23,5	25,9	26,7	20,6
	Total and missing	172	162	386	315	403
		1	6	9	5	5
50-64	less often than once a week	76,3	81,2	73,8	80,2	77,3
	once a week or more often	23,7	18,8	26,2	19,8	22,7
	Total and missing	156	149	343	334	362
		3	4	12	9	11

a. Country of study = Estonia

Table 58. Frequency of drinking six or more portions of alcohol at a time by age group and study year in males in Finland (%).

%		male				
		2000	2002	2004	2006	2008
20-34	less often than once a week	73,6	74,9	74,4	73,7	75,3
	once a week or more often	26,4	25,1	25,6	26,3	24,7
	Total and missing	379	370	375	312	295
		5	6	5	5	14
35-49	less often than once a week	72,4	73,1	70,9	71,9	72,5
	once a week or more often	27,6	26,9	29,1	28,1	27,5
	Total and missing	558	458	470	474	407
		14	6	1	6	7
50-64	less often than once a week	77,8	73,9	72,6	74,0	72,3
	once a week or more often	22,2	26,1	27,4	26,0	27,7
	Total and missing	474	517	514	523	528
		10	8	17	26	24

a. Country of study = Finland

Table 59. Frequency of drinking six or more portions of alcohol at a time by age group and study year in males in Latvia (%).

%		male				
		2000	2002	2004	2006	2008
20-34	less often than once a week	78,3	67,0	71,2	70,7	67,9
	once a week or more often	21,7	33,0	28,8	29,3	32,1
	Total and missing	332	294	222	205	193
		4	3	5	7	2
35-49	less often than once a week	71,9	70,3	68,4	68,1	68,6
	once a week or more often	28,1	29,7	31,6	31,9	31,4
	Total and missing	331	269	212	210	172
		3	6	5	6	2
50-64	less often than once a week	77,2	77,0	75,4	76,5	75,8
	once a week or more often	22,8	23,0	24,6	23,5	24,2
	Total and missing	250	196	199	183	194
		2	7	4	3	3

a. Country of study = Latvia

Table 60. Frequency of drinking six or more portions of alcohol at a time by age group and study year in males in Lithuania (%).

%		male				
		2000	2002	2004	2006	2008
20-34	less often than once a week	81,2	80,2	80,3	78,8	79,4
	once a week or more often	18,8	19,8	19,7	21,2	20,6
	Total and missing	341	243	229	208	209
		8	8	3	6	8
35-49	less often than once a week	81,8	79,0	82,4	80,7	80,9
	once a week or more often	18,2	21,0	17,6	19,3	19,1
	Total and missing	373	328	296	280	288
		5	9	9	6	6
50-64	less often than once a week	83,4	83,1	84,4	85,9	89,4
	once a week or more often	16,6	16,9	15,6	14,1	10,6
	Total and missing	253	236	224	213	207
		11	11	14	10	8

a. Country of study = Lithuania

Frequency of drinking six or more portions of alcohol at a time by education in males**Table 61. Frequency of drinking six or more portions of alcohol at a time by education and study year in males in Estonia (%).**

%		male				
		2000	2002	2004	2006	2008
Low	less often than once a week	77,2	77,5	71,2	75,7	76,8
	once a week or more often	22,8	22,5	28,8	24,3	23,2
	Total and missing	333	346	976	609	720
		5	11	29	21	15
High	less often than once a week	86,0	84,8	80,9	79,4	84,1
	once a week or more often	14,0	15,2	19,1	20,6	15,9
	Total and missing	143	112	173	350	364
		3	0	2	4	8

a. Country of study = Estonia

Table 62. Frequency of drinking six or more portions of alcohol at a time by education and study year in males in Finland (%).

%		male				
		2000	2002	2004	2006	2008
Low	less often than once a week	74,3	73,5	70,1	72,2	71,3
	once a week or more often	25,7	26,5	29,9	27,8	28,7
	Total and missing	930	849	843	817	711
		18	12	19	31	33
High	less often than once a week	75,1	74,9	76,0	75,4	75,4
	once a week or more often	24,9	25,1	24,0	24,6	24,6
	Total and missing	457	466	492	476	500
		9	6	3	5	12

a. Country of study = Finland

Table 63. Frequency of drinking six or more portions of alcohol at a time by education and study year in males in Latvia (%).

%		male				
		2000	2002	2004	2006	2008
Low	less often than once a week	73,0	68,8	70,2	68,8	68,3
	once a week or more often	27,0	31,2	29,8	31,2	31,7
	Total and missing	585	493	346	385	369
		6	15	7	11	5
High	less often than once a week	80,3	75,6	72,7	77,0	76,4
	once a week or more often	19,7	24,4	27,3	23,0	23,6
	Total and missing	300	250	260	200	178
		1	0	5	3	2

a. Country of study = Latvia

Table 64. Frequency of drinking six or more portions of alcohol at a time by education and study year in males in Lithuania (%).

%		male				
		2000	2002	2004	2006	2008
Low	less often than once a week	81,0	79,9	82,3	80,2	83,2
	once a week or more often	19,0	20,1	17,7	19,8	16,8
	Total and missing	709	472	485	445	388
		17	19	20	17	16
High	less often than once a week	84,8	81,7	83,3	85,3	82,5
	once a week or more often	15,2	18,3	16,7	14,7	17,5
	Total and missing	230	322	246	238	309
		5	7	5	3	6

a. Country of study = Lithuania

Frequency of drinking six or more portions of alcohol at a time by place of residence in males

Table 65. Frequency of drinking six or more portions of alcohol at a time by place of residence and study year in males in Estonia (%).

%		male				
		2000	2002	2004	2006	2008
Metropol.	less often than once a week	83,1	86,3	76,7	78,3	79,2
	once a week or more often	16,9	13,7	23,3	21,7	20,8
	Total and missing	142	117	279	230	283
		5	7	5	7	7
Other	less often than once a week	78,4	76,3	71,6	76,5	79,2
	once a week or more often	21,6	23,7	28,4	23,5	20,8
	Total and missing	342	354	876	754	854
		4	5	26	18	16

a. Country of study = Estonia

Table 66. Frequency of drinking six or more portions of alcohol at a time by place of residence and study year in males in Finland (%).

%		male				
		2000	2002	2004	2006	2008
Metropol.	less often than once a week	73,2	71,7	70,4	71,1	67,0
	once a week or more often	26,8	28,3	29,6	28,9	33,0
	Total and missing	336	321	345	329	333
		7	2	8	6	8
Other	less often than once a week	75,0	74,6	73,2	73,9	75,4
	once a week or more often	25,0	25,4	26,8	26,1	24,6
	Total and missing	1075	1024	1014	980	897
		22	18	15	31	37

a. Country of study = Finland

Table 67. Frequency of drinking six or more portions of alcohol at a time by place of residence and study year in males in Latvia (%).

%		male				
		2000	2002	2004	2006	2008
Metropol.	less often than once a week	79,8	69,7	73,8	73,2	71,8
	once a week or more often	20,2	30,3	26,2	26,8	28,2
	Total and missing	243	211	183	168	163
		4	2	3	5	2
Other	less often than once a week	74,2	71,2	70,7	70,9	70,5
	once a week or more often	25,8	28,8	29,3	29,1	29,5
	Total and missing	670	548	450	430	396
		5	14	11	11	5

a. Country of study = Latvia

Table 68. Frequency of drinking six or more portions of alcohol at a time by place of residence and study year in males in Lithuania (%).

%		male				
		2000	2002	2004	2006	2008
Metropol.	less often than once a week	84,2	81,2	78,3	80,3	82,4
	once a week or more often	15,8	18,8	21,7	19,7	17,6
	Total and missing	386	430	272	314	324
		13	13	8	7	5
Other	less often than once a week	80,6	79,8	84,7	82,9	83,6
	once a week or more often	19,4	20,2	15,3	17,1	16,4
	Total and missing	581	377	477	386	379
		11	15	18	15	17

a. Country of study = Lithuania

Heavy episodic drinking in females

Table 69. Frequency of drinking six or more portions of alcohol at a time by study year and country in females (%).

%		female				
		2000	2002	2004	2006	2008
Estonia	less often than once a month	90,3	92,3	87,3	87,7	88,2
	once a month or more often	9,7	7,7	12,7	12,3	11,8
	Total and missing	711	704	1529	1525	1564
		24	15	66	51	34
Finland	less often than once a month	82,1	80,1	79,7	78,3	77,9
	once a month or more often	17,9	19,9	20,3	21,7	22,1
	Total and missing	1716	1579	1648	1609	1640
		32	24	27	25	54
Latvia	less often than once a month	86,5	84,0	84,3	83,5	82,8
	once a month or more often	13,5	16,0	15,7	16,5	17,2
	Total and missing	1189	997	911	796	784
		29	16	21	14	34
Lithuania	less often than once a month	86,9	87,0	85,1	86,5	86,5
	once a month or more often	13,1	13,0	14,9	13,5	13,5
	Total and missing	1168	1006	986	980	961
		31	39	44	36	44

Frequency of drinking six or more portions of alcohol at a time by age group in females

Table 70. Frequency of drinking six or more portions of alcohol at a time by age group and study year in females in Estonia (%).

%		female				
		2000	2002	2004	2006	2008
20-34	less often than once a month	87,6	91,3	84,3	86,3	86,1
	once a month or more often	12,4	8,7	15,7	13,7	13,9
	Total and missing	225	218	483	489	531
		1	4	9	12	10
35-49	less often than once a month	89,4	92,0	87,2	84,5	86,9
	once a month or more often	10,6	8,0	12,8	15,5	13,1
	Total and missing	245	250	522	511	511
		11	3	7	16	8
50-64	less often than once a month	93,8	93,6	90,3	92,0	91,8
	once a month or more often	6,2	6,4	9,7	8,0	8,2
	Total and missing	241	236	524	525	522
		12	8	50	23	16

a. Country of study = Estonia

Table 71. Frequency of drinking six or more portions of alcohol at a time by age group and study year in females in Finland (%).

%		female				
		2000	2002	2004	2006	2008
20-34	less often than once a month	75,9	73,3	73,5	68,3	70,3
	once a month or more often	24,1	26,7	26,5	31,7	29,7
	Total and missing	539	465	475	463	455
		5	5	8	7	9
35-49	less often than once a month	82,3	80,2	81,2	78,9	79,5
	once a month or more often	17,7	19,8	18,8	21,1	20,5
	Total and missing	604	581	586	541	542
		8	5	6	7	17
50-64	less often than once a month	87,8	85,7	83,3	85,5	81,8
	once a month or more often	12,2	14,3	16,7	14,5	18,2
	Total and missing	573	533	587	605	643
		19	14	13	11	28

a. Country of study = Finland

Table 72. Frequency of drinking six or more portions of alcohol at a time by age group and study year in females in Latvia (%).

%		female				
		2000	2002	2004	2006	2008
20-34	less often than once a month	85,4	79,1	78,2	77,1	81,9
	once a month or more often	14,6	20,9	21,8	22,9	18,1
	Total and missing	378	339	280	240	237
		5	4	5	5	6
35-49	less often than once a month	83,4	81,1	84,2	82,0	77,8
	once a month or more often	16,6	18,9	15,8	18,0	22,2
	Total and missing	422	323	316	266	270
		3	3	6	3	8
50-64	less often than once a month	91,0	91,6	89,8	90,3	88,4
	once a month or more often	9,0	8,4	10,2	9,7	11,6
	Total and missing	389	335	315	290	277
		21	9	10	6	20

a. Country of study = Latvia

Table 73. Frequency of drinking six or more portions of alcohol at a time by age group and study year in females in Lithuania (%).

%		female				
		2000	2002	2004	2006	2008
20-34	less often than once a month	83,6	84,5	83,8	86,6	85,0
	once a month or more often	16,4	15,5	16,2	13,4	15,0
	Total and missing	383	328	328	320	286
		4	5	3	3	4
35-49	less often than once a month	87,8	88,3	84,6	86,6	84,7
	once a month or more often	12,2	11,7	15,4	13,4	15,3
	Total and missing	451	429	363	337	359
		8	16	18	11	14
50-64	less often than once a month	89,5	88,0	87,1	86,4	89,9
	once a month or more often	10,5	12,0	12,9	13,6	10,1
	Total and missing	334	249	295	323	316
		19	18	23	22	26

a. Country of study = Lithuania

Frequency of drinking six or more portions of alcohol at a time by education in females**Table 74. Frequency of drinking six or more portions of alcohol at a time by education and study year in females in Estonia (%).**

%		female				
		2000	2002	2004	2006	2008
Low	less often than once a month	88,9	92,0	85,5	85,0	85,8
	once a month or more often	11,1	8,0	14,5	15,0	14,2
	Total and missing	433	439	1173	819	754
		16	8	58	29	25
High	less often than once a month	92,8	92,4	93,4	91,2	91,1
	once a month or more often	7,2	7,6	6,6	8,8	8,9
	Total and missing	263	249	348	647	756
		6	7	5	14	5

a. Country of study = Estonia

Table 75. Frequency of drinking six or more portions of alcohol at a time by education and study year in females in Finland (%).

%		female				
		2000	2002	2004	2006	2008
Low	less often than once a month	80,0	79,0	77,2	76,9	76,6
	once a month or more often	20,0	21,0	22,8	23,1	23,4
	Total and missing	908	833	820	743	731
		19	16	19	14	28
High	less often than once a month	84,4	81,9	81,9	79,5	79,7
	once a month or more often	15,6	18,1	18,1	20,5	20,3
	Total and missing	793	714	807	847	872
		7	5	8	11	25

a. Country of study = Finland

Table 76. Frequency of drinking six or more portions of alcohol at a time by education and study year in females in Latvia (%).

%		female				
		2000	2002	2004	2006	2008
Low	less often than once a month	83,8	83,8	84,9	81,5	84,2
	once a month or more often	16,2	16,2	15,1	18,5	15,8
	Total and missing	622	505	417	433	399
		19	12	12	6	19
High	less often than once a month	89,4	84,2	83,9	85,8	81,9
	once a month or more often	10,6	15,8	16,1	14,2	18,1
	Total and missing	529	469	473	344	375
		9	4	8	7	13

a. Country of study = Latvia

Table 77. Frequency of drinking six or more portions of alcohol at a time by education and study year in females in Lithuania (%).

%		female				
		2000	2002	2004	2006	2008
Low	less often than once a month	86,9	85,7	84,8	87,8	84,5
	once a month or more often	13,1	14,3	15,2	12,2	15,5
	Total and missing	719	510	521	493	361
		23	26	31	24	31
High	less often than once a month	87,0	88,3	85,4	84,9	87,3
	once a month or more often	13,0	11,7	14,6	15,1	12,7
	Total and missing	432	487	446	464	583
		4	13	11	8	12

a. Country of study = Lithuania

Frequency of drinking six or more portions of alcohol at a time by place of residence in females

Table 78. Frequency of drinking six or more portions of alcohol at a time place of residence and study year in females in Estonia (%).

%		female				
		2000	2002	2004	2006	2008
Metropol.	less often than once a month	87,1	89,4	89,3	87,9	87,7
	once a month or more often	12,9	10,6	10,7	12,1	12,3
	Total and missing	210	199	429	414	488
		7	4	14	15	10
Other	less often than once a month	92,0	93,4	86,5	87,6	88,5
	once a month or more often	8,0	6,6	13,5	12,4	11,5
	Total and missing	497	500	1100	1111	1076
		17	11	52	36	24

a. Country of study = Estonia

Table 79. Frequency of drinking six or more portions of alcohol at a time place of residence and study year in females in Finland (%).

%		female				
		2000	2002	2004	2006	2008
Metropol.	less often than once a month	76,6	73,9	74,3	74,0	72,0
	once a month or more often	23,4	26,1	25,7	26,0	28,0
	Total and missing	448	425	436	477	435
		6	3	6	3	14
Other	less often than once a month	84,1	82,3	81,7	80,1	80,0
	once a month or more often	15,9	17,7	18,3	19,9	20,0
	Total and missing	1268	1154	1212	1132	1205
		26	21	21	22	40

a. Country of study = Finland

Table 80. Frequency of drinking six or more portions of alcohol at a time place of residence and study year in females in Latvia (%).

%		female				
		2000	2002	2004	2006	2008
Metropol.	less often than once a month	83,6	81,7	82,0	83,9	80,5
	once a month or more often	16,4	18,3	18,0	16,1	19,5
	Total and missing	378	306	295	242	246
		9	8	5	2	7
Other	less often than once a month	87,9	84,9	85,4	83,4	83,8
	once a month or more often	12,1	15,1	14,6	16,6	16,2
	Total and missing	811	691	616	554	538
		20	8	16	12	27

a. Country of study = Latvia

Table 81. Frequency of drinking six or more portions of alcohol at a time place of residence and study year in females in Lithuania (%).

%		female				
		2000	2002	2004	2006	2008
Metropol.	less often than once a month	86,5	86,8	84,5	84,8	87,3
	once a month or more often	13,5	13,2	15,5	15,2	12,7
	Total and missing	519	562	412	433	487
		14	25	15	13	20
Other	less often than once a month	87,2	87,2	85,5	87,9	85,6
	once a month or more often	12,8	12,8	14,5	12,1	14,4
	Total and missing	649	444	574	546	472
		17	14	29	23	24

a. Country of study = Lithuania

Food habits

Consumption of fresh vegetables

Table 82. Frequency of eating fresh vegetables during last week by study year, gender and country (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Estonia	Never	25,1	25,1	17,7	26,4	23,1	24,2	14,3	15,8	9,7	15,4	13,1	14,7
	1-2 times	42,8	38,4	42,0	34,1	35,4	38,0	37,3	35,9	33,1	35,0	30,2	31,3
	3-5 times	20,3	22,5	23,2	23,7	24,3	23,1	27,7	26,4	30,2	26,1	29,6	28,6
	6-7 times	11,8	14,1	17,2	15,8	17,2	14,8	20,7	21,9	26,9	23,5	27,0	25,4
	Total and missing	414	427	419	1127	942	1083	593	652	668	1538	1522	1515
		114	68	65	59	67	77	102	83	51	57	54	83
Finland	Never	7,6	9,9	9,3	8,6	8,6	6,4	3,7	4,7	4,7	4,5	2,7	3,6
	1-2 times	30,8	30,0	28,6	28,0	25,0	23,2	17,6	17,5	17,1	16,5	14,7	16,0
	3-5 times	30,9	33,2	32,3	33,7	35,7	34,2	29,1	33,4	35,7	30,6	33,1	32,3
	6-7 times	30,6	26,9	29,8	29,8	30,7	36,2	49,7	44,4	42,6	48,5	49,5	48,1
	Total and missing	1485	1388	1324	1333	1309	1238	1589	1706	1562	1633	1605	1662
		66	52	41	49	37	37	58	42	41	42	29	32
Latvia	Never	8,6	17,7	17,1	11,4	8,6	8,8	6,8	11,7	9,6	7,4	7,6	6,0
	1-2 times	30,0	38,6	39,1	33,0	33,0	35,2	27,4	33,2	34,1	31,6	22,9	25,8
	3-5 times	31,5	26,2	25,6	33,2	31,1	34,8	26,6	29,8	28,9	32,3	30,2	31,5
	6-7 times	29,8	17,6	18,2	22,4	27,3	21,3	39,2	25,4	27,4	28,6	39,3	36,8
	Total and missing	821	752	683	563	512	489	1056	1072	899	847	733	737
		107	170	92	84	102	77	103	146	114	85	77	81
Lithuania	Never	23,8	18,3	15,0	16,1	13,3	5,4	16,1	13,1	12,4	12,9	7,1	3,6
	1-2 times	39,4	38,1	39,2	43,9	39,0	31,5	33,8	35,3	31,9	37,2	32,0	28,5
	3-5 times	25,0	26,7	27,6	25,0	30,8	39,3	29,6	30,4	30,9	31,3	35,0	37,2
	6-7 times	11,8	16,9	18,1	15,0	16,9	23,8	20,5	21,2	24,9	18,6	26,0	30,7
	Total and missing	739	895	785	725	685	705	964	1111	985	978	978	971
		81	96	50	50	38	21	86	88	60	52	38	34

Frequency of eating fresh vegetables during last week by age group

Table 83. Frequency of eating fresh vegetables during last week by age group and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Never	27,2	26,5	12,7	26,8	24,9	24,3	17,6	22,6	11,8	12,4	12,8	16,9
	1-2 times	39,1	36,8	48,7	35,5	34,7	41,5	36,7	33,5	33,0	37,1	32,3	33,0
	3-5 times	19,9	23,9	20,7	21,6	25,1	20,8	23,4	25,9	26,9	29,4	26,4	24,5
	6-7 times	13,9	12,9	18,0	16,1	15,3	13,4	22,3	17,9	28,3	21,1	28,5	25,6
	Total and missing	151	155	150	422	334	366	188	212	212	483	492	527
		28	8	13	14	12	13	25	14	10	9	9	14
35-49	Never	27,2	22,5	25,2	24,0	21,5	23,0	13,6	11,7	7,1	13,2	9,6	12,0
	1-2 times	43,0	37,7	36,1	31,4	35,0	34,4	36,9	32,9	35,0	35,1	29,1	31,1
	3-5 times	19,0	22,5	23,8	28,0	24,8	25,6	28,0	29,0	34,6	24,8	32,3	29,9
	6-7 times	10,8	17,2	15,0	16,6	18,8	17,1	21,6	26,4	23,3	26,9	28,9	26,9
	Total and missing	158	151	147	379	303	387	236	231	240	516	508	501
		44	22	21	16	17	21	28	25	13	13	19	18
50-64	Never	19,0	26,4	14,8	28,8	23,0	25,5	11,8	13,4	10,6	20,2	16,9	15,2
	1-2 times	47,6	41,3	41,0	35,3	36,4	38,2	38,5	41,6	31,0	33,2	29,3	29,6
	3-5 times	22,9	20,7	25,4	21,5	23,0	22,7	32,0	23,9	28,7	24,3	30,1	31,6
	6-7 times	10,5	11,6	18,9	14,4	17,7	13,6	17,8	21,1	29,6	22,3	23,8	23,6
	Total and missing	105	121	122	326	305	330	169	209	216	539	522	487
		42	38	31	29	38	43	49	44	28	35	26	51

a. Country of study = Estonia

Table 84. Frequency of eating fresh vegetables during last week by age group and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Never	13,7	16,6	13,7	12,2	12,4	11,9	7,0	7,6	6,4	7,5	3,2	5,4
	1-2 times	35,8	35,1	34,7	33,2	27,7	23,5	23,6	20,8	21,5	18,5	20,3	20,8
	3-5 times	31,5	30,9	32,5	33,4	32,5	35,4	33,5	35,6	40,3	38,4	34,0	35,4
	6-7 times	19,1	17,4	19,1	21,2	27,4	29,1	35,9	36,0	31,8	35,7	42,4	38,4
	Total and missing	461	379	372	377	314	302	499	539	466	482	467	461
		5	5	4	3	3	7	6	5	4	1	3	3
35-49	Never	5,9	8,2	8,9	7,5	8,0	5,4	2,7	3,5	4,2	3,6	3,0	3,6
	1-2 times	32,1	28,1	29,0	29,2	26,2	24,6	14,8	15,4	14,2	17,3	14,3	15,8
	3-5 times	30,9	35,4	31,4	33,3	37,1	34,9	27,2	31,9	33,7	29,3	34,9	31,9
	6-7 times	31,1	28,3	30,7	29,9	28,7	35,1	55,4	49,3	47,9	49,7	47,9	48,6
	Total and missing	527	548	459	465	474	410	603	605	578	583	539	551
		14	24	5	6	6	4	19	7	8	9	9	8
50-64	Never	3,8	6,3	6,3	6,7	6,9	4,0	1,6	3,4	3,7	2,8	2,2	2,3
	1-2 times	24,9	28,0	23,7	22,8	22,3	21,9	14,8	16,5	16,4	13,9	10,7	12,8
	3-5 times	30,4	32,5	32,9	34,2	36,3	33,1	26,9	32,7	33,6	25,2	30,7	30,5
	6-7 times	40,8	33,2	37,1	36,3	34,5	41,1	56,7	47,3	46,3	58,1	56,4	54,5
	Total and missing	497	461	493	491	521	526	487	562	518	568	599	650
		47	23	32	40	28	26	33	30	29	32	17	21

a. Country of study = Finland

Table 85. Frequency of eating fresh vegetables during last week by age group and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Never	10,0	15,8	13,3	11,9	10,5	11,9	6,3	14,1	10,8	5,9	11,2	7,9
	1-2 times	33,0	38,1	37,8	31,0	33,5	31,8	24,2	30,4	32,8	33,7	23,2	26,6
	3-5 times	27,4	28,2	28,5	35,7	31,9	34,1	27,4	30,1	30,9	32,2	33,5	34,5
	6-7 times	29,5	17,9	20,4	21,4	24,1	22,2	42,1	25,4	25,5	28,1	32,2	31,0
	Total and missing	339	291	270	210	191	176	380	355	314	270	233	229
		24	45	27	17	21	19	20	28	29	15	12	14
35-49	Never	8,0	17,8	18,2	13,5	9,9	6,5	5,9	10,7	8,5	6,6	6,6	5,1
	1-2 times	25,8	38,9	41,3	34,9	34,8	33,1	28,1	34,0	33,0	28,6	19,7	24,2
	3-5 times	35,6	25,1	23,1	31,3	27,6	37,0	26,4	29,4	29,3	32,4	31,6	32,0
	6-7 times	30,7	18,2	17,4	20,3	27,6	23,4	39,6	25,8	29,3	32,4	42,2	38,7
	Total and missing	264	275	247	192	181	154	356	391	294	290	244	256
		37	59	28	25	35	20	40	34	32	32	25	22
50-64	Never	7,3	20,4	21,7	8,1	4,3	7,5	8,4	10,1	9,3	9,8	5,5	5,2
	1-2 times	30,3	38,7	38,0	33,5	30,0	40,9	30,3	35,3	36,8	32,8	25,8	26,6
	3-5 times	33,0	24,7	24,7	32,3	34,3	33,3	25,9	29,8	26,5	32,4	25,8	28,2
	6-7 times	29,4	16,1	15,7	26,1	31,4	18,2	35,3	24,8	27,5	25,1	43,0	40,1
	Total and missing	218	186	166	161	140	159	320	326	291	287	256	252
		46	66	37	42	46	38	43	84	53	38	40	45

a. Country of study = Latvia

Table 86. Frequency of eating fresh vegetables during last week by age group and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Never	21,4	16,6	11,0	16,5	13,1	6,6	15,5	12,6	10,9	13,9	8,8	5,3
	1-2 times	41,3	39,3	38,8	42,4	36,9	28,2	35,5	36,3	37,4	38,0	32,0	26,1
	3-5 times	25,3	24,8	28,2	26,3	33,5	41,8	29,0	28,4	31,2	30,6	33,2	43,1
	6-7 times	12,1	19,3	22,0	14,7	16,5	23,5	20,0	22,7	20,6	17,6	26,0	25,4
	Total and missing	281	331	245	224	206	213	335	366	321	324	319	283
		14	18	6	8	8	4	16	21	12	7	4	7
35-49	Never	21,8	18,2	16,1	15,3	12,0	5,2	13,6	13,1	11,3	12,7	6,0	2,7
	1-2 times	40,6	37,3	38,3	43,4	39,4	32,3	32,1	33,4	26,2	35,1	28,1	27,0
	3-5 times	25,6	26,8	29,1	24,4	28,8	37,8	32,7	31,6	30,5	31,2	36,0	34,4
	6-7 times	12,0	17,7	16,5	16,9	19,7	24,7	21,6	21,9	31,9	21,0	29,9	35,8
	Total and missing	266	351	316	295	274	288	361	434	423	362	331	366
		29	27	21	10	12	6	27	25	22	19	17	7
50-64	Never	30,2	21,1	17,9	17,0	15,1	4,4	20,1	13,8	16,2	12,0	6,4	3,1
	1-2 times	34,9	37,6	41,1	46,1	40,5	33,8	34,0	36,7	34,4	39,0	36,0	32,3
	3-5 times	24,0	29,6	25,0	24,3	30,7	38,7	26,1	31,2	31,1	32,2	35,7	35,1
	6-7 times	10,9	11,7	16,1	12,6	13,7	23,0	19,8	18,3	18,3	16,8	22,0	29,5
	Total and missing	192	213	224	206	205	204	268	311	241	292	328	322
		38	51	23	32	18	11	43	42	26	26	17	20

a. Country of study = Lithuania

Frequency of eating fresh vegetables during last week by education

Table 87. Frequency of eating fresh vegetables during last week by education and study year in Estonia (%)

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Never	25,8	27,6	20,7	29,0	26,8	27,5	15,1	18,3	9,8	18,0	16,0	15,5
	1-2 times	42,7	41,6	40,0	33,7	36,3	38,7	40,4	36,6	34,4	35,8	32,2	32,4
	3-5 times	20,7	18,5	22,3	23,4	22,3	21,6	25,3	24,2	28,3	24,9	28,5	28,2
	6-7 times	10,8	12,2	17,0	13,9	14,6	12,2	19,1	20,9	27,6	21,4	23,3	23,9
	Total and missing	295	286	300	949	575	670	371	388	410	1180	811	723
		95	52	57	56	55	65	77	61	37	51	37	56
High	Never	22,4	17,4	8,7	13,4	16,9	18,7	13,6	12,0	9,8	6,9	9,0	13,6
	1-2 times	43,0	33,3	47,1	34,9	34,6	38,5	31,3	34,7	31,7	32,6	28,4	30,4
	3-5 times	19,6	30,3	27,9	25,6	27,3	25,0	31,8	30,3	32,5	29,4	31,6	29,4
	6-7 times	15,0	18,9	16,3	26,2	21,2	17,9	23,4	23,1	26,0	31,1	31,0	26,7
	Total and missing	107	132	104	172	344	364	214	251	246	350	648	738
		17	14	8	3	10	8	25	18	10	3	13	23

a. Country of study = Estonia

Table 88. Frequency of eating fresh vegetables during last week by education and study year in Finland (%)

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Never	9,3	11,8	11,6	10,4	12,0	8,1	4,7	5,2	5,0	4,8	4,2	4,5
	1-2 times	34,1	33,6	33,0	32,2	28,2	25,9	19,7	20,0	20,4	18,1	17,7	19,5
	3-5 times	29,3	30,9	31,0	32,6	34,4	35,7	29,8	33,8	37,6	31,7	34,2	30,0
	6-7 times	27,3	23,6	24,4	24,8	25,5	30,3	45,8	40,9	37,0	45,3	43,9	46,1
	Total and missing	1009	905	831	824	820	715	937	899	819	810	736	740
		53	43	30	38	28	29	46	28	30	29	21	19
High	Never	4,2	5,7	5,2	5,3	2,7	4,0	2,1	4,3	4,4	4,2	1,4	2,8
	1-2 times	24,3	22,9	20,0	21,4	19,4	19,6	13,9	14,4	12,6	14,8	12,1	12,7
	3-5 times	33,6	37,5	35,0	35,3	37,8	32,4	28,3	32,7	33,3	29,5	32,4	34,0
	6-7 times	38,0	34,0	39,9	38,0	40,1	44,1	55,7	48,6	49,8	51,4	54,1	50,5
	Total and missing	453	459	466	487	474	506	628	790	709	803	850	888
		8	7	6	8	7	6	9	10	10	12	8	9

a. Country of study = Finland

Table 89. Frequency of eating fresh vegetables during last week by education and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Never	9,4	19,2	21,0	12,8	11,5	9,9	8,2	12,3	10,3	9,5	9,7	7,3
	1-2 times	33,1	40,8	39,7	35,1	33,4	37,8	29,3	35,4	37,8	35,9	23,5	29,0
	3-5 times	30,0	23,5	23,5	31,1	30,9	33,3	25,1	28,1	28,1	31,1	28,8	31,7
	6-7 times	27,5	16,4	15,8	21,0	24,2	18,9	37,5	24,2	23,8	23,5	38,0	32,0
	Total and missing	650	463	438	305	314	312	785	537	437	379	392	369
		96	128	70	48	82	62	93	104	80	50	47	49
High	Never	4,9	14,9	10,0	9,8	4,3	7,2	3,0	10,8	8,8	5,5	4,9	4,5
	1-2 times	18,4	34,9	37,2	31,1	31,0	29,5	21,5	30,3	30,5	27,9	21,9	22,3
	3-5 times	36,8	30,5	29,0	36,2	32,1	38,0	30,6	32,3	29,6	33,9	31,5	31,6
	6-7 times	39,9	19,7	23,8	23,0	32,6	25,3	44,9	26,7	31,0	32,6	41,7	41,6
	Total and missing	163	269	231	235	187	166	265	502	442	451	324	358
		9	32	19	30	16	14	6	36	31	30	27	30

a. Country of study=Latvia

Table 90. Frequency of eating fresh vegetables during last week by education and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Never	25,4	20,2	18,5	17,8	16,2	6,9	19,3	15,1	14,7	14,1	8,6	5,7
	1-2 times	39,7	38,6	43,1	43,8	41,3	33,1	37,1	34,9	33,4	38,3	35,2	33,0
	3-5 times	23,7	25,4	25,7	23,4	26,0	36,9	26,1	29,3	29,5	31,7	33,4	34,6
	6-7 times	11,3	15,8	12,7	15,0	16,5	23,1	17,5	20,7	22,4	15,9	22,7	26,8
	Total and missing	532	658	455	466	431	390	571	682	491	517	488	370
		51	68	36	39	31	14	57	60	45	35	29	22
High	Never	18,4	11,3	9,1	12,4	7,7	3,2	11,2	10,0	9,7	11,3	4,9	2,4
	1-2 times	38,9	38,0	35,2	44,0	35,5	29,9	28,2	36,5	30,9	35,4	29,0	25,0
	3-5 times	28,9	31,5	30,5	28,6	39,3	41,9	34,8	31,9	32,2	31,8	37,8	39,3
	6-7 times	13,7	19,2	25,2	14,9	17,5	25,0	25,8	21,7	27,2	21,6	28,3	33,3
	Total and missing	190	213	318	241	234	308	376	411	485	444	466	583
		23	22	11	10	7	7	22	25	15	13	6	12

a. Country of study = Lithuania

Frequency of eating fresh vegetables during last week by place of residence

Table 91. Frequency of eating fresh vegetables during last week by place of residence and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Never	13,7	17,7	8,2	17,0	14,4	19,1	7,9	10,9	6,3	11,7	9,6	11,1
	1-2 times	40,5	37,7	42,7	33,9	35,6	33,5	27,7	28,7	32,3	30,3	28,1	29,8
	3-5 times	23,7	20,8	30,0	27,3	28,4	28,1	32,5	31,7	31,8	27,6	33,1	28,7
	6-7 times	22,1	23,8	19,1	21,8	21,6	19,4	31,9	28,7	29,7	30,3	29,3	30,4
	Total and missing	131	130	110	271	222	278	191	202	192	435	417	470
		17	17	14	13	15	12	18	15	11	8	12	28
Other	Never	30,7	28,5	21,1	29,4	25,8	26,0	17,0	18,1	11,0	16,9	14,5	16,4
	1-2 times	44,4	38,3	41,9	34,1	35,3	39,5	42,1	39,1	33,4	36,9	31,0	32,0
	3-5 times	17,7	23,4	20,5	22,5	23,1	21,4	25,1	23,9	29,6	25,5	28,3	28,5
	6-7 times	7,2	9,8	16,6	13,9	15,8	13,2	15,7	19,0	26,0	20,8	26,2	23,2
	Total and missing	277	295	308	856	720	805	394	448	473	1103	1105	1045
		95	51	51	46	52	65	83	66	38	49	42	55

a. Country of study = Estonia

Table 92. Frequency of eating fresh vegetables during last week by place of residence and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Never	6,3	8,7	6,6	5,6	8,0	4,2	3,7	4,9	4,3	4,1	2,5	1,8
	1-2 times	28,1	24,1	27,5	28,2	22,3	22,7	16,6	16,9	17,9	14,9	12,9	13,7
	3-5 times	33,1	34,6	32,3	35,5	35,2	32,5	28,0	31,9	31,7	31,4	31,4	31,3
	6-7 times	32,5	32,5	33,5	30,8	34,6	40,6	51,6	46,3	46,1	49,5	53,2	53,2
	Total and missing	381	332	316	341	327	335	403	445	419	436	474	444
		16	11	7	12	8	6	13	9	9	6	6	5
Other	Never	8,1	10,2	10,1	9,6	8,9	7,2	3,7	4,7	4,8	4,6	2,8	4,3
	1-2 times	31,8	31,8	29,0	27,9	25,9	23,4	17,9	17,7	16,8	17,0	15,5	16,8
	3-5 times	30,2	32,8	32,2	33,1	35,8	34,9	29,4	33,9	37,1	30,2	33,8	32,7
	6-7 times	30,0	25,2	28,7	29,4	29,4	34,6	49,0	43,8	41,3	48,1	47,9	46,2
	Total and missing	1104	1056	1008	992	982	903	1186	1261	1143	1197	1131	1218
		50	41	34	37	29	31	45	33	32	36	23	27

a. Country of study = Finland

Table 93. Frequency of eating fresh vegetables during last week by place of residence and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Never	6,9	12,5	9,2	5,0	8,6	5,4	5,9	7,5	5,7	5,1	5,7	2,1
	1-2 times	22,7	36,1	37,9	28,3	28,3	29,5	22,2	29,4	29,3	25,5	22,3	24,9
	3-5 times	32,8	26,4	28,2	40,3	30,9	36,2	26,5	32,6	31,1	32,5	25,3	30,0
	6-7 times	37,7	25,0	24,6	26,4	32,2	28,9	45,4	30,5	33,9	36,9	46,7	42,9
	Total and missing	247	216	195	159	152	149	324	347	283	274	229	233
		22	31	18	27	21	16	24	40	31	26	15	20
Other	Never	9,4	19,8	20,3	13,9	8,6	10,3	7,2	13,7	11,4	8,6	8,5	7,7
	1-2 times	33,1	39,6	39,5	34,9	35,0	37,6	29,6	35,0	36,4	34,6	23,2	26,2
	3-5 times	31,0	26,1	24,6	30,4	31,1	34,1	26,6	28,4	27,9	32,3	32,3	32,1
	6-7 times	26,5	14,6	15,6	20,8	25,3	17,9	36,5	22,9	24,4	24,6	35,9	33,9
	Total and missing	574	536	488	404	360	340	732	725	616	573	504	504
		85	139	74	57	81	61	79	106	83	59	62	61

a. Country of study = Latvia

Table 94. Frequency of eating fresh vegetables during last week by place of residence and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Never	17,4	13,8	13,9	12,3	9,3	3,1	11,4	12,9	10,8	10,5	5,1	3,1
	1-2 times	41,6	35,4	36,8	42,0	37,8	30,5	33,0	32,3	29,3	31,4	28,3	27,4
	3-5 times	30,0	31,1	29,6	29,7	33,3	40,2	34,1	32,1	33,3	32,6	35,3	37,2
	6-7 times	11,0	19,7	19,7	16,0	19,6	26,2	21,4	22,6	26,6	25,5	31,3	32,3
	Total and missing	310	370	416	269	312	321	457	495	553	411	434	489
		31	29	27	11	9	8	39	38	34	16	12	18
Other	Never	28,4	21,5	16,3	18,4	16,7	7,3	20,3	13,3	14,4	14,6	8,7	4,0
	1-2 times	37,8	40,0	42,0	45,0	40,1	32,1	34,5	37,7	35,2	41,4	35,0	29,8
	3-5 times	21,4	23,6	25,5	22,1	28,5	38,6	25,4	29,1	27,8	30,3	34,6	37,1
	6-7 times	12,4	14,9	16,3	14,5	14,8	21,9	19,7	20,0	22,7	13,6	21,7	29,2
	Total and missing	429	525	369	456	372	383	507	616	432	567	543	480
		50	67	23	39	29	13	47	50	26	36	26	16

a. Country of study = Lithuania

Fat used on bread

Table 95. Type of fat mostly used on bread by study year, gender and country (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Estonia	Margarine	32,9	47,7	47,9	44,1	41,1	52,2	37,6	44,4	49,9	46,9	39,6	46,2
	Butter or animal fat*	60,2	42,0	42,7	45,1	48,3	33,3	53,1	40,6	36,4	40,4	44,6	34,8
	None	6,9	10,2	9,4	10,8	10,6	14,6	9,3	15,0	13,7	12,7	15,8	19,0
	Total and missing	523	488	480	1154	979	1127	687	725	717	1565	1514	1529
		5	7	4	32	30	33	8	10	2	30	62	69
Finland	Margarine	62,2	62,8	63,1	64,1	65,0	67,7	57,4	59,6	62,2	63,9	62,5	69,5
	Butter or animal fat*	24,9	22,7	22,4	22,5	21,5	22,0	23,9	21,4	18,3	20,9	22,9	21,2
	None	12,9	14,5	14,6	13,4	13,5	10,3	18,7	19,0	19,5	15,2	14,6	9,3
	Total and missing	1535	1430	1346	1369	1333	1263	1634	1741	1594	1657	1628	1682
		16	10	19	13	13	12	13	7	9	18	6	12
Latvia	Margarine	68,8	65,7	56,5	53,0	46,3	50,4	71,6	62,6	57,3	50,0	44,4	40,3
	Butter or animal fat*	23,7	27,1	35,8	38,1	41,7	37,7	21,0	28,3	30,7	39,2	38,1	42,7
	None	7,5	7,2	7,7	8,8	12,0	11,9	7,4	9,1	12,0	10,8	17,5	17,0
	Total and missing	924	918	771	645	607	554	1156	1211	1009	928	808	801
		4	4	4	2	7	12	3	7	4	4	2	17
Lithuania	Margarine	52,7	54,3	45,6	40,0	35,3	27,6	53,3	52,4	42,4	35,6	29,6	21,6
	Butter or animal fat*	38,8	39,1	46,9	52,0	55,6	60,1	40,8	38,5	49,2	53,8	58,2	65,9
	None	8,4	6,6	7,5	8,0	9,0	12,3	5,9	9,2	8,4	10,6	12,3	12,6
	Total and missing	806	983	829	773	719	721	1033	1188	1035	1025	1011	1002
		14	8	6	2	4	5	17	11	10	5	5	3

* includes butter-vegetable oil mixture

Type of fat mostly used on bread by age group

Table 96. Type of fat mostly used on bread by age group, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Margarine	32,8	56,0	53,1	47,6	41,4	55,5	37,0	50,0	53,6	49,1	39,9	46,0
	Butter or animal fat*	60,5	34,6	38,3	40,7	42,6	30,1	50,7	36,6	27,9	35,3	40,8	29,7
	None	6,8	9,4	8,6	11,7	16,0	14,4	12,3	13,4	18,5	15,7	19,3	24,3
	Total and missing	177	159	162	420	331	362	211	224	222	485	476	502
		2	4	1	16	15	17	2	2	0	7	25	39
35-49	Margarine	34,0	46,5	49,4	41,8	46,6	54,7	39,5	41,3	52,4	49,5	42,9	50,1
	Butter or animal fat*	58,0	44,8	41,1	48,3	46,9	32,2	52,1	44,0	36,5	38,3	43,5	31,8
	None	8,0	8,7	9,5	9,9	6,4	13,2	8,4	14,7	11,1	12,2	13,7	18,1
	Total and missing	200	172	168	385	311	395	263	252	252	517	504	503
		2	1	0	10	9	13	1	4	1	12	23	16
50-64	Margarine	31,5	40,8	40,7	42,4	35,6	46,2	35,7	42,6	44,0	42,6	36,3	42,7
	Butter or animal fat*	63,0	46,5	49,3	46,7	55,2	37,6	56,8	40,6	44,0	46,7	49,1	42,6
	None	5,5	12,7	10,0	10,9	9,2	16,2	7,5	16,9	11,9	10,7	14,6	14,7
	Total and missing	146	157	150	349	337	370	213	249	243	563	534	524
		1	2	3	6	6	3	5	4	1	11	14	14

a. Country of study = Estonia; * includes butter-vegetable oil mixture

Table 97. Type of fat mostly used on bread by age group, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Margarine	61,9	64,7	64,9	62,0	60,6	63,3	58,8	56,6	61,1	63,8	59,1	66,7
	Butter or animal fat*	21,5	19,5	19,6	22,4	22,5	26,3	17,7	18,5	16,5	21,1	24,5	24,9
	None	16,6	15,8	15,5	15,6	16,8	10,4	23,5	24,9	22,4	15,1	16,4	8,4
	Total and missing	465	380	373	379	315	308	503	542	468	483	469	462
		1	4	3	1	2	1	2	2	2	0	1	2
35-49	Margarine	64,9	61,8	60,0	64,5	64,3	65,3	59,0	62,1	60,2	62,9	61,7	67,7
	Butter or animal fat*	23,5	24,9	24,8	21,5	22,3	24,0	24,1	22,3	20,1	19,1	22,6	22,9
	None	11,6	13,3	15,2	14,0	13,4	10,8	17,0	15,6	19,6	17,9	15,8	9,4
	Total and missing	533	570	460	465	476	409	619	610	586	585	545	554
		8	2	4	6	4	5	3	2	0	7	3	5
50-64	Margarine	59,8	62,5	64,5	65,3	68,3	72,0	54,1	59,8	65,2	64,9	66,0	73,0
	Butter or animal fat*	29,2	22,5	22,2	23,4	20,1	18,1	29,7	23,3	18,0	22,6	21,8	17,1
	None	11,0	15,0	13,3	11,2	11,6	9,9	16,2	17,0	16,9	12,6	12,2	9,9
	Total and missing	537	480	513	525	542	546	512	589	540	589	614	666
		7	4	12	6	7	6	8	3	7	11	2	5

a. Country of study = Finland; * includes butter-vegetable oil mixture

Table 98. Type of fat mostly used on bread by age group, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Margarine	74,1	69,3	62,0	61,1	51,9	56,3	73,7	66,8	59,9	55,8	49,8	43,9
	Butter or animal fat*	19,6	24,2	30,2	29,6	37,3	32,8	16,8	25,1	26,9	32,3	32,7	38,0
	None	6,3	6,6	7,8	9,3	10,8	10,9	9,5	8,1	13,2	11,9	17,6	18,1
	Total and missing	363	335	295	226	212	192	399	383	342	285	245	237
		0	1	2	1	0	3	1	0	1	0	0	6
35-49	Margarine	73,7	70,0	56,8	53,9	42,5	51,4	74,9	66,4	61,7	49,2	44,2	43,8
	Butter or animal fat*	17,7	25,2	36,6	40,1	44,3	40,5	18,7	25,1	27,8	43,0	40,5	44,2
	None	8,7	4,8	6,6	6,0	13,2	8,1	6,3	8,5	10,5	7,8	15,2	12,0
	Total and missing	300	333	273	217	212	173	395	423	324	321	269	276
		1	1	2	0	4	1	1	2	2	1	0	2
50-64	Margarine	55,9	55,2	48,3	43,1	44,3	43,4	65,7	54,6	50,4	45,7	40,1	34,0
	Butter or animal fat*	36,4	33,6	42,9	45,5	43,7	40,2	28,2	34,8	37,3	41,6	40,5	45,1
	None	7,7	11,2	8,9	11,4	12,0	16,4	6,1	10,6	12,2	12,7	19,4	20,8
	Total and missing	261	250	203	202	183	189	362	405	343	322	294	288
		3	2	0	1	3	8	1	5	1	3	2	9

a. Country of study = Latvia; * includes butter-vegetable oil mixture

Table 99. Type of fat mostly used on bread by age group, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Margarine	59,4	61,3	49,8	42,2	35,7	29,3	57,4	57,1	43,1	37,2	31,2	21,5
	Butter or animal fat*	33,8	32,7	44,6	49,1	53,5	56,7	35,1	34,8	45,8	52,0	57,6	63,2
	None	6,8	6,1	5,6	8,6	10,8	14,0	7,4	8,1	11,1	10,9	11,2	15,3
	Total and missing	293	346	249	232	213	215	350	385	332	331	321	288
		2	3	2	0	1	2	1	2	1	0	2	2
35-49	Margarine	49,3	55,2	48,1	40,1	37,5	29,9	52,5	54,3	46,1	35,4	30,5	23,6
	Butter or animal fat*	42,1	39,8	44,8	52,6	53,7	58,5	42,2	35,6	47,5	54,2	58,5	67,0
	None	8,6	5,0	7,2	7,2	8,8	11,6	5,3	10,1	6,4	10,3	11,0	9,4
	Total and missing	290	377	335	304	285	294	379	455	436	378	347	373
		5	1	2	1	1	0	9	4	9	3	1	0
50-64	Margarine	48,4	43,8	38,0	37,6	32,1	22,6	49,7	44,5	35,6	34,2	27,1	19,4
	Butter or animal fat*	41,3	46,5	52,2	54,0	60,2	65,6	45,4	46,3	56,2	55,1	58,3	66,9
	None	10,3	9,6	9,8	8,4	7,7	11,8	4,9	9,2	8,2	10,8	14,6	13,8
	Total and missing	223	260	245	237	221	212	304	348	267	316	343	341
		7	4	2	1	2	3	7	5	0	2	2	1

a. Country of study = Lithuania; * includes butter-vegetable oil mixture

Type of fat mostly used on bread by education**Table 100. Type of fat mostly used on bread by education, gender and study year in Estonia (%).**

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Margarine	32,4	45,5	48,6	45,4	42,9	56,0	37,6	44,4	47,1	47,4	43,4	48,5
	Butter or animal fat*	61,7	45,5	43,5	45,0	48,9	30,8	55,0	41,3	43,3	40,9	43,1	35,9
	None	6,0	9,0	7,9	9,6	8,2	13,2	7,5	14,3	9,6	11,7	13,5	15,6
	Total and missing	386	334	354	978	613	721	442	446	446	1211	824	749
		4	4	3	27	17	14	6	3	1	20	24	30
High	Margarine	36,6	51,7	46,8	37,1	37,2	46,5	38,0	44,5	55,7	44,6	35,5	45,0
	Butter or animal fat*	53,7	34,3	37,8	44,7	47,8	36,3	48,9	39,5	23,5	39,1	45,8	32,8
	None	9,8	14,0	15,3	18,2	15,0	17,2	13,1	16,0	20,8	16,3	18,7	22,2
	Total and missing	123	143	111	170	341	355	237	263	255	343	625	726
		1	3	1	5	13	17	2	6	1	10	36	35

a. Country of study = Estonia; * includes butter-vegetable oil-mixture

Table 101. Type of fat mostly used on bread by education, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Margarine	62,9	64,9	63,1	63,8	67,7	69,0	59,1	62,8	63,4	67,1	66,8	71,0
	Butter or animal fat*	26,4	23,7	24,1	25,0	23,1	20,7	24,8	21,7	19,1	20,6	22,2	19,9
	None	10,8	11,3	12,9	11,2	9,2	10,3	16,1	15,5	17,5	12,3	11,0	9,0
	Total and missing	1050	944	848	851	840	736	973	923	841	824	756	753
		12	4	13	11	8	8	10	4	8	15	1	6
High	Margarine	60,9	58,1	62,7	64,9	60,5	66,5	55,1	56,1	60,5	60,1	58,8	68,5
	Butter or animal fat*	21,4	20,2	18,8	17,6	18,3	23,0	21,7	20,8	17,7	21,6	23,7	22,2
	None	17,7	21,7	18,4	17,4	21,2	10,4	23,1	23,1	21,8	18,3	17,6	9,3
	Total and missing	458	461	467	493	476	508	635	797	719	812	854	892
		3	5	5	2	5	4	2	3	0	3	4	5

a. Country of study = Finland; * includes butter-vegetable oil-mixture

Table 102. Type of fat mostly used on bread by education, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Margarine	71,3	69,0	63,7	55,1	52,7	55,5	73,8	67,3	65,0	55,2	51,9	47,8
	Butter or animal fat*	22,3	24,9	30,6	38,6	39,6	34,1	20,4	26,1	27,0	37,3	35,1	38,9
	None	6,3	6,1	5,8	6,3	7,7	10,4	5,8	6,6	8,0	7,5	13,0	13,3
	Total and missing	743	590	504	352	391	364	877	636	515	426	439	406
		3	1	4	1	5	10	1	5	2	3	0	12
High	Margarine	59,1	60,7	42,8	49,6	34,3	39,9	64,7	56,7	48,6	44,7	34,6	32,6
	Butter or animal fat*	29,2	30,0	45,2	38,3	45,3	45,5	22,7	30,8	35,0	41,6	42,0	46,6
	None	11,7	9,3	12,0	12,1	20,4	14,6	12,6	12,5	16,3	13,7	23,4	20,8
	Total and missing	171	300	250	264	201	178	269	536	471	481	350	384
		1	1	0	1	2	2	2	2	2	0	1	4

a. Country of study = Latvia; * includes butter-vegetable oil-mixture

Table 103. Type of fat mostly used on bread by education, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Margarine	57,2	56,8	49,8	44,1	39,4	33,4	60,2	58,8	47,9	41,1	35,1	26,5
	Butter or animal fat*	34,4	37,5	43,8	49,7	53,8	56,2	34,5	32,5	47,2	51,6	55,8	62,8
	None	8,4	5,7	6,4	6,2	6,8	10,4	5,4	8,7	4,9	7,3	9,2	10,7
	Total and missing	572	718	486	503	459	404	615	735	532	550	513	392
		11	8	5	2	3	0	13	7	4	2	4	0
High	Margarine	41,0	46,0	40,2	31,1	27,9	20,3	42,4	41,6	36,6	29,0	23,8	18,5
	Butter or animal fat*	49,5	45,1	51,2	57,4	58,3	65,5	50,8	48,5	51,0	56,0	60,7	68,0
	None	9,4	8,9	8,5	11,6	13,8	14,2	6,9	9,9	12,3	14,9	15,5	13,5
	Total and missing	212	235	328	251	240	310	394	433	494	455	471	593
		1	0	1	0	1	5	4	3	6	2	1	2

a. Country of study = Lithuania; * includes butter-vegetable oil-mixture

Type of fat mostly used on bread by place of residence

Table 104. Type of fat mostly used on bread by place of residence, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Margarine	32,4	45,5	48,6	45,4	42,9	56,0	37,6	44,4	47,1	47,4	43,4	48,5
	Butter or animal fat*	61,7	45,5	43,5	45,0	48,9	30,8	55,0	41,3	43,3	40,9	43,1	35,9
	None	6,0	9,0	7,9	9,6	8,2	13,2	7,5	14,3	9,6	11,7	13,5	15,6
	Total and missing	386	334	354	978	613	721	442	446	446	1211	824	749
		4	4	3	27	17	14	6	3	1	20	24	30
High	Margarine	36,6	51,7	46,8	37,1	37,2	46,5	38,0	44,5	55,7	44,6	35,5	45,0
	Butter or animal fat*	53,7	34,3	37,8	44,7	47,8	36,3	48,9	39,5	23,5	39,1	45,8	32,8
	None	9,8	14,0	15,3	18,2	15,0	17,2	13,1	16,0	20,8	16,3	18,7	22,2
	Total and missing	123	143	111	170	341	355	237	263	255	343	625	726
		1	3	1	5	13	17	2	6	1	10	36	35

a. Country of study = Estonia; * includes butter-vegetable oil-mixture

Table 105. Type of fat mostly used on bread by place of residence, gender and study year in Finland (%).

%		Male						Female						
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008	
Metropol.	Margarine	67,6	64,8	64,1	64,4	63,6	66,4	59,9	63,4	61,6	61,0	61,0	61,0	69,9
	Butter or animal fat*	19,7	19,6	18,4	18,8	18,5	19,9	20,8	18,0	14,5	19,5	21,9	19,1	
	None	12,7	15,5	17,5	16,8	17,9	13,7	19,3	18,6	23,9	19,5	17,1	11,0	
	Total and missing	395	341	320	351	330	336	414	451	427	436	479	445	
		2	2	3	2	5	5	2	3	1	6	1	4	
Other	Margarine	60,4	62,2	62,8	64,0	65,5	68,2	56,6	58,3	62,4	64,9	63,2	69,4	
	Butter or animal fat*	26,7	23,6	23,6	23,8	22,4	22,8	24,9	22,6	19,7	21,5	23,2	21,9	
	None	13,0	14,2	13,6	12,2	12,1	9,1	18,5	19,1	17,9	13,7	13,6	8,7	
	Total and missing	1140	1089	1026	1018	1003	927	1220	1290	1167	1221	1149	1237	
		14	8	16	11	8	7	11	4	8	12	5	8	

a. Country of study = Finland; * includes butter-vegetable oil-mixture

Table 106. Type of fat mostly used on bread by place of residence, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Margarine	63,4	62,6	46,7	47,8	38,2	41,4	69,0	53,8	46,8	35,5	32,8	27,4
	Butter or animal fat*	25,4	29,7	44,8	42,4	50,9	39,5	20,7	34,0	37,2	50,2	45,9	52,4
	None	11,2	7,7	8,5	9,8	11,0	19,1	10,3	12,2	16,0	14,4	21,3	20,2
	Total and missing	268	246	212	184	173	162	348	385	312	299	244	252
		1	1	1	2	0	3	0	2	2	1	0	1
Other	Margarine	71,0	66,8	60,3	55,1	49,5	54,1	72,8	66,7	62,0	56,9	49,5	46,3
	Butter or animal fat*	23,0	26,2	32,4	36,4	38,0	37,0	21,2	25,7	27,8	34,0	34,8	38,3
	None	5,9	7,0	7,3	8,5	12,4	8,9	6,1	7,6	10,2	9,1	15,8	15,5
	Total and missing	656	672	559	461	434	392	808	826	697	629	564	549
		3	3	3	0	7	9	3	5	2	3	2	16

a. Country of study = Latvia; * includes butter-vegetable oil-mixture

Table 107. Type of fat mostly used on bread by place of residence, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Margarine	48,5	47,3	41,7	36,4	30,5	22,9	48,6	44,3	37,5	28,1	24,9	18,6
	Butter or animal fat*	42,8	47,3	50,3	54,3	58,6	64,2	45,3	46,4	54,5	58,0	63,1	68,9
	None	8,7	5,3	8,0	9,3	10,9	12,8	6,1	9,3	8,0	13,9	11,9	12,5
	Total and missing	334	395	439	280	321	327	490	528	578	424	445	505
		7	4	4	0	0	2	6	5	9	3	1	2
Other	Margarine	55,7	59,0	50,0	42,0	39,3	31,5	57,6	58,8	48,6	40,9	33,1	24,4
	Butter or animal fat*	36,0	33,5	43,1	50,7	53,1	56,6	36,6	32,1	42,5	50,7	54,3	62,8
	None	8,3	7,5	6,9	7,3	7,6	11,9	5,7	9,1	9,0	8,3	12,6	12,7
	Total and missing	472	588	390	493	397	394	543	660	457	601	565	495
		7	4	2	2	4	2	11	6	1	2	4	1

a. Country of study = Lithuania; * includes butter-vegetable oil-mixture

Fat used in cooking

Table 108. Type of fat mostly used for food preparation at home by study year, gender and country (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Estonia	Vegetable oil	77,8	82,4	86,0	89,7	88,9	91,6	86,4	88,0	91,4	93,2	95,0	93,8
	Margarine	8,0	6,0	4,4	2,9	2,3	1,4	5,6	4,4	2,9	1,9	1,8	1,4
	Butter or product consisting mainly of butter	6,8	5,4	3,8	2,5	3,3	3,8	2,8	4,6	2,5	1,8	1,5	1,8
	Lard or other animal fat	7,4	5,8	5,6	3,5	3,3	1,4	4,7	2,2	2,8	2,0	,8	,9
	No fat at all	,0	,4	,2	,3	,8	,6	,4	,8	,4	,6	,5	1,3
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	1,1	1,5	1,2	,0	,0	,0	,4	,3	,8
	Total and missing	500	484	480	1176	1005	1154	677	724	719	1592	1570	1596
		28	11	4	10	4	6	18	11	0	3	6	2
Finland	Vegetable oil	39,0	39,6	50,7	59,6	62,8	63,7	42,6	47,6	57,7	63,2	68,4	68,2
	Margarine	35,2	33,5	25,7	18,4	18,3	14,3	32,6	27,9	20,7	16,7	12,2	12,4
	Butter or product consisting mainly of butter	24,4	24,9	21,7	20,5	16,8	19,8	22,8	22,3	19,4	18,3	16,9	17,2
	Lard or other animal fat	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	No fat at all	1,4	2,0	1,9	1,5	2,1	2,2	2,0	2,1	2,2	1,8	2,6	2,2
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	1517	1420	1321	1356	1309	1175	1612	1721	1568	1639	1599	1611
		34	20	44	26	37	100	35	27	35	36	35	83
Latvia	Vegetable oil	70,3	74,0	73,4	77,4	78,6	81,5	83,8	89,5	88,0	88,3	89,0	91,0
	Margarine	9,4	7,9	10,2	6,6	6,3	4,2	5,3	4,1	5,3	3,7	3,8	2,0
	Butter or product consisting mainly of butter	6,4	5,1	7,7	5,7	6,9	4,8	2,6	2,5	3,2	4,1	3,2	3,0
	Lard or other animal fat	10,4	9,2	5,4	7,0	4,3	4,4	6,8	3,4	2,8	2,6	2,6	1,6
	No fat at all	,6	,2	,9	,3	,8	1,7	,7	,5	,7	1,4	,9	1,6
	I do not know	2,9	3,5	2,3	2,9	3,1	3,3	,8	,1	,1	,0	,5	,9
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	927	921	771	647	607	518	1155	1217	1007	928	808	763
		1	1	4	0	7	48	4	1	6	4	2	55
Lithuania	Vegetable oil	73,6	73,3	83,2	82,6	85,0	85,0	86,6	88,4	92,8	89,5	89,6	93,4
	Margarine	5,2	5,6	5,1	4,1	5,4	4,2	2,3	3,0	1,7	1,9	2,8	1,1
	Butter or product consisting mainly of butter	5,2	4,8	5,8	3,9	3,3	5,8	2,2	1,9	2,6	2,7	3,0	3,6
	Lard or other animal fat	16,0	15,6	5,4	8,4	6,1	3,7	8,9	6,3	2,2	5,6	4,4	1,5
	No fat at all	,1	,7	,5	,9	,1	1,2	,0	,5	,7	,4	,2	,4
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	794	972	826	772	718	722	1027	1178	1036	1027	1013	1003
		26	19	9	3	5	4	23	21	9	3	3	2

Type of fat mostly used for food preparation at home by age group

Table 109. Type of fat mostly used for food preparation at home by age group, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Vegetable oil	82,3	91,8	90,7	92,4	91,6	93,4	88,6	86,7	92,8	92,5	95,2	91,7
	Margarine	8,0	5,1	3,1	2,1	,9	,8	5,2	7,1	3,2	2,2	1,8	1,7
	Butter or product consisting mainly of butter	6,9	2,5	3,7	2,1	3,5	3,2	3,8	3,5	,5	2,2	1,4	2,0
	Lard or other animal fat	2,9	,6	1,9	1,4	1,2	,5	1,9	,9	2,7	,6	,2	,9
	No fat at all	,0	,0	,6	,5	,6	,3	,5	1,8	,9	1,6	1,0	1,8
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	1,6	2,3	1,9	,0	,0	,0	,8	,4	1,8
	Total and missing	175	158	162	433	345	376	211	226	222	492	499	541
	4	5	1	3	1	3	2	0	0	0	2	0	
35-49	Vegetable oil	79,5	84,8	88,7	90,0	92,5	92,6	88,3	92,1	91,7	94,3	95,4	95,7
	Margarine	6,8	4,7	2,4	2,3	1,6	1,0	5,5	3,2	3,2	2,1	2,3	1,5
	Butter or product consisting mainly of butter	7,4	6,4	3,6	2,1	1,6	3,4	2,3	2,8	3,2	1,5	1,3	,8
	Lard or other animal fat	6,3	2,9	5,4	4,1	3,1	1,5	3,5	2,0	2,0	1,9	,6	,2
	No fat at all	,0	1,2	,0	,5	1,3	,5	,4	,0	,0	,2	,2	1,4
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	1,0	,0	1,0	,0	,0	,0	,0	,2	,4
	Total and missing	190	171	168	390	319	406	256	252	253	528	524	517
	12	2	0	5	1	2	8	4	0	1	3	2	
50-64	Vegetable oil	69,6	70,3	78,0	86,1	82,7	88,7	81,9	85,0	89,8	92,8	94,3	94,1
	Margarine	9,6	8,4	8,0	4,5	4,4	2,4	6,2	3,3	2,5	1,6	1,5	,9
	Butter or product consisting mainly of butter	5,9	7,1	4,0	3,4	4,7	4,8	2,4	7,3	3,7	1,7	1,8	2,6
	Lard or other animal fat	14,8	14,2	10,0	5,4	5,6	2,2	9,0	3,7	3,7	3,3	1,6	1,7
	No fat at all	,0	,0	,0	,0	,6	1,1	,5	,8	,4	,0	,4	,6
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	,6	2,1	,8	,0	,0	,0	,5	,4	,2
	Total and missing	135	155	150	353	341	372	210	246	244	572	547	538
	12	4	3	2	2	1	8	7	0	2	1	0	

a. Country of study = Estonia

Table 110. Type of fat mostly used for food preparation at home by age group, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Vegetable oil	40,9	41,1	52,4	58,2	68,5	67,3	43,0	53,8	60,8	67,1	67,6	72,0
	Margarine	35,1	34,8	28,4	18,8	13,4	12,1	32,8	27,0	18,8	15,3	13,0	11,0
	Butter or product consisting mainly of butter	21,4	20,7	15,7	20,4	14,0	16,5	20,2	15,5	17,1	14,3	14,5	13,0
	Lard or other animal fat	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	No fat at all	2,6	3,4	3,5	2,7	4,1	4,0	4,0	3,7	3,2	3,4	4,9	4,0
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	462	382	370	373	314	297	500	541	467	477	469	447
		4	2	6	7	3	12	5	3	3	6	1	17
35-49	Vegetable oil	38,1	37,0	50,8	60,5	59,9	64,9	41,8	45,6	57,3	62,7	71,3	68,6
	Margarine	35,7	35,0	25,5	18,0	20,3	14,6	33,9	30,0	21,2	18,9	11,6	11,9
	Butter or product consisting mainly of butter	25,3	25,8	22,6	20,0	17,7	18,5	23,0	23,1	19,1	16,7	14,7	17,7
	Lard or other animal fat	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	No fat at all	,9	2,1	1,1	1,5	2,1	2,1	1,3	1,3	2,4	1,7	2,4	1,9
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	530	565	447	461	469	390	610	601	572	587	536	538
		11	7	17	10	11	24	12	11	14	5	12	21
50-64	Vegetable oil	38,3	41,4	49,4	59,8	62,0	60,5	43,2	44,0	55,4	60,5	66,3	65,2
	Margarine	34,9	30,7	23,8	18,6	19,6	15,4	30,7	26,8	21,7	15,7	12,1	13,7
	Butter or product consisting mainly of butter	26,1	27,3	25,4	21,1	17,7	23,0	25,3	27,8	21,7	23,3	20,7	19,8
	Lard or other animal fat	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	No fat at all	,8	,6	1,4	,6	,8	1,2	,8	1,4	1,1	,5	,8	1,3
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	525	473	504	522	526	488	502	579	529	575	594	626
		19	11	21	9	23	64	18	13	18	25	22	45

a. Country of study – Finland

Table 111. Type of fat mostly used for food preparation at home by age group, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Vegetable oil	74,4	76,2	75,9	82,4	80,6	79,7	86,2	91,6	88,9	91,5	89,0	88,7
	Margarine	10,7	8,9	10,8	7,5	6,6	4,7	4,8	3,1	4,7	3,2	4,1	2,3
	Butter or product consisting mainly of butter	5,8	5,4	6,8	3,5	6,2	5,2	3,0	2,3	2,6	3,2	4,1	3,6
	Lard or other animal fat	6,3	5,4	3,1	2,6	2,4	2,9	4,0	2,1	2,0	,0	,8	,9
	No fat at all	,3	,0	1,4	,9	,9	2,3	,8	,5	1,5	2,1	1,2	2,7
	I do not know	2,5	4,2	2,0	3,1	3,3	5,2	1,3	,3	,3	,0	,8	1,8
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	363	336	295	227	211	172	399	383	343	284	245	222
	0	0	2	0	1	23	1	0	0	1	0	21	
35-49	Vegetable oil	72,4	79,6	73,3	77,0	80,2	84,8	86,8	92,7	90,4	86,6	91,8	92,5
	Margarine	6,6	5,1	8,4	6,9	4,7	4,3	4,8	3,5	4,9	3,4	3,0	1,5
	Butter or product consisting mainly of butter	4,3	3,0	8,1	6,5	5,7	4,9	2,0	1,2	2,2	4,3	1,5	3,0
	Lard or other animal fat	13,0	8,7	7,0	7,4	5,2	4,3	5,6	2,4	2,2	4,3	3,3	1,5
	No fat at all	1,0	,3	,7	,0	,9	,0	,3	,2	,3	1,2	,4	1,5
	I do not know	2,7	3,3	2,6	2,3	3,3	1,8	,5	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	301	333	273	217	212	164	395	424	324	322	269	266
	0	1	2	0	4	10	1	1	2	0	0	12	
50-64	Vegetable oil	62,4	63,9	70,0	72,4	74,5	80,2	77,8	84,1	84,7	87,0	86,4	91,3
	Margarine	10,6	10,3	11,8	5,4	7,6	3,8	6,4	5,6	6,2	4,3	4,4	2,2
	Butter or product consisting mainly of butter	9,5	7,5	8,4	7,4	9,2	4,4	2,8	3,9	4,7	4,7	4,1	2,5
	Lard or other animal fat	12,9	15,1	6,9	11,3	5,4	6,0	11,4	5,6	4,1	3,1	3,4	2,2
	No fat at all	,8	,4	,5	,0	,5	2,7	1,1	,7	,3	,9	1,0	,7
	I do not know	3,8	2,8	2,5	3,4	2,7	2,7	,6	,0	,0	,0	,7	1,1
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	263	252	203	203	184	182	361	410	340	322	294	275
	1	0	0	0	2	15	2	0	4	3	2	22	

a. Country of study – Latvia

Table 112. Type of fat mostly used for food preparation at home by age group, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Vegetable oil	80,7	80,3	86,3	90,1	88,3	82,9	88,8	89,7	91,8	90,3	90,1	91,3
	Margarine	4,5	5,5	4,4	3,4	3,8	3,7	3,2	2,6	1,5	1,8	3,4	1,0
	Butter or product consisting mainly of butter	4,5	2,0	6,9	3,9	4,7	8,3	1,4	2,1	3,3	3,9	3,1	6,9
	Lard or other animal fat	10,3	11,6	2,0	2,6	2,8	2,3	6,6	5,5	2,1	3,3	3,1	,3
	No fat at all	,0	,6	,4	,0	,5	2,8	,0	,0	1,2	,6	,3	,3
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	290	346	248	232	213	217	348	380	330	331	322	289
	5	3	3	0	1	0	3	7	3	0	1	1	
35-49	Vegetable oil	75,5	75,0	85,9	86,5	86,0	86,7	87,7	91,4	94,3	90,8	89,3	94,9
	Margarine	4,5	5,4	3,9	3,3	5,3	4,1	2,1	2,4	1,1	1,8	2,9	1,1
	Butter or product consisting mainly of butter	4,2	4,8	4,5	2,3	1,8	4,8	2,9	1,1	2,1	1,8	2,3	2,1
	Lard or other animal fat	15,7	14,8	5,4	7,6	7,0	4,1	7,3	4,2	1,8	5,3	5,5	1,9
	No fat at all	,0	,0	,3	,3	,0	,3	,0	,9	,7	,3	,0	,0
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	286	372	334	304	285	294	383	453	439	379	347	373
	9	6	3	1	1	0	5	6	6	2	1	0	
50-64	Vegetable oil	61,5	61,0	76,2	70,3	80,5	84,8	82,4	82,9	91,4	87,1	89,5	93,5
	Margarine	6,9	5,9	7,4	5,9	7,3	4,7	1,7	4,1	3,0	1,9	2,0	1,2
	Butter or product consisting mainly of butter	7,3	8,7	6,6	5,9	4,1	4,7	2,4	2,6	2,6	2,5	3,5	2,3
	Lard or other animal fat	23,9	22,4	9,0	15,3	8,2	4,7	13,5	9,9	3,0	8,2	4,7	2,1
	No fat at all	,5	2,0	,8	2,5	,0	,9	,0	,6	,0	,3	,3	,9
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	218	254	244	236	220	211	296	345	267	317	344	341
	12	10	3	2	3	4	15	8	0	1	1	1	

a. Country of study = Lithuania

Type of fat mostly used for food preparation at home by education

Table 113. Type of fat mostly used for food preparation at home by education, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Vegetable oil	77,4	84,5	85,0	89,7	89,5	91,0	83,2	87,9	91,7	92,5	94,5	95,0
	Margarine	8,6	5,8	4,8	3,0	1,6	1,4	6,7	4,3	2,9	2,0	2,1	,9
	Butter or product consisting mainly of butter	7,0	3,6	3,4	2,4	3,2	4,6	3,5	4,5	2,5	2,0	1,7	1,9
	Lard or other animal fat	7,0	6,1	6,8	3,8	3,8	1,2	6,2	2,7	2,5	2,4	1,1	,9
	No fat at all	,0	,0	,0	,1	,5	,3	,5	,7	,4	,6	,2	,8
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	1,0	1,4	1,5	,0	,0	,0	,5	,4	,5
	Total and missing	372	329	354	996	627	734	434	445	447	1229	844	777
		18	9	3	9	3	1	14	4	0	2	4	2
High	Vegetable oil	79,5	79,9	90,1	89,7	87,6	92,7	91,9	88,6	90,6	95,5	95,6	92,6
	Margarine	6,8	6,3	3,6	2,3	3,7	1,4	3,8	3,8	3,1	1,7	1,7	1,8
	Butter or product consisting mainly of butter	6,8	8,3	2,7	2,9	3,7	2,2	1,7	4,9	2,3	1,1	1,5	1,7
	Lard or other animal fat	6,8	4,2	2,7	1,7	2,0	1,9	2,1	1,5	3,5	,9	,6	,9
	No fat at all	,0	1,4	,9	1,7	1,4	1,4	,4	1,1	,4	,6	,6	1,7
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	1,7	1,7	,5	,0	,0	,0	,3	,0	1,2
	Total and missing	117	144	111	174	354	368	235	264	256	352	660	761
		7	2	1	1	0	4	4	5	0	1	1	0

a. Country of study = Estonia

Table 114. Type of fat mostly used for food preparation at home by education, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Vegetable oil	34,2	33,9	43,7	53,4	57,1	57,5	36,2	38,0	49,3	54,7	62,1	59,9
	Margarine	38,2	37,7	29,1	21,3	21,9	17,0	37,2	33,4	23,9	21,1	15,6	17,1
	Butter or product consisting mainly of butter	26,4	27,3	26,3	24,3	19,1	23,4	24,4	26,9	24,8	22,6	20,6	20,6
	Lard or other animal fat	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	No fat at all	1,2	1,1	1,0	1,1	2,0	2,1	2,2	1,7	1,9	1,6	1,8	2,4
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	1037	931	829	841	818	675	954	906	823	814	739	714
		25	17	32	21	30	69	29	21	26	25	18	45
High	Vegetable oil	49,6	51,3	64,2	71,0	73,1	73,6	53,0	58,8	67,6	71,7	74,1	75,4
	Margarine	28,9	24,8	19,1	13,3	11,6	10,4	25,6	21,5	16,1	12,2	9,2	8,1
	Butter or product consisting mainly of butter	19,5	20,0	13,7	13,5	13,1	13,5	19,7	17,0	13,7	14,2	13,6	14,5
	Lard or other animal fat	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	No fat at all	2,0	3,9	3,0	2,2	2,3	2,5	1,7	2,6	2,7	2,0	3,2	2,0
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	456	464	461	490	475	481	634	794	710	805	841	862
		5	2	11	5	6	31	3	6	9	10	17	35

a. Country of study = Finland

Table 115. Type of fat mostly used for food preparation at home by education, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Vegetable oil	69,0	72,1	71,5	75,4	76,1	80,7	84,4	88,3	85,6	87,3	88,8	89,1
	Margarine	9,4	8,3	11,9	6,8	7,9	4,5	5,0	4,1	6,2	4,5	4,6	3,1
	Butter or product consisting mainly of butter	6,3	4,1	7,5	5,4	6,1	5,7	2,4	3,3	3,9	4,7	2,7	3,4
	Lard or other animal fat	11,8	11,5	5,9	8,8	5,3	4,5	6,7	3,9	3,5	2,8	2,7	2,1
	No fat at all	,4	,2	,6	,3	,8	1,5	,6	,5	,6	,7	,5	1,0
	I do not know	3,1	3,9	2,6	3,4	3,8	3,3	,9	,0	,2	,0	,7	1,3
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	746	591	506	353	393	336	876	641	513	425	439	387
	0	0	2	0	3	38	2	0	4	4	0	31	
High	Vegetable oil	77,3	78,7	76,6	81,5	84,4	84,2	82,2	91,4	90,4	89,6	89,7	92,9
	Margarine	8,7	8,0	7,3	5,3	3,5	2,9	6,3	4,1	4,2	2,7	2,9	,8
	Butter or product consisting mainly of butter	7,0	6,0	7,7	6,0	7,5	2,9	3,0	1,1	2,3	3,3	3,4	2,7
	Lard or other animal fat	2,9	5,0	4,8	4,5	1,5	4,7	7,4	2,6	2,1	2,5	2,3	1,1
	No fat at all	1,7	,3	1,6	,4	1,0	2,3	1,1	,6	,8	1,9	1,4	1,9
	I do not know	2,3	2,0	2,0	2,3	2,0	2,9	,0	,2	,0	,0	,3	,5
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	172	301	248	265	199	171	269	537	471	481	350	366
	0	0	2	0	4	9	2	1	2	0	1	22	

a. Country of study = Latvia

Table 116. Type of fat mostly used for food preparation at home by education, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Vegetable oil	72,5	70,5	83,3	79,5	83,2	85,1	85,9	87,2	91,2	88,4	87,2	91,8
	Margarine	4,8	5,2	5,0	5,0	5,2	5,0	2,3	3,3	2,6	1,3	2,5	1,8
	Butter or product consisting mainly of butter	4,8	4,6	5,2	4,2	3,7	5,0	2,5	1,2	2,4	2,9	3,9	3,6
	Lard or other animal fat	17,7	19,4	6,4	10,7	7,6	3,7	9,3	7,8	3,2	7,4	6,4	2,0
	No fat at all	,2	,3	,2	,6	,2	1,2	,0	,4	,6	,0	,0	,8
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	564	711	484	503	459	403	610	729	534	551	514	392
High	Vegetable oil	78,2	82,3	82,6	88,4	87,0	84,6	88,4	91,0	94,5	91,7	92,4	94,3
	Margarine	6,3	6,5	5,5	2,8	6,3	3,2	2,0	2,3	,8	2,2	3,0	,7
	Butter or product consisting mainly of butter	6,3	6,1	6,7	3,6	2,9	7,1	2,0	2,6	2,8	2,6	2,1	3,7
	Lard or other animal fat	9,2	3,9	4,3	3,6	3,8	3,8	7,6	3,5	1,0	2,9	2,3	1,2
	No fat at all	,0	1,3	,9	1,6	,0	1,3	,0	,7	,8	,7	,2	,2
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	206	231	328	250	239	312	395	431	493	456	472	593
	7	4	1	1	2	3	3	5	7	1	0	2	

a. Country of study = Lithuania

Type of fat mostly used for food preparation at home by place of residence

Table 117. Type of fat mostly used for food preparation at home by place of residence, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Vegetable oil	79,0	79,2	82,9	87,1	82,6	89,0	84,8	84,4	89,7	94,6	95,5	93,4
	Margarine	11,2	7,6	7,3	6,1	5,1	1,7	8,3	7,5	3,4	2,3	2,4	2,2
	Butter or product consisting mainly of butter	7,7	7,6	6,5	3,9	7,2	5,9	3,4	5,2	5,4	1,4	1,6	1,6
	Lard or other animal fat	2,1	4,9	2,4	,7	1,7	,7	2,9	1,4	,5	,7	,2	,6
	No fat at all	,0	,7	,8	,4	1,3	,7	,5	1,4	1,0	,7	,0	1,4
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	1,8	2,1	2,1	,0	,0	,0	,5	,2	,8
	Total and missing	143	144	123	280	236	290	204	212	203	442	425	498
	5	3	1	4	1	0	5	5	0	1	4	0	
Other	Vegetable oil	77,1	83,7	87,1	90,5	90,8	92,5	86,9	89,6	92,0	92,7	94,8	94,0
	Margarine	6,9	5,3	3,4	1,9	1,4	1,3	4,5	3,1	2,7	1,8	1,7	1,0
	Butter or product consisting mainly of butter	6,6	4,4	2,8	2,0	2,1	3,1	2,6	4,3	1,4	2,0	1,5	1,9
	Lard or other animal fat	9,4	6,2	6,7	4,4	3,8	1,6	5,6	2,4	3,7	2,5	1,0	1,1
	No fat at all	,0	,3	,0	,3	,7	,6	,4	,6	,2	,5	,7	1,2
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	,9	1,3	,9	,0	,0	,0	,4	,3	,8
	Total and missing	350	338	356	896	769	864	464	508	511	1150	1145	1098
	22	8	3	6	3	6	13	6	0	2	2	2	

a. Country of study = Estonia

Table 118. Type of fat mostly used for food preparation at home by place of residence, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Vegetable oil	47,4	53,4	61,7	67,0	69,8	74,4	49,3	55,6	67,5	72,7	76,2	76,3
	Margarine	33,8	28,9	23,6	15,8	15,9	11,6	32,8	27,4	18,0	13,2	9,9	10,3
	Butter or product consisting mainly of butter	17,4	14,7	12,5	14,9	11,0	11,6	15,0	14,8	11,8	11,5	11,0	11,2
	Lard or other animal fat	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	No fat at all	1,3	2,9	2,2	2,3	3,4	2,5	2,9	2,2	2,6	2,5	3,0	2,1
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	390	339	313	348	328	320	412	446	422	433	474	427
		7	4	10	5	7	21	4	8	6	9	6	22
Other	Vegetable oil	36,1	35,2	47,3	57,0	60,4	59,6	40,3	44,9	54,1	59,8	65,1	65,3
	Margarine	35,7	35,0	26,3	19,3	19,2	15,3	32,5	28,2	21,6	18,0	13,2	13,1
	Butter or product consisting mainly of butter	26,8	28,1	24,6	22,4	18,8	22,9	25,5	24,9	22,2	20,7	19,4	19,3
	Lard or other animal fat	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	No fat at all	1,4	1,7	1,8	1,2	1,6	2,1	1,7	2,0	2,1	1,5	2,4	2,3
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	1127	1081	1008	1008	981	855	1200	1275	1146	1206	1125	1184
		27	16	34	21	30	79	31	19	29	27	29	61

a. Country of study = Finland

Table 119. Type of fat mostly used for food preparation at home by place of residence, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Vegetable oil	71,7	80,1	74,1	81,7	84,4	82,4	87,6	90,9	90,4	91,3	88,9	91,4
	Margarine	11,5	7,3	9,4	7,0	4,0	5,4	5,7	4,7	3,8	2,0	4,1	1,6
	Butter or product consisting mainly of butter	7,4	4,9	10,8	6,5	6,9	2,7	1,4	2,3	3,2	4,7	4,5	2,4
	Lard or other animal fat	5,6	3,7	2,4	2,2	1,7	2,7	2,9	1,0	1,3	,7	,4	1,2
	No fat at all	1,1	,0	,5	,0	,0	4,1	1,4	1,0	1,0	1,3	2,0	2,4
	I do not know	2,6	4,1	2,8	2,7	2,9	2,7	,9	,0	,3	,0	,0	,8
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	269	246	212	186	173	148	348	386	312	298	244	245
		0	1	1	0	0	17	0	1	2	2	0	8
Other	Vegetable oil	69,8	71,9	73,2	75,7	76,3	81,1	82,2	88,8	86,9	86,8	89,0	90,7
	Margarine	8,5	8,1	10,6	6,5	7,1	3,8	5,1	3,9	5,9	4,4	3,7	2,1
	Butter or product consisting mainly of butter	5,9	5,2	6,4	5,4	6,9	5,7	3,1	2,5	3,2	3,8	2,7	3,3
	Lard or other animal fat	12,3	11,3	6,6	8,9	5,3	5,1	8,6	4,5	3,5	3,5	3,5	1,7
	No fat at all	,5	,3	1,1	,4	1,2	,8	,4	,2	,6	1,4	,4	1,2
	I do not know	3,0	3,3	2,1	3,0	3,2	3,5	,7	,1	,0	,0	,7	1,0
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	658	675	559	461	434	370	807	831	695	630	564	518
		1	0	3	0	7	31	4	0	4	2	2	47

a. Country of study = Latvia

Table 120. Type of fat mostly used for food preparation at home by place of residence, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Vegetable oil	79,0	79,7	83,5	87,9	87,2	85,7	91,5	93,7	94,1	93,6	92,6	94,7
	Margarine	6,4	6,1	5,0	3,9	6,9	3,0	2,3	1,9	1,0	,9	2,5	1,2
	Butter or product consisting mainly of butter	4,0	5,8	7,3	5,4	3,1	7,6	2,1	2,1	2,2	2,4	2,5	3,8
	Lard or other animal fat	10,4	7,1	3,2	2,5	2,8	2,4	4,1	1,7	1,9	2,4	2,3	,2
	No fat at all	,3	1,3	,9	,4	,0	1,2	,0	,6	,7	,7	,2	,2
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	328	394	437	280	321	328	485	521	579	425	444	506
		13	5	6	0	0	1	11	12	8	2	2	1
Other	Vegetable oil	69,7	68,9	82,8	79,7	83,1	84,5	82,1	84,2	91,0	86,5	87,3	92,1
	Margarine	4,3	5,2	5,1	4,3	4,3	5,1	2,4	3,8	2,6	2,5	3,0	1,0
	Butter or product consisting mainly of butter	6,0	4,2	4,1	3,0	3,5	4,3	2,4	1,7	3,1	3,0	3,3	3,4
	Lard or other animal fat	20,0	21,5	8,0	11,8	8,8	4,8	13,1	9,9	2,6	7,8	6,2	2,8
	No fat at all	,0	,3	,0	1,2	,3	1,3	,0	,5	,7	,2	,2	,6
	I do not know	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	I do not usually prepare food	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	466	578	389	492	396	394	542	657	457	602	568	495
		13	14	3	3	5	2	12	9	1	1	1	1

a. Country of study = Lithuania

Consumption of meat

Table 121. Frequency of eating meat during last week by study year, gender and country (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Estonia	Never	12,0	11,0	12,1	14,7	10,1	8,3	20,6	23,1	21,7	23,5	18,1	15,8
	1-2 times	42,8	40,7	39,5	39,0	35,2	36,2	48,6	48,6	44,9	45,1	42,7	45,1
	3-5 times	32,3	36,1	34,0	30,7	37,0	39,6	26,0	23,6	24,8	23,4	28,1	30,1
	6-7 times	12,9	12,2	14,4	15,6	17,7	15,8	4,8	4,7	8,7	8,0	11,1	9,0
	Total and missing	449	418	423	1131	946	1082	562	623	622	1509	1486	1460
		79	77	61	55	63	78	133	112	97	86	90	138
Finland	Never	5,1	4,8	5,8	4,4	6,0	5,4	12,0	10,9	14,1	12,7	11,8	13,5
	1-2 times	45,1	42,5	45,3	45,7	41,0	46,7	49,6	46,7	49,9	50,3	50,3	50,7
	3-5 times	42,4	46,4	42,5	41,8	46,1	41,3	34,6	38,5	33,8	33,8	33,7	32,3
	6-7 times	7,3	6,3	6,4	8,1	6,8	6,6	3,7	3,8	2,2	3,2	4,2	3,5
	Total and missing	1487	1404	1329	1334	1301	1236	1582	1703	1570	1612	1582	1646
		64	36	36	48	45	39	65	45	33	63	52	48
Latvia	Never	11,4	10,3	11,3	9,0	8,0	8,4	23,5	21,0	21,5	17,7	12,2	12,6
	1-2 times	39,8	32,7	36,6	36,0	32,5	38,2	43,3	41,2	43,5	42,2	44,0	43,7
	3-5 times	34,5	34,9	33,7	37,1	35,2	37,2	25,1	28,6	26,6	28,5	31,0	33,9
	6-7 times	14,3	22,1	18,4	17,9	24,3	16,2	8,0	9,2	8,3	11,6	12,8	9,8
	Total and missing	774	796	680	558	526	489	947	1012	852	796	664	696
		154	126	95	89	88	77	212	206	161	136	146	122
Lithuania	Never	5,6	4,6	5,7	3,6	4,3	2,3	10,6	6,6	10,1	7,8	9,5	9,1
	1-2 times	29,2	32,8	32,1	33,1	30,6	35,5	41,9	41,9	49,1	42,3	40,8	44,6
	3-5 times	45,6	41,8	46,0	41,7	44,3	44,6	36,1	41,0	32,3	39,6	40,0	34,9
	6-7 times	19,6	20,8	16,1	21,5	20,8	17,6	11,4	10,6	8,4	10,3	9,7	11,4
	Total and missing	774	954	806	743	696	695	992	1135	977	973	960	936
		46	37	29	32	27	31	58	64	68	57	56	69

Frequency of eating meat during last week by age group

Table 122. Frequency of eating meat during last week by age group, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Never	10,7	12,3	7,9	12,3	9,5	7,1	22,6	24,4	26,1	21,2	16,2	16,8
	1-2 times	40,9	42,5	41,7	41,5	34,6	34,5	48,9	52,7	43,1	45,4	41,1	44,1
	3-5 times	34,6	34,2	35,8	31,0	38,8	44,9	23,7	19,0	22,3	25,6	32,4	31,6
	6-7 times	13,8	11,0	14,6	15,2	17,2	13,4	4,7	3,9	8,5	7,8	10,3	7,6
	Total and missing	159	146	151	422	338	365	190	205	211	476	487	513
		20	17	12	14	8	14	23	21	11	16	14	28
35-49	Never	14,4	12,9	14,9	13,6	9,3	6,4	20,5	17,1	18,8	19,4	15,6	11,9
	1-2 times	46,1	40,1	39,2	36,3	36,9	36,6	47,0	49,8	46,7	47,7	46,9	48,1
	3-5 times	28,1	33,3	35,1	32,5	38,2	40,7	26,9	29,0	24,9	24,4	27,1	30,8
	6-7 times	11,4	13,6	10,8	17,6	15,6	16,2	5,5	4,1	9,6	8,5	10,4	9,2
	Total and missing	167	147	148	375	301	388	219	217	229	505	499	480
		35	26	20	20	19	20	45	39	24	24	28	39
50-64	Never	10,6	7,2	13,7	18,9	11,7	11,9	18,3	28,4	20,3	29,4	22,4	18,6
	1-2 times	40,7	39,2	37,1	38,9	34,2	37,7	50,3	43,3	44,5	42,4	40,2	43,3
	3-5 times	35,0	41,6	30,6	28,1	33,9	32,5	27,5	22,4	27,5	20,5	24,8	27,6
	6-7 times	13,8	12,0	18,5	14,1	20,2	17,9	3,9	6,0	7,7	7,8	12,6	10,5
	Total and missing	123	125	124	334	307	329	153	201	182	528	500	467
		24	34	29	21	36	44	65	52	62	46	48	71

a. Country of study = Estonia

Table 123. Frequency of eating meat during last week by age group, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Never	5,0	3,4	4,6	4,0	4,5	3,6	11,5	13,9	15,0	15,4	12,3	17,1
	1-2 times	38,9	37,3	42,2	39,0	30,9	37,5	49,1	42,8	47,1	46,1	42,6	43,6
	3-5 times	46,8	51,2	42,7	44,6	54,5	46,9	36,2	38,5	35,3	33,7	38,1	35,4
	6-7 times	9,2	8,1	10,5	12,5	10,2	12,1	3,2	4,8	2,6	4,8	7,1	3,9
	Total and missing	457	381	370	377	314	307	497	540	467	475	465	461
		9	3	6	3	3	2	8	4	3	8	5	3
35-49	Never	3,8	5,5	4,8	4,9	6,6	5,1	10,9	7,6	12,8	11,0	9,6	12,6
	1-2 times	49,7	42,6	46,4	46,6	43,0	47,8	50,4	47,7	50,0	51,0	56,1	53,6
	3-5 times	40,0	46,2	45,3	43,6	43,4	42,6	34,7	41,7	35,2	35,7	32,1	30,2
	6-7 times	6,5	5,7	3,5	4,9	7,0	4,4	4,0	3,0	2,1	2,4	2,3	3,7
	Total and missing	523	559	455	466	472	408	605	602	580	575	533	547
		18	13	9	5	8	6	17	10	6	17	15	12
50-64	Never	6,5	5,0	7,5	4,3	6,4	6,7	14,0	11,6	14,9	12,3	13,5	11,6
	1-2 times	46,0	46,8	46,6	50,1	45,4	51,2	49,2	49,6	52,2	53,2	51,0	53,3
	3-5 times	41,0	42,7	39,9	37,9	43,5	37,0	32,9	35,1	31,0	32,0	31,7	32,0
	6-7 times	6,5	5,6	6,0	7,7	4,7	5,0	4,0	3,7	1,9	2,5	3,8	3,1
	Total and missing	507	464	504	491	515	521	480	561	523	562	584	638
		37	20	21	40	34	31	40	31	24	38	32	33

a. Country of study = Finland

Table 124. Frequency of eating meat during last week by age group, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Never	10,9	6,5	10,7	8,6	10,3	6,9	21,7	21,3	21,5	19,9	13,8	10,9
	1-2 times	35,4	30,3	34,7	37,6	29,9	35,6	47,5	44,0	41,7	43,4	40,9	42,8
	3-5 times	38,2	39,7	36,2	37,1	32,5	42,0	23,3	24,8	29,3	30,0	33,8	37,1
	6-7 times	15,5	23,5	18,5	16,7	27,3	15,5	7,5	9,9	7,5	6,7	11,6	9,2
	Total and missing	322	307	271	210	194	174	360	343	307	267	225	229
		41	29	26	17	18	21	40	40	36	18	20	14
35-49	Never	12,5	13,3	10,1	9,0	7,5	10,8	21,6	21,3	19,4	15,5	8,5	12,3
	1-2 times	44,5	30,4	41,3	34,0	29,0	36,3	39,3	38,0	44,1	43,0	44,2	41,2
	3-5 times	31,6	32,4	30,0	39,9	40,3	38,9	29,6	34,2	27,2	25,7	33,0	36,6
	6-7 times	11,3	23,9	18,6	17,0	23,1	14,0	9,5	6,6	9,3	15,8	14,3	9,9
	Total and missing	256	293	247	188	186	157	328	366	279	284	224	243
		45	41	28	29	30	17	68	59	47	38	45	35
50-64	Never	10,7	11,7	14,2	9,4	5,5	7,6	28,6	20,5	23,7	18,0	14,4	14,7
	1-2 times	40,8	39,8	32,7	36,3	40,4	43,0	42,5	41,9	45,1	40,0	47,0	47,3
	3-5 times	32,1	31,1	35,2	33,8	32,2	30,4	22,0	26,1	22,9	30,2	26,0	27,7
	6-7 times	16,3	17,3	17,9	20,6	21,9	19,0	6,9	11,6	8,3	11,8	12,6	10,3
	Total and missing	196	196	162	160	146	158	259	303	266	245	215	224
		68	56	41	43	40	39	104	107	78	80	81	73

a. Country of study = Latvia

Table 125. Frequency of eating meat during last week by age group, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Never	4,5	3,9	3,2	1,8	4,3	1,9	10,3	9,4	9,3	7,9	7,9	10,1
	1-2 times	25,9	30,4	30,9	34,4	30,6	32,9	43,4	39,5	48,9	46,4	44,3	44,9
	3-5 times	46,5	41,2	47,4	41,4	42,1	46,7	36,6	41,7	31,9	36,7	38,9	32,2
	6-7 times	23,1	24,5	18,5	22,5	23,0	18,6	9,7	9,4	9,9	9,1	8,9	12,7
	Total and missing	286	335	249	227	209	210	339	372	323	330	316	276
		9	14	2	5	5	7	12	15	10	1	7	14
35-49	Never	5,0	5,4	5,9	4,4	2,5	1,1	9,2	4,1	9,0	7,6	6,6	6,7
	1-2 times	29,9	33,1	29,7	29,3	29,3	37,3	40,7	42,4	49,1	36,5	39,3	42,0
	3-5 times	44,2	43,4	47,7	40,5	44,6	42,3	36,7	42,9	34,9	43,6	44,4	39,5
	6-7 times	20,9	18,2	16,7	25,9	23,6	19,4	13,5	10,7	7,1	12,2	9,7	11,8
	Total and missing	278	369	323	294	276	284	371	441	424	353	331	357
		17	9	14	11	10	10	17	18	21	28	17	16
50-64	Never	7,6	4,4	8,1	4,5	6,6	4,5	12,8	6,8	13,5	7,9	14,1	10,9
	1-2 times	32,9	35,6	36,8	36,9	32,2	35,8	41,8	43,8	49,6	44,8	39,0	47,2
	3-5 times	46,2	40,4	42,3	43,7	46,0	45,8	34,8	37,6	28,3	37,9	36,4	32,0
	6-7 times	13,3	19,6	12,8	14,9	15,2	13,9	10,6	11,8	8,7	9,3	10,5	9,9
	Total and missing	210	250	234	222	211	201	282	322	230	290	313	303
		20	14	13	16	12	14	29	31	37	28	32	39

a. Country of study = Lithuania

Frequency of eating meat during last week by education

Table 126. Frequency of eating meat during last week by education, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Never	12,9	11,4	11,4	15,3	11,6	7,9	22,8	22,1	20,5	25,8	18,7	15,8
	1-2 times	42,8	40,4	42,3	40,0	35,5	35,0	48,2	50,5	44,7	44,1	42,7	46,0
	3-5 times	32,3	36,1	31,9	29,4	34,8	41,5	24,2	22,7	24,3	22,7	25,7	29,0
	6-7 times	12,0	12,1	14,3	15,2	18,1	15,7	4,8	4,6	10,5	7,4	12,9	9,2
	Total and missing	325	280	307	952	580	675	355	366	371	1160	793	696
		65	58	50	53	50	60	93	83	76	71	55	83
High	Never	8,8	8,5	14,4	11,0	8,1	8,1	16,9	24,3	22,9	15,2	16,8	15,6
	1-2 times	41,6	42,6	32,7	32,9	33,6	39,8	49,8	46,1	45,8	48,8	44,0	45,2
	3-5 times	33,6	36,4	36,5	38,2	41,2	36,5	28,4	25,1	25,4	26,0	31,2	30,9
	6-7 times	15,9	12,4	16,3	17,9	17,1	15,6	5,0	4,5	5,8	9,9	8,1	8,3
	Total and missing	113	129	104	173	345	359	201	243	240	342	632	712
		11	17	8	2	9	13	38	26	16	11	29	49

a. Country of study = Estonia

Table 127. Frequency of eating meat during last week by education, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Never	4,9	4,6	5,9	4,6	5,0	5,9	11,0	9,8	12,5	11,2	10,8	12,3
	1-2 times	46,8	42,9	44,0	45,9	41,3	48,3	49,9	47,3	49,4	50,3	50,3	49,7
	3-5 times	40,6	45,2	43,7	40,2	46,9	39,2	34,6	39,2	35,8	34,9	34,6	34,7
	6-7 times	7,7	7,4	6,5	9,3	6,8	6,7	4,4	3,7	2,3	3,5	4,3	3,3
	Total and missing	1009	919	836	824	812	717	933	900	822	793	723	732
		53	29	25	38	36	27	50	27	27	46	34	27
High	Never	5,5	5,4	5,6	4,3	7,4	5,0	13,6	12,4	16,0	14,3	12,7	14,4
	1-2 times	41,5	40,9	46,9	45,5	40,2	44,8	48,8	46,1	49,6	50,4	50,6	51,4
	3-5 times	46,8	49,3	41,5	44,5	45,7	44,2	34,7	37,7	32,4	32,4	32,5	30,4
	6-7 times	6,2	4,3	6,0	5,7	6,8	6,0	2,9	3,8	2,0	2,9	4,2	3,8
	Total and missing	453	460	463	488	473	504	625	785	713	799	842	879
		8	6	9	7	8	8	12	15	6	16	16	18

a. Country of study = Finland

Table 128. Frequency of eating meat during last week by education, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Never	11,8	10,1	11,8	7,9	8,8	8,0	24,8	17,8	21,4	16,7	12,8	11,5
	1-2 times	41,2	35,0	36,7	32,3	31,4	42,1	42,1	40,7	43,8	42,9	43,7	42,8
	3-5 times	33,7	31,3	34,2	38,0	38,1	34,7	25,1	29,3	26,0	27,7	30,3	35,4
	6-7 times	13,3	23,6	17,3	21,8	21,6	15,1	8,0	12,2	8,9	12,7	13,1	10,3
	Total and missing	611	505	433	303	328	311	701	516	416	347	343	339
		135	86	75	50	68	63	177	125	101	82	96	79
High	Never	10,3	10,9	11,3	9,9	6,4	9,0	19,9	24,4	20,7	18,9	11,8	13,5
	1-2 times	33,5	27,1	36,4	40,5	34,0	31,9	46,1	41,9	43,6	41,2	43,6	44,4
	3-5 times	37,4	42,5	32,5	35,8	30,9	41,0	25,7	28,1	27,5	29,5	32,5	32,7
	6-7 times	18,7	19,5	19,9	13,8	28,7	18,1	8,3	5,6	8,2	10,4	12,1	9,5
	Total and missing	155	266	231	232	188	166	241	463	415	434	305	349
		17	35	19	33	15	14	30	75	58	47	46	39

a. Country of study = Latvia

Table 129. Frequency of eating meat during last week by education, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Never	6,0	5,0	5,7	3,1	4,7	2,6	11,8	7,7	10,0	6,9	10,8	5,9
	1-2 times	30,2	33,0	33,2	31,5	30,4	38,6	41,1	40,6	48,7	38,8	35,1	47,8
	3-5 times	44,1	42,4	44,4	43,2	44,6	39,1	35,4	39,7	33,2	44,0	44,8	33,5
	6-7 times	19,7	19,6	16,7	22,2	20,3	19,7	11,8	12,0	8,1	10,4	9,3	12,8
	Total and missing	553	698	473	482	444	386	587	702	491	521	482	358
		30	28	18	23	18	18	41	40	45	31	35	34
High	Never	4,5	3,0	5,3	4,5	3,0	2,0	8,6	4,8	10,5	8,8	8,2	11,0
	1-2 times	25,6	32,2	30,5	35,4	30,0	31,8	43,6	44,6	49,6	47,0	47,6	43,1
	3-5 times	49,2	40,9	49,1	39,5	44,2	51,7	37,7	42,7	31,2	34,7	34,5	35,4
	6-7 times	20,6	23,9	15,1	20,6	22,7	14,6	10,1	7,9	8,8	9,5	9,7	10,5
	Total and missing	199	230	318	243	233	302	385	419	478	432	452	562
		14	5	11	8	8	13	13	17	22	25	20	33

a. Country of study = Lithuania

Frequency of eating meat during last week by place of residence

Table 130. Frequency of eating meat during last week by place of residence, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Never	10,5	12,4	16,2	13,2	9,4	8,7	23,5	21,3	24,7	24,5	20,5	17,8
	1-2 times	45,1	43,4	36,9	41,8	38,4	38,8	48,1	53,7	46,1	46,5	42,5	46,9
	3-5 times	29,3	32,6	34,2	27,8	35,7	36,2	22,8	18,1	24,2	21,9	27,4	27,6
	6-7 times	15,0	11,6	12,6	17,2	16,5	16,3	5,6	6,9	5,1	7,1	9,5	7,8
	Total and missing	133	129	111	273	224	276	162	188	178	424	409	450
		15	18	13	11	13	14	47	29	25	19	20	48
Other	Never	12,7	10,5	10,6	15,2	10,4	8,2	19,9	23,7	20,5	23,0	17,2	14,9
	1-2 times	41,6	39,4	40,4	38,1	34,2	35,4	49,0	46,4	44,2	44,6	42,8	44,4
	3-5 times	33,4	37,6	34,0	31,6	37,4	40,8	26,5	26,2	25,1	24,0	28,3	31,2
	6-7 times	12,3	12,5	15,1	15,2	18,0	15,6	4,6	3,7	10,2	8,4	11,7	9,6
	Total and missing	308	287	312	858	722	806	392	431	443	1085	1077	1010
		64	59	47	44	50	64	85	83	68	67	70	90

a. Country of study = Estonia

Table 131. Frequency of eating meat during last week by place of residence, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Never	5,7	5,4	6,1	4,7	8,0	7,9	15,1	15,2	21,1	17,9	17,4	17,5
	1-2 times	49,1	42,6	47,5	50,1	46,6	51,1	51,5	49,6	49,8	53,1	51,2	50,6
	3-5 times	37,6	48,5	41,1	37,2	41,1	36,2	30,7	31,4	27,5	26,3	28,6	29,3
	6-7 times	7,6	3,6	5,4	8,0	4,3	4,9	2,8	3,8	1,7	2,6	2,8	2,7
	Total and missing	383	336	314	339	326	329	398	446	422	429	461	441
		14	7	9	14	9	12	18	8	6	13	19	8
Other	Never	4,9	4,6	5,7	4,3	5,3	4,5	11,0	9,4	11,6	10,8	9,5	12,0
	1-2 times	43,8	42,5	44,6	44,2	39,2	45,1	49,0	45,7	49,9	49,3	49,9	50,7
	3-5 times	44,1	45,7	43,0	43,3	47,8	43,2	36,0	41,1	36,1	36,5	35,8	33,4
	6-7 times	7,2	7,2	6,7	8,1	7,7	7,2	4,1	3,8	2,4	3,4	4,8	3,8
	Total and missing	1104	1068	1015	995	975	907	1184	1257	1148	1183	1121	1205
		50	29	27	34	36	27	47	37	27	50	33	40

a. Country of study = Finland

Table 132. Frequency of eating meat during last week by place of residence, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Never	11,1	11,7	12,8	5,1	7,1	12,5	25,8	27,5	28,3	17,2	16,5	16,5
	1-2 times	38,5	35,7	42,8	41,8	37,7	41,0	43,2	37,6	42,2	43,4	40,8	44,2
	3-5 times	35,0	33,3	26,7	36,1	31,2	30,6	21,6	27,2	23,6	28,1	32,5	29,9
	6-7 times	15,5	19,2	17,6	17,1	24,0	16,0	9,4	7,6	5,8	11,3	10,2	9,4
	Total and missing	226	213	187	158	154	144	287	327	258	256	206	224
		43	34	26	28	19	21	61	60	56	44	38	29
Other	Never	11,5	9,8	10,8	10,5	8,3	6,7	22,6	18,0	18,5	18,0	10,3	10,8
	1-2 times	40,3	31,6	34,3	33,8	30,4	37,1	43,3	42,9	44,1	41,7	45,4	43,4
	3-5 times	34,3	35,5	36,3	37,5	36,8	40,0	26,7	29,2	27,9	28,7	30,3	35,8
	6-7 times	13,9	23,2	18,7	18,3	24,5	16,2	7,4	9,9	9,4	11,7	14,0	10,0
	Total and missing	548	583	493	400	372	345	660	685	594	540	458	472
		111	92	69	61	69	56	151	146	105	92	108	93

a. Country of study = Latvia

Table 133. Frequency of eating meat during last week by place of residence, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Never	4,9	3,7	7,5	3,0	4,5	3,2	11,6	8,6	12,3	9,8	10,9	10,2
	1-2 times	33,1	36,9	33,6	33,7	31,6	40,2	44,7	46,7	48,7	45,7	39,4	46,3
	3-5 times	42,9	42,2	43,5	42,7	43,5	42,4	32,9	37,3	32,2	33,9	40,9	32,8
	6-7 times	19,0	17,2	15,4	20,6	20,3	14,1	10,8	7,5	6,8	10,6	8,8	10,7
	Total and missing	326	379	428	267	310	311	474	510	544	398	421	469
		15	20	15	13	11	18	22	23	43	29	25	38
Other	Never	6,0	5,2	3,7	4,0	4,2	1,6	9,7	5,0	7,4	6,4	8,4	7,7
	1-2 times	26,3	30,1	30,4	32,8	29,6	31,6	39,4	37,9	49,7	40,0	42,0	43,0
	3-5 times	47,5	41,6	48,9	41,2	44,9	46,5	39,0	44,0	32,6	43,5	39,2	37,0
	6-7 times	20,1	23,1	16,9	22,1	21,3	20,4	12,0	13,1	10,4	10,1	10,4	12,3
	Total and missing	448	575	378	476	385	383	518	625	433	575	538	465
		31	17	14	19	16	13	36	41	25	28	31	31

a. Country of study = Lithuania

Consumption of meat products

Table 134. Frequency of eating meat products during last week by study year, gender and country (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Estonia	Never	8,3	6,2	6,3	11,9	8,7	10,1	12,6	10,1	11,3	17,9	16,8	22,6
	1-2 times	36,5	32,1	28,4	31,1	29,3	26,6	42,1	39,9	32,5	36,6	30,7	31,6
	3-5 times	34,6	33,9	33,8	30,6	30,9	32,6	31,7	30,6	36,0	29,4	30,3	28,1
	6-7 times	20,7	27,8	31,5	26,4	31,1	30,7	13,6	19,4	20,2	16,1	22,1	17,8
	Total and missing	460	449	447	1134	967	1081	596	676	664	1532	1517	1511
		68	46	37	52	42	79	99	59	55	63	59	87
Finland	Never	12,3	11,2	11,6	10,4	12,7	15,7	23,9	26,9	24,6	23,6	27,2	28,3
	1-2 times	39,8	39,5	40,3	41,1	42,2	41,5	42,5	41,9	43,0	40,6	43,9	44,7
	3-5 times	30,7	30,7	30,6	28,9	29,6	26,6	22,1	22,3	22,9	23,4	19,8	18,0
	6-7 times	17,1	18,6	17,5	19,5	15,5	16,3	11,4	8,9	9,6	12,5	9,1	9,1
	Total and missing	1448	1392	1313	1325	1284	1220	1508	1655	1527	1573	1557	1621
		103	48	52	57	62	55	139	93	76	102	77	73
Latvia	Never	10,1	9,0	9,7	8,8	5,5	7,5	17,7	19,0	18,6	19,1	16,4	18,3
	1-2 times	41,0	39,4	38,0	37,9	35,7	39,7	44,1	44,9	44,2	41,0	42,8	43,4
	3-5 times	29,8	30,4	31,6	28,8	33,7	33,5	24,9	25,4	26,0	26,7	26,2	26,7
	6-7 times	19,1	21,3	20,7	24,4	25,2	19,2	13,3	10,8	11,2	13,1	14,5	11,6
	Total and missing	739	747	648	520	493	468	903	958	832	753	621	666
		189	175	127	127	121	98	256	260	181	179	189	152
Lithuania	Never	17,0	17,1	10,5	9,2	6,5	7,0	24,8	23,1	19,0	15,2	14,7	17,0
	1-2 times	42,2	42,1	38,6	33,8	30,4	33,3	41,2	45,9	39,8	43,4	38,4	36,8
	3-5 times	30,8	28,1	35,1	33,5	39,6	35,8	23,2	23,2	29,9	28,8	32,8	32,1
	6-7 times	10,0	12,7	15,9	23,6	23,6	23,8	10,8	7,9	11,3	12,6	14,2	14,0
	Total and missing	751	905	773	717	675	681	948	1066	942	938	946	921
		69	86	62	58	48	45	102	133	103	92	70	84

Frequency of eating meat products during last week by age group

Table 135. Frequency of eating meat products during last week by age group, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Never	6,1	5,2	4,6	10,2	9,1	9,3	12,2	8,7	13,3	15,4	14,6	21,6
	1-2 times	31,9	30,3	26,1	28,8	27,4	23,8	41,1	38,1	27,1	34,0	30,3	30,4
	3-5 times	36,8	31,6	31,4	31,9	30,0	35,1	34,0	30,7	33,5	30,5	32,7	28,3
	6-7 times	25,2	32,9	37,9	29,1	33,5	31,8	12,7	22,5	26,1	20,1	22,4	19,7
	Total and missing	163	155	153	423	340	365	197	218	218	482	492	523
		16	8	10	13	6	14	16	8	4	10	9	18
35-49	Never	9,0	5,7	7,7	8,4	8,1	8,1	13,1	8,0	8,9	16,8	14,9	21,4
	1-2 times	39,3	31,4	30,1	33,4	28,9	28,9	41,0	36,1	34,7	36,5	33,1	31,9
	3-5 times	32,0	40,3	33,3	31,9	28,6	30,7	31,4	34,9	37,7	30,8	29,9	28,2
	6-7 times	19,7	22,6	28,8	26,4	34,4	32,3	14,4	21,0	18,6	16,0	22,1	18,5
	Total and missing	178	159	156	383	308	384	229	238	236	513	511	496
		24	14	12	12	12	24	35	18	17	16	16	23
50-64	Never	10,1	8,1	6,5	18,3	8,8	13,3	12,4	13,6	11,9	21,2	20,8	24,8
	1-2 times	38,7	34,8	29,0	31,4	31,7	27,1	44,7	45,9	35,7	38,9	28,8	32,5
	3-5 times	35,3	28,9	37,0	27,4	34,2	31,9	29,4	25,9	36,7	27,2	28,4	27,6
	6-7 times	16,0	28,1	27,5	22,9	25,4	27,7	13,5	14,5	15,7	12,7	22,0	15,0
	Total and missing	119	135	138	328	319	332	170	220	210	537	514	492
		28	24	15	27	24	41	48	33	34	37	34	46

a. Country of study = Estonia

Table 136. Frequency of eating meat products during last week by age group, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Never	11,6	10,5	12,5	10,9	12,0	21,4	24,3	32,8	31,4	27,6	33,1	36,8
	1-2 times	42,8	40,8	43,1	44,3	45,3	42,8	44,1	42,7	40,4	38,5	41,1	43,6
	3-5 times	31,4	31,6	29,0	27,6	27,5	24,4	22,1	18,2	21,3	22,7	18,5	13,3
	6-7 times	14,2	17,1	15,4	17,2	15,2	11,4	9,5	6,4	6,9	11,2	7,3	6,3
	Total and missing	458	380	369	377	309	299	497	534	465	475	465	459
		8	4	7	3	8	10	8	10	5	8	5	5
35-49	Never	12,5	10,9	9,5	10,8	12,7	13,2	22,3	21,9	17,9	19,5	24,2	23,9
	1-2 times	36,4	39,8	40,6	39,8	45,1	40,2	41,9	42,5	45,8	42,2	48,7	47,9
	3-5 times	33,5	32,4	30,9	29,7	29,0	28,9	23,7	26,0	24,0	24,6	18,8	19,9
	6-7 times	17,7	16,8	19,0	19,7	13,3	17,6	12,0	9,5	12,3	13,6	8,3	8,2
	Total and missing	514	558	453	462	466	408	573	597	570	573	532	547
		27	14	11	9	14	6	49	15	16	19	16	12
50-64	Never	12,8	12,1	12,8	9,7	13,2	14,2	25,6	26,5	25,8	24,4	25,0	25,7
	1-2 times	40,8	38,1	37,9	39,9	37,7	41,7	41,6	40,3	42,1	40,6	41,6	42,6
	3-5 times	27,1	27,8	31,6	29,2	31,4	25,9	20,1	22,3	23,0	22,7	22,0	19,7
	6-7 times	19,3	22,0	17,7	21,2	17,7	18,1	12,8	10,9	9,1	12,4	11,4	12,0
	Total and missing	476	454	491	486	509	513	438	524	492	525	560	615
		68	30	34	45	40	39	82	68	55	75	56	56

a. Country of study = Finland

Table 137. Frequency of eating meat products during last week by age group, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Never	8,2	8,8	7,8	7,5	3,2	8,3	15,8	16,3	17,3	22,1	20,3	19,0
	1-2 times	41,7	35,4	36,9	36,2	36,5	36,1	46,0	45,8	45,4	41,0	42,4	41,6
	3-5 times	29,5	33,0	35,1	32,7	35,4	34,3	24,1	24,7	26,5	26,9	25,8	29,0
	6-7 times	20,7	22,8	20,1	23,6	24,9	21,3	14,1	13,3	10,8	10,0	11,5	10,4
	Total and missing	319	294	268	199	189	169	348	332	306	249	217	221
		44	42	29	28	23	26	52	51	37	36	28	22
35-49	Never	10,8	9,6	11,8	9,9	7,4	7,9	18,5	20,2	16,3	16,9	12,0	15,1
	1-2 times	41,9	38,4	41,4	42,4	33,0	41,4	42,8	40,9	44,8	43,1	44,5	45,4
	3-5 times	29,9	29,5	29,1	26,2	30,1	33,6	25,2	28,4	25,9	21,3	27,0	26,9
	6-7 times	17,4	22,5	17,7	21,5	29,5	17,1	13,4	10,5	13,0	18,7	16,5	12,6
	Total and missing	241	271	237	172	176	152	313	352	270	267	200	238
		60	63	38	45	40	22	83	73	56	55	69	40
50-64	Never	12,8	8,2	9,8	9,4	6,3	6,1	19,4	20,8	22,7	18,6	16,7	21,3
	1-2 times	38,5	47,3	34,3	34,9	38,3	42,2	43,0	48,9	42,2	38,8	41,7	43,0
	3-5 times	30,2	27,5	29,4	26,8	35,9	32,7	25,6	22,3	25,4	32,5	26,0	24,2
	6-7 times	18,4	17,0	26,6	28,9	19,5	19,0	12,0	8,0	9,8	10,1	15,7	11,6
	Total and missing	179	182	143	149	128	147	242	274	256	237	204	207
		85	70	60	54	58	50	121	136	88	88	92	90

a. Country of study = Latvia

Table 138. Frequency of eating meat products during last week by age group, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Never	12,3	15,9	5,7	7,4	6,2	3,8	21,5	23,5	16,3	15,0	13,5	17,2
	1-2 times	44,0	37,7	41,1	34,5	31,0	33,8	44,2	43,8	39,2	40,1	39,2	37,2
	3-5 times	32,0	30,5	36,2	34,1	36,7	37,1	23,0	24,1	32,3	29,8	32,8	32,8
	6-7 times	11,6	15,9	17,1	24,0	26,2	25,2	11,3	8,6	12,2	15,0	14,5	12,8
	Total and missing	284	334	246	229	210	210	335	361	319	319	311	274
		11	15	5	3	4	7	16	26	14	12	12	16
35-49	Never	18,1	17,3	10,0	9,1	7,1	7,5	22,5	23,4	17,4	13,2	13,3	13,8
	1-2 times	39,9	44,7	36,5	28,1	26,1	32,4	39,7	43,5	39,0	43,0	36,7	36,7
	3-5 times	32,5	26,8	33,5	34,4	41,4	35,2	25,8	24,9	30,6	30,1	34,3	34,4
	6-7 times	9,6	11,2	20,0	28,4	25,4	24,9	11,9	8,2	13,0	13,8	15,7	15,2
	Total and missing	271	358	310	285	268	281	360	414	408	349	324	349
		24	20	27	20	18	13	28	45	37	32	24	24
50-64	Never	22,4	18,8	16,6	11,3	6,1	10,0	32,4	22,0	26,0	18,1	17,4	20,8
	1-2 times	42,9	44,6	38,7	40,9	35,5	34,2	39,5	51,9	42,3	47,8	39,2	36,6
	3-5 times	26,5	26,3	35,9	31,5	40,1	35,3	19,8	19,6	25,1	25,9	31,2	28,9
	6-7 times	8,2	10,3	8,8	16,3	18,3	20,5	8,3	6,5	6,5	8,1	12,2	13,8
	Total and missing	196	213	217	203	197	190	253	291	215	270	311	298
		34	51	30	35	26	25	58	62	52	48	34	44

a. Country of study = Lithuania

Frequency of eating meat products during last week by education

Table 139. Frequency of eating meat products during last week by education, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Never	9,0	5,9	5,8	11,2	8,3	8,1	12,3	7,8	10,9	16,9	13,2	19,2
	1-2 times	35,5	32,1	26,7	31,3	28,6	26,0	41,6	42,4	31,6	37,3	30,0	31,7
	3-5 times	34,3	36,1	36,7	30,6	30,8	33,6	33,9	30,9	37,3	28,9	31,6	28,0
	6-7 times	21,1	25,9	30,9	26,8	32,3	32,3	12,3	18,9	20,2	16,9	25,2	21,1
	Total and missing	332	305	330	954	601	681	375	408	405	1178	808	725
		58	33	27	51	29	54	73	41	42	53	40	54
High	Never	6,8	7,4	8,7	15,5	9,9	13,6	13,6	12,7	11,9	21,4	20,7	25,9
	1-2 times	38,5	30,1	35,0	30,5	30,6	27,3	42,5	35,7	32,9	34,5	30,8	31,9
	3-5 times	35,0	29,4	23,3	31,0	31,2	30,7	27,6	31,0	34,2	30,7	29,9	28,1
	6-7 times	19,7	33,1	33,0	23,0	28,3	28,4	16,4	20,6	21,0	13,3	18,6	14,2
	Total and missing	117	136	103	174	343	352	214	252	243	345	646	734
		7	10	9	1	11	20	25	17	13	8	15	27

a. Country of study = Estonia

Table 140. Frequency of eating meat products during last week by education, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Never	11,1	8,2	9,0	8,5	11,2	12,3	21,0	22,6	23,2	22,3	23,3	25,8
	1-2 times	39,4	38,7	40,6	38,9	39,9	40,7	42,8	40,9	43,8	39,4	46,0	43,5
	3-5 times	31,5	33,0	32,4	30,8	31,3	28,9	24,0	24,8	22,6	23,2	21,0	19,9
	6-7 times	18,0	20,1	18,0	21,8	17,5	18,0	12,2	11,7	10,3	15,0	9,7	10,7
	Total and missing	982	910	826	822	804	705	880	863	796	771	709	712
		80	38	35	40	44	39	103	64	53	68	48	47
High	Never	15,2	17,2	15,7	13,8	15,2	20,4	27,6	31,4	26,2	24,9	30,6	30,8
	1-2 times	40,6	40,6	40,7	44,2	45,7	42,3	42,4	43,4	41,7	41,7	41,9	45,5
	3-5 times	29,1	26,6	27,0	26,3	27,3	23,6	19,8	19,3	23,1	23,4	19,1	16,1
	6-7 times	15,0	15,5	16,7	15,8	11,8	13,6	10,2	5,8	9,0	9,9	8,4	7,6
	Total and missing	446	458	460	480	466	499	606	776	701	786	831	874
		15	8	12	15	15	13	31	24	18	29	27	23

a. Country of study = Finland

Table 141. Frequency of eating meat products during last week by education, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Never	10,4	7,6	10,6	9,2	5,6	5,2	16,4	16,7	17,1	17,4	16,8	16,5
	1-2 times	43,2	40,6	38,6	36,3	34,2	44,0	44,3	44,6	43,5	41,7	42,5	37,9
	3-5 times	28,2	30,7	32,0	28,8	34,5	32,9	25,5	26,5	25,7	27,9	25,2	31,7
	6-7 times	18,2	21,2	18,8	25,7	25,7	17,9	13,8	12,3	13,7	12,9	15,5	14,0
	Total and missing	588	463	415	292	304	307	675	480	409	333	322	322
		158	128	93	61	92	67	203	161	108	96	117	96
High	Never	9,7	11,5	8,3	8,6	5,7	11,9	22,2	20,9	20,1	20,0	16,1	19,9
	1-2 times	31,9	36,4	37,2	39,5	36,4	31,1	42,1	45,4	45,8	40,6	43,4	48,5
	3-5 times	35,4	29,5	31,2	28,6	33,0	35,1	23,5	24,7	25,1	25,7	26,6	22,0
	6-7 times	22,9	22,6	23,4	23,3	25,0	21,9	12,2	8,9	9,0	13,6	14,0	9,5
	Total and missing	144	261	218	210	176	151	221	449	402	404	286	336
		28	40	32	55	27	29	50	89	71	77	65	52

a. Country of study = Latvia

Table 142. Frequency of eating meat products during last week by education, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Never	18,0	18,6	11,3	7,8	6,0	6,3	25,4	23,6	19,8	12,2	10,4	12,2
	1-2 times	43,4	42,1	40,4	33,9	29,2	29,9	40,1	46,5	39,4	43,1	39,2	37,7
	3-5 times	28,6	26,5	32,7	35,0	40,0	37,3	22,8	21,6	28,9	30,1	33,9	34,3
	6-7 times	10,0	12,9	15,6	23,3	24,8	26,5	11,6	8,2	11,9	14,6	16,4	15,9
	Total and missing	539	668	450	460	432	381	558	656	470	492	469	353
		44	58	41	45	30	23	70	86	66	60	48	39
High	Never	16,1	13,2	8,4	11,7	7,6	7,8	23,4	22,8	18,1	18,9	19,0	20,0
	1-2 times	37,3	40,1	34,6	34,2	33,3	37,9	43,3	45,4	40,5	43,7	37,4	36,8
	3-5 times	37,3	33,5	39,8	30,0	37,8	34,5	23,9	25,4	30,6	27,6	32,3	30,1
	6-7 times	9,3	13,2	17,2	24,2	21,3	19,8	9,4	6,3	10,8	9,8	11,3	13,0
	Total and missing	193	212	309	240	225	293	372	394	464	428	452	554
		20	23	20	11	16	22	26	42	36	29	20	41

a. Country of study = Lithuania

Frequency of eating meat products during last week by place of residence

Table 143. Frequency of eating meat products during last week by place of residence, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Never	6,0	8,0	11,0	12,1	11,8	13,9	14,9	13,1	15,4	22,5	19,5	25,5
	1-2 times	34,3	33,6	28,4	35,7	33,2	31,4	45,1	40,2	30,9	37,6	33,8	34,2
	3-5 times	37,3	29,9	33,0	28,3	31,0	28,8	25,1	28,6	35,6	26,9	27,0	25,7
	6-7 times	22,4	28,5	27,5	23,9	24,0	25,9	14,9	18,1	18,1	13,0	19,7	14,6
	Total and missing	134	137	109	272	229	274	175	199	188	431	411	471
		14	10	15	12	8	16	34	18	15	12	18	27
Other	Never	9,3	5,5	4,7	11,8	7,7	8,8	11,9	8,6	9,5	16,1	15,8	21,3
	1-2 times	37,4	31,3	28,5	29,7	28,0	25,0	41,0	39,8	33,5	36,1	29,6	30,4
	3-5 times	33,3	35,5	34,1	31,3	30,9	33,8	33,7	31,6	35,8	30,4	31,6	29,1
	6-7 times	19,9	27,7	32,6	27,1	33,3	32,3	13,3	20,0	21,2	17,3	23,1	19,2
	Total and missing	321	310	337	862	738	807	412	475	472	1101	1106	1040
		51	36	22	40	34	63	65	39	39	51	41	60

a. Country of study = Estonia

Table 144. Frequency of eating meat products during last week by place of residence, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Never	15,8	17,3	18,7	13,9	19,2	24,1	31,5	31,0	31,4	29,5	33,7	34,6
	1-2 times	44,7	40,3	38,7	41,4	42,8	43,6	39,0	42,4	44,0	42,0	43,5	41,1
	3-5 times	26,4	27,9	26,5	27,8	28,6	20,7	19,7	19,9	17,2	18,2	17,0	17,1
	6-7 times	13,1	14,5	16,1	16,9	9,4	11,6	9,7	6,7	7,4	10,3	5,9	7,2
	Total and missing	367	330	310	338	318	328	390	432	407	417	460	433
		30	13	13	15	17	13	26	22	21	25	20	16
Other	Never	11,1	9,3	9,4	9,2	10,6	12,6	21,3	25,4	22,1	21,5	24,4	25,9
	1-2 times	38,2	39,3	40,8	41,0	42,0	40,7	43,7	41,7	42,6	40,1	44,0	46,0
	3-5 times	32,2	31,5	31,9	29,3	29,9	28,7	23,0	23,1	24,9	25,3	21,1	18,3
	6-7 times	18,5	19,9	17,9	20,5	17,5	18,0	12,0	9,7	10,4	13,2	10,5	9,8
	Total and missing	1081	1062	1003	987	966	892	1118	1223	1120	1156	1097	1188
		73	35	39	42	45	42	113	71	55	77	57	57

a. Country of study = Finland

Table 145. Frequency of eating meat products during last week by place of residence, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Never	8,6	8,6	10,9	5,5	5,4	13,9	20,9	21,3	21,0	19,8	19,0	24,9
	1-2 times	41,2	41,1	38,3	36,3	37,8	38,0	41,1	45,3	43,5	41,2	46,0	40,8
	3-5 times	26,2	29,2	28,4	32,9	30,4	25,5	24,1	22,5	25,2	25,9	22,2	24,9
	6-7 times	24,0	21,1	22,4	25,3	26,4	22,6	13,8	10,9	10,3	13,2	12,7	9,4
	Total and missing	221	209	183	146	148	137	282	320	262	243	189	213
		48	38	30	40	25	28	66	67	52	57	55	40
Other	Never	10,8	9,1	9,2	10,2	5,5	4,8	16,3	17,9	17,5	18,8	15,3	15,2
	1-2 times	40,9	38,7	37,8	38,5	34,8	40,5	45,4	44,7	44,6	41,0	41,4	44,6
	3-5 times	31,3	30,9	32,9	27,3	35,1	36,9	25,3	26,8	26,3	27,1	28,0	27,6
	6-7 times	17,0	21,4	20,0	24,1	24,6	17,8	13,0	10,7	11,6	13,1	15,3	12,6
	Total and missing	518	538	465	374	345	331	621	638	570	510	432	453
		141	137	97	87	96	70	190	193	129	122	134	112

a. Country of study = Latvia

Table 146. Frequency of eating meat products during last week by place of residence, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Never	13,3	15,2	9,3	9,4	6,7	8,5	25,3	23,5	16,5	19,1	17,1	18,0
	1-2 times	39,6	36,2	37,3	31,1	28,8	34,2	35,7	46,3	40,8	42,2	35,0	39,5
	3-5 times	34,2	31,8	36,0	34,8	39,8	34,2	25,3	23,0	30,4	27,0	34,8	30,2
	6-7 times	13,0	16,9	17,4	24,7	24,7	23,1	13,7	7,2	12,3	11,7	13,1	12,4
	Total and missing	316	362	408	267	299	307	454	486	527	393	420	461
		25	37	35	13	22	22	42	47	60	34	26	46
Other	Never	19,8	18,4	11,8	9,1	6,4	5,6	24,3	22,8	22,2	12,5	12,8	16,2
	1-2 times	44,1	46,0	40,0	35,3	31,7	32,7	46,4	45,5	38,6	44,2	41,1	34,3
	3-5 times	28,3	25,6	34,0	32,7	39,2	37,3	21,3	23,3	29,4	30,1	31,0	33,8
	6-7 times	7,8	9,9	14,2	22,9	22,7	24,4	8,1	8,4	9,9	13,2	15,0	15,7
	Total and missing	435	543	365	450	375	373	494	580	415	545	525	458
		44	49	27	45	26	23	60	86	43	58	44	38

a. Country of study = Lithuania

Physical activity

Leisure-time physical activity

Table 147. Leisure-time physical activity by study year, gender and country (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Estonia	Daily	6,2	8,9	8,4	6,6	6,1	6,5	9,1	6,9	9,4	5,9	5,9	6,5
	4-6 times a week	4,8	5,8	5,6	4,8	5,3	5,6	4,4	3,8	4,1	4,2	3,7	6,9
	2-3 times a week	18,2	13,5	14,2	16,5	17,4	17,9	15,5	16,6	17,0	16,9	18,1	21,4
	Once a week	11,4	8,1	12,3	10,8	14,4	14,4	12,8	8,5	13,2	13,8	15,8	15,6
	2-3 times a month	11,4	13,5	13,8	9,5	9,5	11,1	12,5	13,1	13,5	10,4	11,6	10,7
	Few times a year or less	40,7	44,9	35,7	43,7	39,7	38,3	37,1	42,0	33,6	40,6	38,4	32,7
	I cannot exercise because of illness	7,4	5,4	10,1	8,1	7,6	6,2	8,7	9,2	9,3	8,3	6,6	6,2
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	484	483	465	1156	984	1137	658	710	690	1548	1537	1565
	44	12	19	30	25	23	37	25	29	47	39	33	
Finland	Daily	11,3	9,4	11,6	10,1	11,6	10,6	15,0	12,9	11,5	12,9	12,3	13,8
	4-6 times a week	15,2	15,6	14,4	17,0	19,0	17,6	15,7	15,4	18,0	15,8	18,5	19,4
	2-3 times a week	32,2	32,1	35,2	32,2	30,8	37,6	30,7	34,1	36,0	35,9	37,3	39,4
	Once a week	16,6	16,9	14,4	17,5	14,8	11,8	19,1	16,7	14,3	16,1	15,8	10,2
	2-3 times a month	10,1	11,7	10,4	10,5	10,9	9,9	10,5	10,5	11,7	10,7	9,3	9,2
	Few times a year or less	13,6	12,7	11,9	11,2	10,9	10,0	7,4	9,3	6,9	6,5	5,4	6,6
	I cannot exercise because of illness	1,1	1,5	2,0	1,4	1,9	2,5	1,7	1,2	1,5	2,1	1,5	1,4
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	1527	1422	1350	1362	1307	1239	1616	1712	1585	1650	1621	1643
	24	18	15	20	39	36	31	36	18	25	13	51	
Latvia	Daily	18,2	15,6	15,0	15,0	13,9	14,5	11,5	11,1	9,1	8,6	9,8	7,1
	4-6 times a week	6,0	5,4	6,4	5,5	5,1	6,2	3,1	3,4	3,6	5,0	3,7	3,2
	2-3 times a week	15,3	13,1	14,5	16,3	15,6	17,1	9,9	14,1	15,6	15,2	13,8	18,6
	Once a week	11,2	11,9	10,6	11,3	13,2	14,3	13,0	10,3	12,9	15,0	14,4	16,7
	2-3 times a month	9,0	8,2	9,0	8,8	8,0	8,0	11,2	9,6	11,2	9,9	9,8	12,7
	Few times a year or less	34,7	39,5	39,2	37,4	37,2	35,0	42,7	43,6	42,0	38,1	42,5	37,4
	I cannot exercise because of illness	5,5	6,4	5,3	5,7	7,0	4,9	8,6	7,9	5,6	8,2	6,0	4,3
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	884	892	753	601	589	551	1081	1171	981	876	778	786
	44	30	22	46	25	15	78	47	32	56	32	32	
Lithuania	Daily	11,3	20,2	15,7	21,6	15,7	13,0	10,2	19,6	14,1	19,6	15,7	12,7
	4-6 times a week	6,1	9,6	10,9	8,8	7,4	6,4	3,0	7,7	7,7	7,0	7,3	8,2
	2-3 times a week	14,7	21,8	21,7	18,9	19,4	23,3	13,9	19,8	20,2	19,3	23,3	20,5
	Once a week	11,9	15,0	15,6	15,7	15,5	19,1	12,0	15,9	16,6	13,2	15,1	17,5
	2-3 times a month	10,8	10,4	13,0	9,1	13,8	11,3	12,2	10,3	12,7	12,7	12,5	12,9
	Few times a year or less	37,3	18,5	17,4	19,1	20,2	22,1	40,4	20,2	22,5	24,0	21,4	23,5
	I cannot exercise because of illness	7,9	4,4	5,7	6,8	8,0	4,7	8,3	6,5	6,2	4,2	4,7	4,8
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	734	945	801	737	689	705	961	1169	1008	975	971	972
	86	46	34	38	34	21	89	30	37	55	45	33	

Leisure-time physical activity by age group

Table 148. Leisure-time physical activity by age group, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Daily	5,7	9,8	8,8	7,7	5,2	7,7	6,3	5,3	7,4	3,9	4,0	4,4
	4-6 times a week	8,6	9,8	8,8	7,7	8,4	8,8	8,7	5,8	5,1	5,3	4,3	8,3
	2-3 times a week	22,9	20,9	20,0	23,4	22,3	26,1	20,7	24,9	19,4	22,1	22,5	25,0
	Once a week	13,1	13,5	16,3	13,0	15,7	13,0	10,1	11,1	13,8	16,8	17,0	16,6
	2-3 times a month	14,9	16,0	18,1	11,8	12,2	12,8	19,7	13,8	24,9	16,4	16,8	12,8
	Few times a year or less	34,3	28,8	25,0	33,2	33,6	31,1	30,3	36,4	24,9	34,6	32,8	30,5
	I cannot exercise because of illness	,6	1,2	3,1	3,2	2,6	,5	4,3	2,7	4,6	,8	2,6	2,4
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	175	163	160	431	345	376	208	225	217	488	494	541
		4	0	3	5	1	3	5	1	5	4	7	0
35-49	Daily	5,9	9,4	8,1	4,9	5,5	6,2	6,7	5,6	9,8	4,6	5,8	6,9
	4-6 times a week	3,2	4,1	3,8	4,1	4,2	4,5	1,6	3,2	4,1	3,5	3,7	6,9
	2-3 times a week	14,0	10,6	12,5	15,0	16,1	15,6	15,0	16,8	14,6	14,8	19,7	23,3
	Once a week	10,2	7,1	13,1	10,1	16,1	17,4	16,1	8,0	15,0	15,2	16,0	17,8
	2-3 times a month	9,7	12,9	13,8	10,9	8,7	9,4	11,4	14,8	9,3	11,2	12,2	9,6
	Few times a year or less	50,0	50,6	44,4	48,7	45,8	43,2	44,9	46,4	41,5	44,4	38,0	31,4
	I cannot exercise because of illness	7,0	5,3	4,4	6,2	3,5	3,7	4,3	5,2	5,7	6,3	4,6	4,1
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	186	170	160	386	310	403	254	250	246	520	518	510
		16	3	8	9	10	5	10	6	7	9	9	9
50-64	Daily	7,3	7,3	8,3	7,1	7,6	5,6	15,3	9,8	11,0	8,9	7,6	8,4
	4-6 times a week	1,6	3,3	4,1	1,8	3,0	3,6	3,6	2,6	3,1	3,9	3,2	5,4
	2-3 times a week	17,9	8,7	9,7	9,4	13,4	11,7	10,7	8,5	17,2	14,1	12,4	15,8
	Once a week	10,6	3,3	6,9	8,8	11,6	12,6	11,2	6,4	10,6	9,6	14,5	12,3
	2-3 times a month	8,9	11,3	9,0	5,0	7,3	11,2	6,1	10,6	7,0	4,3	6,1	9,5
	Few times a year or less	35,8	56,0	37,9	51,3	40,4	40,5	34,2	42,6	33,5	42,4	44,0	36,4
	I cannot exercise because of illness	17,9	10,0	24,1	16,5	16,7	14,8	18,9	19,6	17,6	16,9	12,2	12,3
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	123	150	145	339	329	358	196	235	227	540	525	514
		24	9	8	16	14	15	22	18	17	34	23	24

a. Country of study = Estonia

Table 149. Leisure-time physical activity by age group, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Daily	8,7	6,6	9,8	8,2	10,0	6,0	11,7	11,5	9,6	9,0	10,9	12,8
	4-6 times a week	17,0	16,3	16,8	16,7	20,6	22,8	15,9	15,1	17,8	15,3	18,2	19,9
	2-3 times a week	30,3	30,2	35,1	32,4	32,6	40,3	32,8	32,9	36,0	35,5	39,8	37,3
	Once a week	16,8	15,7	17,4	20,4	14,8	12,8	22,3	18,8	15,0	17,2	17,1	11,7
	2-3 times a month	12,2	16,3	7,9	12,7	11,3	8,4	10,1	12,8	15,0	14,9	9,6	13,0
	Few times a year or less	15,0	14,4	12,8	9,0	10,6	9,1	6,2	8,7	6,4	7,4	3,4	5,3
	I cannot exercise because of illness	,0	,5	,3	,5	,0	,7	1,0	,2	,2	,6	,9	,0
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	459	381	368	377	310	298	497	538	467	476	467	453
	7	3	8	3	7	11	8	6	3	7	3	11	
35-49	Daily	8,0	8,2	9,3	6,4	8,3	9,8	13,4	10,5	8,9	10,5	9,4	10,4
	4-6 times a week	13,6	15,4	11,7	16,9	15,9	13,3	15,0	15,3	18,9	17,4	18,0	18,1
	2-3 times a week	32,6	32,8	36,1	34,4	35,2	40,5	31,4	36,3	39,2	37,3	35,9	42,8
	Once a week	20,7	17,9	15,7	17,9	16,1	12,0	19,0	16,6	14,9	16,5	20,1	12,0
	2-3 times a month	11,4	11,7	11,7	10,0	11,2	12,0	12,4	12,3	10,4	10,3	9,8	9,3
	Few times a year or less	13,4	12,9	13,5	13,9	12,1	10,8	8,3	8,3	6,9	6,7	6,1	7,2
	I cannot exercise because of illness	,4	1,1	2,0	,4	1,3	1,5	,5	,7	,7	1,2	,7	,2
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	537	564	460	468	472	407	612	601	576	581	543	540
	4	8	4	3	8	7	10	11	10	11	5	19	
50-64	Daily	16,8	13,2	14,9	14,9	15,6	13,7	20,3	16,6	16,1	18,4	16,0	17,4
	4-6 times a week	15,3	15,3	15,1	17,2	20,8	18,0	16,2	15,9	17,3	14,5	19,1	20,0
	2-3 times a week	33,3	32,9	34,5	30,2	25,9	33,9	27,8	32,8	32,5	34,9	36,5	38,2
	Once a week	12,2	16,6	11,3	15,1	13,5	11,0	16,0	14,8	13,1	14,7	11,0	7,7
	2-3 times a month	7,0	8,2	10,9	9,3	10,5	9,2	8,5	6,5	10,3	7,8	8,5	6,5
	Few times a year or less	12,6	11,1	10,0	10,4	10,1	9,9	7,5	10,8	7,4	5,7	6,2	6,9
	I cannot exercise because of illness	2,8	2,7	3,3	2,9	3,6	4,3	3,7	2,6	3,3	4,0	2,6	3,4
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	531	477	522	517	525	534	507	573	542	593	611	650
	13	7	3	14	24	18	13	19	5	7	5	21	

a. Country of study = Finland

Table 150. Leisure-time physical activity by age group, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Daily	20,2	16,7	14,6	12,9	10,0	16,8	9,5	7,8	7,7	5,8	7,9	8,0
	4-6 times a week	7,6	5,2	8,5	6,0	9,0	8,9	4,4	4,3	5,0	6,2	4,6	2,9
	2-3 times a week	18,5	18,2	19,4	24,4	20,5	23,2	12,3	18,0	17,7	20,3	17,2	21,4
	Once a week	10,9	16,1	13,6	16,1	14,8	19,5	16,5	14,2	15,6	17,4	15,5	22,3
	2-3 times a month	10,4	11,5	11,6	6,5	12,4	9,5	16,2	13,4	17,1	14,1	15,1	16,8
	Few times a year or less	30,5	31,2	29,9	32,7	31,0	21,1	39,8	39,5	36,3	34,4	39,3	26,5
	I cannot exercise because of illness	2,0	1,2	2,4	1,4	2,4	1,1	1,3	2,7	,6	1,8	,4	2,1
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	357	330	294	217	210	190	389	372	339	276	239	238
		6	6	3	10	2	5	11	11	4	9	6	5
35-49	Daily	15,2	14,4	15,2	12,1	16,7	10,5	9,0	8,2	8,3	6,9	8,9	6,4
	4-6 times a week	4,9	5,8	7,1	5,8	4,3	5,2	2,5	4,3	2,9	3,9	3,9	3,0
	2-3 times a week	13,1	11,6	14,5	12,6	15,8	15,7	9,0	14,0	16,2	17,4	14,4	15,8
	Once a week	13,4	11,9	9,7	7,3	12,4	13,4	13,9	9,4	12,1	15,5	16,7	15,8
	2-3 times a month	11,0	7,0	8,6	11,7	6,2	7,0	10,7	8,9	11,1	9,5	9,3	12,4
	Few times a year or less	37,8	43,4	41,3	43,7	41,1	45,9	49,2	51,0	45,1	41,4	43,2	43,6
	I cannot exercise because of illness	4,6	5,8	3,7	6,8	3,3	2,3	5,7	4,1	4,4	5,3	3,5	3,0
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	283	327	269	206	209	172	366	414	315	304	257	266
		18	7	6	11	7	2	30	11	11	18	12	12
50-64	Daily	18,9	15,7	15,3	20,8	15,3	15,9	16,6	17,4	11,3	12,8	12,1	7,1
	4-6 times a week	4,9	5,1	2,1	4,5	1,2	4,2	2,5	1,6	2,8	5,1	2,8	3,5
	2-3 times a week	13,1	8,1	6,8	10,7	9,4	12,2	8,0	10,4	12,8	8,1	10,3	18,8
	Once a week	9,0	6,0	7,4	10,1	12,4	10,1	7,7	7,5	11,0	12,2	11,3	12,8
	2-3 times a month	4,9	5,1	5,8	8,4	4,7	7,4	5,8	6,8	5,2	6,4	5,7	9,6
	Few times a year or less	37,3	45,5	50,5	36,0	40,0	39,2	39,0	39,5	45,0	38,2	44,7	40,8
	I cannot exercise because of illness	11,9	14,5	12,1	9,6	17,1	11,1	20,6	16,9	11,9	17,2	13,1	7,4
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	244	235	190	178	170	189	326	385	327	296	282	282
		20	17	13	25	16	8	37	25	17	29	14	15

a. Country of study = Latvia

Table 151. Leisure-time physical activity by age group, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Daily	11,5	16,6	9,4	16,4	12,1	9,0	6,3	13,0	8,2	13,7	11,6	8,2
	4-6 times a week	9,0	11,0	14,3	8,8	9,7	6,7	4,2	8,5	6,4	7,1	8,2	6,0
	2-3 times a week	18,6	25,8	21,6	23,5	23,2	25,7	16,5	21,8	23,0	20,2	23,6	21,7
	Once a week	14,0	17,8	16,3	17,3	15,5	21,4	14,4	21,0	18,5	15,5	12,9	20,6
	2-3 times a month	12,5	11,6	17,1	12,8	15,0	12,4	15,6	14,2	15,8	17,1	21,4	16,4
	Few times a year or less	31,5	16,3	20,4	18,1	20,3	23,8	41,1	19,9	26,7	25,5	19,5	25,6
	I cannot exercise because of illness	2,9	,9	,8	3,1	4,3	1,0	1,8	1,6	1,5	,9	2,8	1,4
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	279	337	245	226	207	210	333	386	330	322	318	281
	16	12	6	6	7	7	18	1	3	9	5	9	
35-49	Daily	9,7	22,7	14,6	21,7	15,6	11,5	9,7	19,0	14,6	21,5	15,3	9,3
	4-6 times a week	4,6	10,4	7,4	9,0	6,2	7,6	1,7	6,9	9,5	7,1	4,5	8,8
	2-3 times a week	13,9	17,5	22,3	12,1	15,6	22,6	10,8	21,2	19,7	18,3	22,5	20,8
	Once a week	13,9	14,5	18,9	17,6	18,2	20,1	12,4	15,6	16,2	12,0	18,6	18,1
	2-3 times a month	10,8	11,7	12,1	9,7	15,6	11,8	13,5	10,5	14,8	11,7	9,6	14,5
	Few times a year or less	42,1	19,1	19,8	23,8	23,6	24,3	46,1	22,3	21,3	26,7	26,1	26,6
	I cannot exercise because of illness	5,0	4,1	5,0	6,2	5,1	2,1	5,8	4,5	3,7	2,7	3,3	1,9
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	259	366	323	290	275	288	362	448	431	367	333	365
	36	12	14	15	11	6	26	11	14	14	15	8	
50-64	Daily	13,3	21,5	24,0	26,7	19,3	19,3	15,8	28,1	21,1	23,8	20,0	20,2
	4-6 times a week	4,1	6,6	12,0	8,6	6,8	4,3	3,4	7,8	6,5	6,6	9,4	9,5
	2-3 times a week	10,2	22,7	21,0	23,1	20,8	21,7	15,0	15,8	17,4	19,6	23,8	19,0
	Once a week	6,1	12,0	10,3	11,8	12,1	15,5	8,3	10,4	14,6	12,2	13,8	14,1
	2-3 times a month	8,2	6,6	9,9	4,5	10,1	9,7	6,0	5,4	4,9	9,1	6,6	8,0
	Few times a year or less	39,3	20,7	10,7	14,0	15,5	17,4	31,6	17,6	19,0	18,9	18,4	18,1
	I cannot exercise because of illness	18,9	9,9	12,0	11,3	15,5	12,1	19,9	14,9	16,6	9,8	8,1	11,0
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	196	242	233	221	207	207	266	335	247	286	320	326
	34	22	14	17	16	8	45	18	20	32	25	16	

a. Country of study = Lithuania

Leisure-time physical activity by education

Table 152. Leisure-time physical activity by education, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Daily	7,6	8,5	8,9	7,3	6,4	7,0	9,9	8,6	11,3	6,4	6,6	7,6
	4-6 times a week	4,2	5,5	4,7	4,9	3,6	4,0	4,0	3,0	3,1	4,0	2,9	6,2
	2-3 times a week	15,2	11,5	11,2	14,0	14,6	13,8	14,4	14,1	15,5	14,6	14,4	18,1
	Once a week	11,0	8,8	10,1	10,3	13,3	12,4	12,3	7,9	12,2	13,1	13,2	13,9
	2-3 times a month	10,7	11,8	14,5	8,9	7,2	10,4	10,4	10,6	12,5	9,8	10,7	10,1
	Few times a year or less	43,0	48,2	38,5	45,4	45,6	45,2	38,3	44,4	33,6	42,6	43,6	35,7
	I cannot exercise because of illness	8,4	5,8	12,1	9,1	9,3	7,2	10,6	11,3	11,8	9,7	8,6	8,4
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	356	330	338	976	610	719	423	432	425	1189	824	753
		34	8	19	29	20	16	25	17	22	42	24	26
High	Daily	2,6	8,4	6,3	2,9	5,4	5,4	7,5	4,5	6,0	4,0	5,1	5,4
	4-6 times a week	6,1	7,0	8,9	4,0	8,0	8,2	5,3	5,3	4,8	4,9	4,9	7,8
	2-3 times a week	26,3	18,9	23,2	30,5	22,9	25,8	17,1	18,9	19,9	23,9	22,9	24,8
	Once a week	14,0	7,0	18,8	13,8	16,3	18,5	13,6	9,8	14,3	16,4	19,0	16,6
	2-3 times a month	14,9	18,2	10,7	12,6	13,7	12,8	16,7	17,0	15,5	12,9	13,2	11,8
	Few times a year or less	30,7	36,4	26,8	33,3	29,4	26,9	34,6	38,6	35,1	34,5	31,6	29,9
	I cannot exercise because of illness	5,3	4,2	5,4	2,9	4,3	2,4	5,3	5,7	4,4	3,4	3,4	3,7
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	114	143	112	174	350	368	228	264	251	348	652	755
		10	3	0	1	4	4	11	5	5	5	9	6

a. Country of study = Estonia

Table 153. Leisure-time physical activity by education, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Daily	12,4	10,5	12,3	11,5	13,0	11,8	17,7	16,0	12,6	16,4	14,8	17,5
	4-6 times a week	14,8	14,7	14,0	14,6	18,9	15,8	13,3	16,1	17,3	15,2	16,9	17,9
	2-3 times a week	31,1	30,3	31,8	30,7	25,5	35,0	29,1	30,5	34,0	35,2	37,0	37,1
	Once a week	14,7	16,3	12,7	17,8	16,7	10,0	17,7	16,1	13,9	14,2	12,9	9,8
	2-3 times a month	10,0	12,0	11,7	10,4	10,4	11,4	11,4	9,5	12,1	9,3	9,8	8,0
	Few times a year or less	15,6	14,4	15,0	13,1	12,9	13,0	8,9	9,9	7,9	6,2	6,3	7,3
	I cannot exercise because of illness	1,2	1,9	2,5	1,9	2,6	3,1	2,0	1,9	2,2	3,6	2,4	2,4
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	1045	935	852	847	820	721	963	907	833	825	752	738
	17	13	9	15	28	23	20	20	16	14	5	21	
High	Daily	8,3	6,5	9,7	7,3	9,1	8,4	10,0	8,9	9,3	9,5	10,1	10,8
	4-6 times a week	16,7	17,5	16,1	21,0	19,1	20,0	19,3	14,5	18,8	16,3	19,9	21,3
	2-3 times a week	34,0	36,6	41,6	35,3	40,3	42,5	33,5	38,4	39,3	36,7	37,7	41,0
	Once a week	20,8	18,2	18,0	17,6	11,7	14,4	21,5	17,5	15,3	17,5	18,3	10,7
	2-3 times a month	10,1	11,5	7,9	10,8	11,9	7,8	9,3	11,9	11,0	12,4	8,9	10,2
	Few times a year or less	9,2	9,1	5,8	7,6	7,4	5,2	5,1	8,5	5,7	7,1	4,5	5,4
	I cannot exercise because of illness	,9	,6	,9	,4	,6	1,6	1,3	,3	,4	,5	,6	,6
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	456	462	466	490	472	499	627	787	717	804	851	870
	5	4	6	5	9	13	10	13	2	11	7	27	

a. Country of study = Finland

Table 154. Leisure-time physical activity by education, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Daily	20,4	18,0	16,4	16,8	15,7	14,4	12,0	13,1	11,9	12,5	10,8	8,6
	4-6 times a week	6,1	5,1	4,3	5,6	4,7	6,5	3,6	2,0	2,6	5,0	3,6	2,5
	2-3 times a week	13,9	11,3	10,8	13,7	13,9	13,9	8,0	11,1	12,5	10,5	10,6	14,9
	Once a week	8,9	9,9	9,7	8,4	9,7	14,7	12,4	8,4	10,1	10,5	12,5	14,4
	2-3 times a month	7,5	7,1	8,3	8,4	6,8	6,8	10,0	9,3	9,7	8,0	7,4	10,8
	Few times a year or less	36,6	40,4	44,0	39,4	39,1	37,1	44,2	45,7	45,3	41,6	46,8	42,6
	I cannot exercise because of illness	6,6	8,3	6,5	7,8	10,0	6,5	9,8	10,3	7,9	12,0	8,4	6,3
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	707	567	493	322	381	367	814	610	495	401	417	397
	39	24	15	31	15	7	64	31	22	28	22	21	
High	Daily	8,9	11,2	10,7	12,6	9,8	13,3	8,9	9,0	6,0	5,5	8,8	5,6
	4-6 times a week	5,3	6,4	11,1	5,5	6,2	5,2	1,9	5,3	4,5	5,0	4,1	3,7
	2-3 times a week	21,3	16,3	23,0	20,2	19,6	23,1	16,2	17,6	18,8	19,2	17,3	22,5
	Once a week	20,7	14,9	13,2	15,4	20,1	13,9	15,1	13,0	15,9	18,3	16,4	19,3
	2-3 times a month	16,0	10,8	10,3	8,7	10,3	11,0	15,1	9,5	13,1	11,8	12,0	14,8
	Few times a year or less	26,6	38,3	28,4	35,6	32,5	31,8	37,8	40,6	38,4	35,4	38,0	31,7
	I cannot exercise because of illness	1,2	2,0	3,3	2,0	1,5	1,7	5,0	5,0	3,2	4,8	3,5	2,4
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	169	295	243	253	194	173	259	524	464	458	342	378
	3	6	7	12	9	7	12	14	9	23	9	10	

a. Country of study = Latvia

Table 155. Leisure-time physical activity by education, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Daily	11,5	20,1	16,0	24,4	17,6	15,2	11,3	21,9	16,0	22,3	20,0	16,6
	4-6 times a week	5,4	8,7	8,7	8,4	6,4	4,6	3,4	7,2	8,8	5,9	6,4	8,3
	2-3 times a week	13,2	20,5	19,6	15,4	15,8	22,2	10,2	19,1	19,5	19,8	17,9	15,8
	Once a week	12,4	15,1	13,0	15,2	15,1	18,0	12,2	14,8	15,4	13,9	14,8	15,3
	2-3 times a month	9,9	9,7	13,0	8,6	12,3	9,0	10,8	7,7	10,7	10,6	10,8	11,5
	Few times a year or less	37,9	21,1	21,5	19,6	21,7	24,5	41,4	21,2	19,1	22,1	23,7	23,1
	I cannot exercise because of illness	9,7	4,8	8,3	8,4	11,2	6,4	10,8	8,2	10,4	5,5	6,4	9,4
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	515	691	470	479	438	388	558	718	512	511	481	373
		68	35	21	26	24	16	70	24	24	41	36	19
High	Daily	10,2	19,3	15,1	17,4	12,9	10,6	9,1	15,3	12,1	16,1	10,6	9,8
	4-6 times a week	8,2	13,6	14,2	9,9	9,0	8,7	2,3	8,8	6,8	8,5	8,0	8,3
	2-3 times a week	17,3	24,6	24,5	26,0	26,6	24,8	18,3	21,1	21,1	18,3	28,7	23,2
	Once a week	9,7	15,8	19,8	16,1	14,6	21,0	11,0	17,4	17,9	12,8	16,2	19,1
	2-3 times a month	14,3	13,2	13,5	9,9	16,7	14,2	14,6	14,8	14,8	15,0	14,4	13,6
	Few times a year or less	36,7	11,0	11,3	18,2	18,5	18,1	40,2	19,3	25,7	26,6	19,4	23,9
	I cannot exercise because of illness	3,6	2,6	1,6	2,5	1,7	2,6	4,4	3,2	1,6	2,7	2,8	2,1
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	196	228	318	242	233	310	383	431	487	447	464	581
		17	7	11	9	8	5	15	5	13	10	8	14

a. Country of study = Lithuania

Leisure-time physical activity by place of residence

Table 156. Leisure-time physical activity by place of residence, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Daily	2,8	8,4	7,6	6,5	4,3	4,6	7,4	6,6	6,1	3,7	4,6	5,5
	4-6 times a week	8,5	5,6	5,1	5,4	6,5	6,0	5,4	5,2	6,1	4,9	3,1	7,4
	2-3 times a week	19,1	16,8	16,9	18,3	19,0	22,3	17,3	16,6	19,7	16,5	18,0	21,1
	Once a week	8,5	7,7	17,8	15,1	17,7	15,9	11,9	9,5	15,7	13,7	16,8	15,3
	2-3 times a month	14,9	16,8	13,6	9,7	10,8	12,4	13,4	11,4	15,7	13,5	11,3	11,7
	Few times a year or less	40,4	42,0	33,9	41,2	37,1	35,7	36,6	43,1	30,3	41,3	40,8	33,9
	I cannot exercise because of illness	5,7	2,8	5,1	3,9	4,7	3,2	7,9	7,6	6,6	6,5	5,5	5,1
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	141	143	118	279	232	283	202	211	198	431	417	489
		7	4	6	5	5	7	7	6	5	12	12	9
Other	Daily	7,4	9,2	8,7	6,6	6,6	7,1	10,1	7,1	10,7	6,7	6,3	7,0
	4-6 times a week	3,3	5,9	5,8	4,6	4,9	5,5	4,0	2,8	3,3	3,9	3,9	6,7
	2-3 times a week	17,6	12,1	13,3	16,0	16,9	16,4	14,8	16,6	15,6	17,0	18,1	21,6
	Once a week	12,5	8,3	10,1	9,5	13,4	13,9	12,5	8,1	12,1	13,8	15,4	15,7
	2-3 times a month	10,1	12,1	13,9	9,5	9,0	10,7	11,6	13,9	12,7	9,2	11,7	10,2
	Few times a year or less	40,8	46,2	36,4	44,5	40,6	39,2	38,0	41,6	35,1	40,4	37,5	32,2
	I cannot exercise because of illness	8,3	6,2	11,8	9,5	8,5	7,1	8,9	9,9	10,5	9,0	7,0	6,7
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	336	338	346	877	752	854	447	495	487	1117	1120	1076
		36	8	13	25	20	16	30	19	24	35	27	24

a. Country of study = Estonia

Table 157. Leisure-time physical activity by place of residence, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Daily	10,9	12,4	10,0	8,0	9,4	12,0	12,8	9,0	9,5	10,5	9,8	13,8
	4-6 times a week	14,5	14,2	14,7	15,5	18,2	19,3	15,5	10,8	14,9	8,9	16,5	17,9
	2-3 times a week	32,3	32,5	37,3	33,6	32,8	39,5	30,2	37,7	37,1	40,6	38,5	41,5
	Once a week	17,3	17,2	14,1	17,0	13,7	10,5	20,9	16,7	16,5	16,9	18,8	10,6
	2-3 times a month	9,3	11,2	10,0	12,4	12,5	9,9	10,8	13,5	12,1	12,6	7,5	8,9
	Few times a year or less	15,0	11,8	11,0	12,6	10,9	7,8	7,9	11,3	8,5	8,0	7,3	6,7
	I cannot exercise because of illness	,8	,6	2,8	,9	2,4	,9	2,0	,9	1,4	2,5	1,5	,7
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	387	338	319	348	329	332	407	443	423	438	478	436
		10	5	4	5	6	9	9	11	5	4	2	13
Other	Daily	11,4	8,5	12,1	10,8	12,4	10,0	15,8	14,2	12,3	13,8	13,4	13,8
	4-6 times a week	15,4	16,1	14,4	17,5	19,2	17,0	15,7	17,0	19,2	18,2	19,3	19,9
	2-3 times a week	32,1	32,0	34,5	31,8	30,2	36,9	30,9	32,8	35,5	34,2	36,7	38,7
	Once a week	16,3	16,8	14,5	17,8	15,1	12,2	18,4	16,7	13,5	15,8	14,5	10,1
	2-3 times a month	10,4	11,9	10,5	9,9	10,4	9,9	10,3	9,5	11,6	10,1	10,0	9,3
	Few times a year or less	13,2	13,0	12,2	10,7	10,9	10,8	7,3	8,6	6,4	6,0	4,5	6,5
	I cannot exercise because of illness	1,2	1,8	1,7	1,6	1,7	3,1	1,6	1,3	1,5	1,9	1,5	1,7
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	1140	1084	1031	1014	978	907	1209	1269	1162	1212	1143	1207
		14	13	11	15	33	27	22	25	13	21	11	38
a. Country of study = Finland													

Table 158. Leisure-time physical activity by place of residence, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Daily	16,5	12,0	11,9	15,5	11,0	11,3	8,3	12,8	6,3	3,7	6,7	4,5
	4-6 times a week	7,7	4,5	8,6	6,9	8,5	5,7	4,3	4,1	4,9	4,8	5,5	4,5
	2-3 times a week	17,7	16,1	17,6	21,3	19,5	20,8	11,1	16,6	19,7	15,3	13,0	19,0
	Once a week	13,1	14,9	12,9	11,5	18,9	12,6	13,8	11,4	11,5	17,0	16,0	15,8
	2-3 times a month	9,6	10,3	9,5	8,6	7,3	11,3	13,8	10,6	15,8	11,2	10,5	13,4
	Few times a year or less	31,2	35,5	36,2	31,6	31,7	34,0	41,8	37,0	35,5	39,5	40,8	38,9
	I cannot exercise because of illness	4,2	6,6	3,3	4,6	3,0	4,4	6,8	7,6	6,3	8,5	7,6	4,0
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	260	242	210	174	164	159	325	368	304	294	238	247
		9	5	3	12	9	6	23	19	10	6	6	6
Other	Daily	18,9	16,9	16,2	14,8	15,1	15,8	12,8	10,3	10,3	11,0	11,1	8,3
	4-6 times a week	5,3	5,7	5,5	4,9	3,8	6,4	2,6	3,1	3,0	5,2	3,0	2,6
	2-3 times a week	14,3	12,0	13,3	14,3	14,1	15,6	9,4	13,0	13,7	15,1	14,1	18,4
	Once a week	10,4	10,8	9,8	11,2	11,1	15,1	12,6	9,8	13,6	13,9	13,7	17,1
	2-3 times a month	8,8	7,4	8,8	8,9	8,2	6,6	10,1	9,2	9,2	9,3	9,4	12,4
	Few times a year or less	36,2	40,9	40,3	39,8	39,3	35,5	43,1	46,6	44,9	37,5	43,3	36,7
	I cannot exercise because of illness	6,1	6,3	6,1	6,1	8,5	5,1	9,4	8,0	5,3	8,1	5,4	4,5
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	624	650	543	427	425	392	756	803	677	582	540	539
		35	25	19	34	16	9	55	28	22	50	26	26

a. Country of study = Latvia

Table 159. Leisure-time physical activity by place of residence, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Daily	8,3	13,7	14,9	11,5	10,9	9,9	9,9	12,1	10,4	10,9	10,7	8,5
	4-6 times a week	7,3	8,5	10,2	10,0	8,2	5,6	3,2	6,7	6,7	6,2	6,0	7,1
	2-3 times a week	15,2	23,8	21,4	21,9	23,4	26,3	15,1	19,7	18,8	20,8	25,1	20,9
	Once a week	13,5	18,3	16,7	17,5	17,8	20,4	12,5	17,4	17,6	14,9	16,7	19,2
	2-3 times a month	12,5	11,1	14,7	10,0	14,8	10,5	12,9	14,2	14,4	15,1	12,3	14,4
	Few times a year or less	37,6	19,9	17,7	23,8	20,7	22,9	39,4	23,8	25,1	27,5	24,0	25,3
	I cannot exercise because of illness	5,6	4,7	4,4	5,2	4,3	4,3	6,9	6,1	7,0	4,5	5,1	4,7
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	303	387	430	269	304	323	464	522	569	403	430	494
		38	12	13	11	17	6	32	11	18	24	16	13
Other	Daily	13,5	24,7	16,7	27,4	19,3	15,5	10,5	25,7	18,9	25,7	19,6	17,0
	4-6 times a week	5,3	10,4	11,6	8,1	6,8	7,1	2,8	8,5	9,1	7,5	8,3	9,5
	2-3 times a week	14,4	20,4	22,1	17,1	16,4	20,7	12,9	19,9	22,1	18,2	21,9	20,2
	Once a week	10,7	12,7	14,3	14,7	13,8	18,1	11,5	14,7	15,3	12,1	13,9	15,5
	2-3 times a month	9,5	9,9	11,1	8,5	13,0	12,1	11,5	7,1	10,5	11,0	12,6	11,3
	Few times a year or less	37,1	17,6	17,0	16,5	19,8	21,5	41,2	17,3	19,1	21,5	19,3	21,4
	I cannot exercise because of illness	9,5	4,3	7,3	7,7	10,9	5,0	9,7	6,8	5,0	4,0	4,4	5,0
	I cannot exercise because of disability	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0	,0
	Total and missing	431	558	371	468	384	381	497	647	439	572	540	476
		48	34	21	27	17	15	57	19	19	31	29	20

a. Country of study = Lithuania

Commuting physical activity

Table 160. Commuting physical activity by study year, gender and country (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Estonia	I do not work at all or I work at home	13,3	12,1	18,1	13,1	10,7	7,8	21,9	20,3	21,1	16,9	13,4	12,3
	I go to work by car	36,6	28,9	38,8	27,7	28,2	36,2	17,8	16,1	22,3	14,7	16,0	21,3
	Less than 15 minutes a day	6,9	6,9	5,8	9,0	9,0	8,9	7,7	9,8	5,8	7,8	8,4	8,1
	15-30 minutes a day	14,9	20,3	15,2	18,2	19,5	18,3	22,4	22,3	22,4	25,1	25,6	23,6
	30-60 minutes a day	12,5	12,8	11,7	16,1	16,3	15,1	15,6	15,5	16,2	20,0	22,6	21,6
	More than one hour a day	15,8	19,0	10,4	15,9	16,3	13,6	14,7	16,0	12,3	15,5	14,0	13,2
	Total and missing	495	478	480	1160	989	1143	653	701	710	1553	1542	1565
		33	17	4	26	20	17	42	34	9	42	34	33
Finland	I do not work at all or I work at home	23,9	22,8	21,2	18,1	21,1	20,0	28,4	25,7	24,6	25,3	25,4	23,9
	I go to work by car	46,3	46,3	47,0	50,6	51,0	48,3	26,2	29,7	28,9	31,0	30,6	34,9
	Less than 15 minutes a day	8,5	9,8	11,5	9,9	9,3	9,2	12,1	11,2	11,6	9,8	9,6	11,3
	15-30 minutes a day	12,5	12,7	11,8	11,6	10,1	11,5	20,2	18,3	20,6	20,3	20,3	17,5
	30-60 minutes a day	6,2	5,0	5,0	6,4	6,7	7,9	10,0	11,8	11,5	10,8	10,9	10,0
	More than one hour a day	2,7	3,4	3,5	3,5	1,9	3,1	3,2	3,2	2,8	2,8	3,2	2,3
	Total and missing	1461	1383	1316	1346	1292	1221	1551	1674	1548	1627	1589	1623
		90	57	49	36	54	54	96	74	55	48	45	71
Latvia	I do not work at all or I work at home	20,4	20,6	15,9	19,7	13,5	10,4	27,0	30,1	26,1	22,5	18,4	20,1
	I go to work by car	21,0	22,5	25,9	26,8	34,1	35,0	10,6	12,6	12,1	14,9	15,9	18,1
	Less than 15 minutes a day	6,3	6,6	6,1	5,0	6,7	5,5	6,4	6,5	6,7	6,2	7,6	7,2
	15-30 minutes a day	16,4	17,0	14,4	15,5	15,4	15,3	19,5	19,4	20,2	20,9	21,4	23,7
	30-60 minutes a day	13,8	14,2	14,0	12,2	13,5	15,3	16,5	14,9	15,4	16,8	17,5	16,0
	More than one hour a day	22,0	19,1	23,7	20,8	16,9	18,6	19,9	16,4	19,4	18,7	19,3	14,9
	Total and missing	917	916	765	639	599	549	1143	1204	999	915	794	777
		11	6	10	8	15	17	16	14	14	17	16	41
Lithuania	I do not work at all or I work at home	22,4	28,6	20,6	21,2	19,3	8,1	31,3	30,4	26,9	24,6	22,3	16,1
	I go to work by car	30,5	32,9	36,1	39,5	43,4	53,9	18,1	21,1	21,3	23,4	24,1	36,1
	Less than 15 minutes a day	5,6	5,3	5,9	5,0	5,3	7,1	8,5	8,8	9,1	7,5	8,0	8,8
	15-30 minutes a day	18,6	13,7	19,0	16,7	14,5	16,3	20,2	20,5	20,9	21,5	22,6	19,7
	30-60 minutes a day	10,1	7,3	8,6	8,4	9,1	7,1	10,1	10,0	12,2	13,3	13,4	10,3
	More than one hour a day	12,6	12,2	9,9	9,2	8,5	7,6	11,9	9,2	9,6	9,7	9,5	9,0
	Total and missing	799	974	817	747	696	707	1011	1168	1014	974	982	968
		21	17	18	28	27	19	39	31	31	56	34	37

Commuting physical activity by age group

Table 161. Commuting physical activity by age group, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	I do not work at all or I work at home	8,4	5,7	11,0	6,5	7,6	3,2	24,9	18,3	20,4	15,1	13,8	13,5
	I go to work by car	45,5	30,6	42,9	28,9	25,6	38,6	20,4	15,1	22,6	13,8	16,8	23,4
	Less than 15 minutes a day	4,8	7,0	6,7	8,9	12,5	10,6	7,5	10,5	4,5	8,7	7,7	7,8
	15-30 minutes a day	17,4	23,6	14,1	18,4	21,2	18,6	17,9	21,9	26,7	24,5	26,6	23,6
	30-60 minutes a day	7,8	14,6	14,7	19,6	20,3	14,1	12,4	17,8	16,3	22,9	21,7	21,0
	More than one hour a day	16,2	18,5	10,4	17,7	12,8	14,9	16,9	16,4	9,5	15,1	13,4	10,8
	Total and missing	167	157	163	429	344	376	201	219	221	485	493	539
		12	6	0	7	2	3	12	7	1	7	8	2
35-49	I do not work at all or I work at home	10,5	10,5	12,7	10,3	6,6	6,7	12,0	15,2	15,1	11,5	7,5	9,4
	I go to work by car	41,4	36,3	44,2	31,4	34,8	39,1	19,5	20,2	27,0	18,8	19,3	24,4
	Less than 15 minutes a day	8,9	9,4	6,1	11,1	8,5	9,2	11,6	12,3	7,9	9,4	9,8	9,2
	15-30 minutes a day	11,5	17,5	16,4	19,6	19,6	19,1	29,9	27,2	21,8	25,3	25,3	23,2
	30-60 minutes a day	15,2	9,9	11,5	13,4	13,0	14,1	15,9	11,9	15,9	21,1	24,1	22,5
	More than one hour a day	12,6	16,4	9,1	14,2	17,4	11,9	11,2	13,2	12,3	14,0	14,0	11,3
	Total and missing	191	171	165	388	316	404	251	243	252	522	522	512
		11	2	3	7	4	4	13	13	1	7	5	7
50-64	I do not work at all or I work at home	23,4	20,7	31,6	24,5	17,9	13,8	31,3	27,2	28,3	23,8	18,8	13,8
	I go to work by car	19,0	18,7	28,3	21,9	24,6	30,6	12,9	13,0	16,9	11,5	11,8	16,0
	Less than 15 minutes a day	6,6	4,0	4,6	6,7	5,8	6,9	3,0	6,7	4,6	5,5	7,8	7,4
	15-30 minutes a day	16,8	20,0	15,1	16,3	17,6	17,1	17,4	17,6	19,0	25,5	25,0	23,9
	30-60 minutes a day	14,6	14,0	8,6	14,9	15,2	17,4	18,4	17,2	16,5	16,3	22,0	21,4
	More than one hour a day	19,7	22,7	11,8	15,7	18,8	14,3	16,9	18,4	14,8	17,4	14,6	17,5
	Total and missing	137	150	152	343	329	363	201	239	237	546	527	514
		10	9	1	12	14	10	17	14	7	28	21	24

a. Country of study = Estonia

Table 162. Commuting physical activity by age group, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	I do not work at all or I work at home	15,5	14,9	11,3	11,7	9,7	12,8	24,0	21,7	16,7	23,6	24,5	21,6
	I go to work by car	43,9	43,6	43,7	51,3	45,5	48,3	22,0	27,5	28,9	26,4	27,9	28,5
	Less than 15 minutes a day	11,7	17,2	17,8	13,3	15,8	12,1	16,7	14,2	15,1	13,3	11,9	15,7
	15-30 minutes a day	17,9	15,4	17,3	13,8	17,4	15,1	25,1	22,1	25,7	24,3	21,4	22,7
	30-60 minutes a day	8,8	5,7	6,7	6,6	9,4	8,4	9,8	11,8	11,4	10,8	12,6	10,2
	More than one hour a day	2,2	3,1	3,2	3,2	2,3	3,4	2,4	2,6	2,2	1,7	1,7	1,3
	Total and missing	453	383	371	376	310	298	491	534	456	474	462	453
		13	1	5	4	7	11	14	10	14	9	8	11
35-49	I do not work at all or I work at home	13,2	15,6	13,8	9,8	12,6	13,2	20,2	15,5	19,7	17,6	17,2	16,5
	I go to work by car	57,5	54,2	59,1	60,7	62,9	57,1	36,2	38,5	31,7	40,4	38,4	46,7
	Less than 15 minutes a day	8,4	9,1	11,0	9,6	10,0	9,7	12,5	11,5	11,3	9,1	10,6	10,8
	15-30 minutes a day	12,3	12,9	9,0	10,9	8,3	11,4	17,8	18,1	20,9	17,8	19,0	14,9
	30-60 minutes a day	6,1	5,5	4,0	5,8	4,3	7,2	10,1	13,2	13,1	11,8	10,8	9,1
	More than one hour a day	2,5	2,7	3,1	3,2	1,9	1,5	3,2	3,2	3,3	3,3	3,9	2,0
	Total and missing	522	550	455	468	469	403	594	592	574	584	536	538
		19	22	9	3	11	11	28	20	12	8	12	21
50-64	I do not work at all or I work at home	43,2	38,2	35,5	30,5	35,7	29,4	43,6	40,7	37,1	34,6	33,7	31,8
	I go to work by car	36,4	38,9	38,4	40,6	43,5	41,5	17,8	22,4	25,9	25,1	25,5	29,6
	Less than 15 minutes a day	5,6	4,4	7,1	7,6	4,7	7,1	6,7	8,0	8,7	7,6	6,8	8,7
	15-30 minutes a day	7,6	10,2	10,2	10,6	7,2	9,6	18,0	14,8	15,8	19,5	20,6	16,0
	30-60 minutes a day	3,9	3,8	4,7	6,8	7,2	8,1	10,1	10,2	9,8	9,8	9,6	10,8
	More than one hour a day	3,3	4,4	4,1	4,0	1,8	4,2	3,9	3,8	2,7	3,3	3,7	3,2
	Total and missing	486	450	490	502	513	520	466	548	518	569	591	632
		58	34	35	29	36	32	54	44	29	31	25	39

a. Country of study = Finland

Table 163. Commuting physical activity by age group, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	I do not work at all or I work at home	12,5	14,1	9,2	12,1	6,2	4,3	27,6	24,6	18,8	19,5	13,5	13,4
	I go to work by car	23,6	27,2	25,6	27,8	39,5	33,9	11,1	16,9	15,0	11,3	17,2	21,2
	Less than 15 minutes a day	6,9	8,4	9,2	4,9	9,0	7,0	4,5	7,9	7,3	6,7	9,0	6,1
	15-30 minutes a day	18,3	15,0	15,4	20,6	13,8	17,2	24,9	23,5	20,5	26,2	21,3	22,1
	30-60 minutes a day	14,7	13,8	14,7	10,3	11,4	22,0	16,1	14,8	18,5	20,2	17,6	19,9
	More than one hour a day	23,9	21,6	25,9	24,2	20,0	15,6	15,8	12,2	19,9	16,0	21,3	17,3
	Total and missing	360	334	293	223	210	186	398	378	341	282	244	231
		3	2	4	4	2	9	2	5	2	3	1	12
35-49	I do not work at all or I work at home	21,2	16,9	14,7	17,6	11,3	7,6	17,9	22,5	17,9	13,8	12,1	15,7
	I go to work by car	23,6	25,3	32,6	32,9	34,4	44,7	13,8	14,7	13,6	22,3	19,6	24,0
	Less than 15 minutes a day	6,7	5,7	5,1	5,1	7,1	4,7	10,2	7,3	10,2	8,8	8,7	8,2
	15-30 minutes a day	15,5	20,8	12,5	13,0	17,5	13,5	23,0	22,7	26,2	22,3	25,3	24,7
	30-60 minutes a day	14,1	13,6	16,5	11,6	16,0	10,6	16,6	17,5	15,1	15,7	20,4	15,4
	More than one hour a day	18,9	17,8	18,7	19,9	13,7	18,8	18,4	15,4	17,0	17,0	14,0	12,0
	Total and missing	297	332	273	216	212	170	391	423	324	318	265	267
		4	2	2	1	4	4	5	2	2	4	4	11
50-64	I do not work at all or I work at home	30,4	34,4	27,6	30,5	24,9	18,7	36,4	43,4	41,6	34,0	28,4	29,7
	I go to work by car	14,6	12,4	17,1	19,0	27,1	27,5	6,5	6,5	7,8	10,5	11,2	10,0
	Less than 15 minutes a day	5,0	5,2	3,0	5,0	3,4	4,7	4,2	4,2	2,7	3,2	5,3	7,2
	15-30 minutes a day	14,6	14,8	15,6	12,5	14,7	15,0	9,6	12,2	14,1	14,6	17,9	24,0
	30-60 minutes a day	12,3	15,6	9,5	15,0	13,0	13,0	16,9	12,2	12,6	14,9	14,7	13,3
	More than one hour a day	23,1	17,6	27,1	18,0	16,9	21,2	26,3	21,6	21,3	22,9	22,5	15,8
	Total and missing	260	250	199	200	177	193	354	403	334	315	285	279
		4	2	4	3	9	4	9	7	10	10	11	18

a. Country of study = Latvia

Table 164. Commuting physical activity by age group, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	I do not work at all or I work at home	17,9	21,8	14,9	12,3	10,7	3,3	25,7	30,0	25,2	18,7	21,2	13,7
	I go to work by car	34,8	36,5	39,5	49,1	50,5	54,0	16,9	24,0	21,3	27,0	23,4	45,3
	Less than 15 minutes a day	5,9	5,9	7,3	3,9	6,8	10,0	11,1	9,4	11,6	8,6	9,5	8,4
	15-30 minutes a day	19,3	15,0	19,0	18,0	15,5	17,5	23,3	20,1	20,4	19,4	23,4	19,6
	30-60 minutes a day	10,3	7,6	10,5	9,6	7,3	7,1	12,0	9,4	11,9	17,5	13,9	7,4
	More than one hour a day	11,7	13,2	8,9	7,0	9,2	8,1	11,1	7,0	9,7	8,9	8,5	5,6
	Total and missing	290	340	248	228	206	211	343	383	329	315	316	285
		5	9	3	4	8	6	8	4	4	16	7	5
35-49	I do not work at all or I work at home	17,0	26,4	16,7	17,6	13,4	3,1	21,3	22,4	16,5	19,0	14,2	9,9
	I go to work by car	33,7	36,0	40,0	45,1	50,0	62,6	24,0	24,2	25,3	26,4	28,5	41,3
	Less than 15 minutes a day	6,6	5,9	6,3	6,4	4,3	7,3	9,9	10,6	9,3	9,4	7,7	10,2
	15-30 minutes a day	19,8	12,8	20,9	13,9	13,8	14,9	20,5	23,9	25,8	24,5	27,3	19,0
	30-60 minutes a day	11,1	6,7	8,1	7,8	9,1	4,8	11,2	11,3	14,2	11,3	14,2	11,6
	More than one hour a day	11,8	12,3	8,1	9,2	9,4	7,3	13,1	7,5	9,0	9,4	8,0	8,0
	Total and missing	288	375	335	295	276	289	375	451	431	363	337	363
		7	3	2	10	10	5	13	8	14	18	11	10
50-64	I do not work at all or I work at home	35,3	40,9	32,1	34,8	35,0	19,8	50,5	41,6	46,9	37,8	31,6	25,3
	I go to work by car	20,8	23,6	26,9	22,3	28,0	41,5	11,9	13,5	14,6	15,9	20,4	21,9
	Less than 15 minutes a day	4,1	3,9	3,8	4,0	5,1	3,9	3,8	5,7	5,5	4,1	7,0	7,5
	15-30 minutes a day	16,3	13,1	16,2	19,2	14,5	16,9	16,0	16,5	13,4	19,9	17,0	20,6
	30-60 minutes a day	8,6	7,7	7,3	8,0	10,7	10,1	6,5	9,0	9,4	11,5	12,2	11,6
	More than one hour a day	14,9	10,8	13,7	11,6	6,5	7,7	11,3	13,8	10,2	10,8	11,9	13,1
	Total and missing	221	259	234	224	214	207	293	334	254	296	329	320
		9	5	13	14	9	8	18	19	13	22	16	22

a. Country of study = Lithuania

Commuting physical activity by education

Table 165. Commuting physical activity by education, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	I do not work at all or I work at home	16,0	14,7	19,0	14,3	13,4	9,7	25,1	25,8	24,5	19,9	16,0	14,5
	I go to work by car	32,9	25,1	35,7	27,7	26,6	36,1	16,7	14,8	19,1	13,4	13,9	17,5
	Less than 15 minutes a day	6,1	6,4	5,1	7,4	8,8	8,2	7,7	9,8	6,1	7,2	7,5	8,6
	15-30 minutes a day	14,4	21,1	16,7	18,1	18,3	16,6	21,1	20,4	21,1	23,9	24,1	21,6
	30-60 minutes a day	13,3	11,9	12,2	16,0	15,5	14,4	12,9	13,3	15,7	18,5	23,2	22,2
	More than one hour a day	17,4	20,8	11,3	16,5	17,5	15,1	16,5	15,9	13,4	17,1	15,3	15,6
	Total and missing	362	327	353	980	613	723	418	427	440	1193	823	758
		28	11	4	25	17	12	30	22	7	38	25	21
High	I do not work at all or I work at home	6,6	5,7	15,2	6,3	5,7	4,6	15,9	11,4	15,2	7,1	9,5	9,8
	I go to work by car	45,5	36,9	51,8	28,2	31,6	34,4	19,4	18,3	28,9	19,4	19,1	24,3
	Less than 15 minutes a day	9,1	7,8	7,1	17,2	10,0	10,8	7,9	10,3	5,1	9,7	9,6	8,0
	15-30 minutes a day	18,2	18,4	8,9	18,4	21,1	22,8	24,7	25,1	24,2	29,1	27,8	25,9
	30-60 minutes a day	10,7	14,9	8,0	17,2	17,9	16,3	20,3	19,8	16,8	24,6	22,0	21,4
	More than one hour a day	9,9	16,3	8,9	12,6	13,7	11,1	11,9	15,2	9,8	10,0	12,1	10,6
	Total and missing	121	141	112	174	351	369	227	263	256	350	655	753
		3	5	0	1	3	3	12	6	0	3	6	8

a. Country of study = Estonia

Table 166. Commuting physical activity by education, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	I do not work at all or I work at home	28,7	28,1	24,0	22,1	26,9	25,5	34,8	35,0	32,4	32,8	30,4	30,1
	I go to work by car	46,6	45,4	49,4	49,5	50,3	48,4	23,8	25,6	27,5	29,6	26,4	33,1
	Less than 15 minutes a day	6,8	6,4	9,3	8,8	6,8	6,5	9,9	8,5	10,0	7,6	9,0	9,0
	15-30 minutes a day	10,1	12,3	9,5	9,4	7,7	10,9	18,2	15,2	17,7	16,8	20,2	16,1
	30-60 minutes a day	5,3	4,3	4,1	5,6	6,3	5,5	9,7	11,9	9,5	9,7	9,8	9,4
	More than one hour a day	2,6	3,3	3,7	4,5	2,0	3,1	3,6	3,8	3,0	3,5	4,1	2,2
	Total and missing	990	900	820	838	807	705	908	880	803	803	731	720
		72	48	41	24	41	39	75	47	46	36	26	39
High	I do not work at all or I work at home	13,1	12,2	15,0	10,1	10,9	11,8	18,1	14,9	15,7	17,9	21,4	18,9
	I go to work by car	46,0	48,6	44,1	53,3	52,3	48,2	30,2	34,8	31,2	32,3	34,2	35,9
	Less than 15 minutes a day	12,4	16,6	14,6	11,7	13,2	13,3	15,7	14,3	13,6	11,7	10,1	13,6
	15-30 minutes a day	17,3	13,5	16,1	15,4	14,3	12,9	22,8	21,8	23,6	23,9	20,1	18,6
	30-60 minutes a day	8,4	6,3	6,9	8,0	7,4	11,2	10,7	11,7	13,5	12,0	11,7	10,8
	More than one hour a day	2,7	2,8	3,4	1,4	1,9	2,6	2,6	2,4	2,4	2,2	2,5	2,2
	Total and missing	450	459	467	486	470	498	619	776	712	805	840	867
		11	7	5	9	11	14	18	24	7	10	18	30

a. Country of study = Finland

Table 167. Commuting physical activity by education, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	I do not work at all or I work at home	22,6	25,6	17,6	23,1	17,7	12,7	30,4	38,3	35,6	32,5	24,2	28,1
	I go to work by car	17,8	21,7	24,8	23,4	31,3	33,4	9,1	10,9	10,3	10,4	13,9	14,0
	Less than 15 minutes a day	6,5	6,0	6,2	5,4	5,6	5,5	6,2	5,0	5,9	8,4	6,8	6,8
	15-30 minutes a day	16,4	14,2	13,6	13,4	13,8	14,1	18,3	17,8	14,9	17,1	18,8	20,8
	30-60 minutes a day	13,0	13,7	13,2	12,9	13,6	12,2	14,0	11,3	12,1	12,8	13,4	14,8
	More than one hour a day	23,7	18,9	24,6	21,7	17,9	22,1	22,0	16,7	21,2	18,8	22,8	15,5
	Total and missing	738	586	500	350	390	362	865	635	505	415	425	399
	8	5	8	3	6	12	13	6	12	14	14	19	
High	I do not work at all or I work at home	7,7	11,0	12,5	15,3	5,1	5,7	16,0	20,1	15,9	13,8	11,2	10,6
	I go to work by car	36,1	24,6	27,8	31,0	38,8	37,7	15,7	14,8	14,0	18,8	17,8	22,6
	Less than 15 minutes a day	5,9	8,0	4,8	5,0	8,7	4,6	7,1	8,1	7,6	4,0	8,6	7,6
	15-30 minutes a day	16,6	22,3	16,5	18,0	18,9	17,7	23,5	21,8	25,7	24,3	24,6	27,2
	30-60 minutes a day	17,8	15,9	16,1	11,9	14,3	22,3	23,9	19,0	19,5	20,9	23,5	17,7
	More than one hour a day	16,0	18,3	22,2	18,8	14,3	12,0	13,8	16,2	17,2	18,2	14,3	14,2
	Total and missing	169	301	248	261	196	175	268	532	471	478	349	367
	3	0	2	4	7	5	3	6	2	3	2	21	

a. Country of study = Latvia

Table 168. Commuting physical activity by education, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	I do not work at all or I work at home	25,9	32,4	27,4	26,0	22,8	9,7	40,7	40,8	39,0	34,2	31,4	26,6
	I go to work by car	27,7	30,2	31,6	33,4	41,5	51,1	16,6	17,5	14,7	16,7	19,8	30,2
	Less than 15 minutes a day	5,6	4,9	4,6	4,7	4,5	6,4	7,8	7,5	6,6	5,6	5,7	8,2
	15-30 minutes a day	18,0	13,3	17,9	16,8	13,6	17,0	15,9	16,3	18,0	21,8	20,8	13,9
	30-60 minutes a day	9,2	6,5	8,5	9,0	8,0	6,9	6,8	9,7	11,4	10,7	12,4	10,1
	More than one hour a day	13,6	12,6	10,0	10,0	9,6	8,9	12,3	8,1	10,3	10,9	10,0	11,1
	Total and missing	567	712	481	488	448	393	604	718	516	514	491	368
	16	14	10	17	14	11	24	24	20	38	26	24	
High	I do not work at all or I work at home	12,4	13,7	9,9	11,2	11,0	6,2	15,7	12,3	13,9	12,8	11,4	9,8
	I go to work by car	38,3	42,5	42,9	50,4	46,1	56,7	21,1	26,7	28,0	31,8	30,0	40,4
	Less than 15 minutes a day	5,7	6,9	8,1	5,4	7,5	7,8	9,5	11,1	11,7	9,5	10,3	9,3
	15-30 minutes a day	21,1	15,0	20,8	17,4	16,7	15,6	27,2	28,1	24,1	21,4	24,8	22,7
	30-60 minutes a day	12,9	9,9	8,7	7,9	11,8	7,5	14,9	10,7	13,3	16,4	14,7	10,3
	More than one hour a day	9,6	12,0	9,6	7,9	7,0	6,2	11,6	11,1	9,0	8,1	8,8	7,6
	Total and missing	209	233	322	242	228	307	389	431	489	444	464	582
	4	2	7	9	13	8	9	5	11	13	8	13	

a. Country of study = Lithuania

Commuting physical activity by place of residence

Table 169. Commuting physical activity by place of residence, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	I do not work at all or I work at home	7,1	5,6	7,4	6,4	5,6	3,1	14,5	14,4	11,3	12,1	9,7	10,1
	I go to work by car	48,6	36,8	45,9	28,3	31,0	37,8	23,8	26,4	33,5	19,3	19,2	22,2
	Less than 15 minutes a day	4,3	9,0	4,9	11,3	7,3	11,2	8,8	9,5	4,4	8,2	6,2	9,3
	15-30 minutes a day	18,6	24,3	15,6	22,3	22,0	22,4	25,4	23,9	21,7	27,5	30,2	28,0
	30-60 minutes a day	11,4	13,2	14,8	17,0	20,3	15,0	15,0	12,4	19,2	20,5	23,5	19,1
	More than one hour a day	10,0	11,1	11,5	14,8	13,8	10,5	12,4	13,4	9,9	12,4	11,2	11,3
	Total and missing	140	144	122	283	232	286	193	201	203	429	421	486
		8	3	2	1	5	4	16	16	0	14	8	12
Other	I do not work at all or I work at home	15,8	15,1	21,6	15,3	12,3	9,3	24,7	22,6	24,9	18,8	14,7	13,3
	I go to work by car	31,9	25,3	36,4	27,5	27,3	35,7	15,4	12,1	17,9	12,9	14,7	20,9
	Less than 15 minutes a day	7,8	6,0	6,2	8,2	9,5	8,2	7,3	9,9	6,4	7,7	9,3	7,6
	15-30 minutes a day	13,8	18,7	15,1	16,9	18,8	16,9	21,4	21,6	22,9	24,2	23,9	21,6
	30-60 minutes a day	13,2	12,7	10,6	15,8	15,1	15,2	16,1	16,9	14,9	19,8	22,3	22,7
	More than one hour a day	17,5	22,3	10,1	16,3	17,0	14,7	15,2	16,9	13,1	16,7	15,1	14,0
	Total and missing	348	332	357	877	757	857	454	496	503	1124	1121	1079
		24	14	2	25	15	13	23	18	8	28	26	21

a. Country of study = Estonia

Table 170. Commuting physical activity by place of residence, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	I do not work at all or I work at home	15,0	16,6	16,1	12,0	13,4	13,5	21,8	14,5	17,1	20,8	18,6	21,5
	I go to work by car	45,0	48,2	43,4	51,3	50,8	45,3	18,8	25,0	25,5	24,1	26,3	28,4
	Less than 15 minutes a day	11,3	13,2	11,6	11,1	14,0	12,6	14,7	17,3	15,6	13,4	12,6	15,9
	15-30 minutes a day	17,6	12,0	16,1	15,2	11,5	14,1	27,7	26,4	26,7	27,8	27,6	22,4
	30-60 minutes a day	7,6	6,7	7,7	7,3	7,2	9,9	12,7	13,4	11,1	11,1	10,5	9,7
	More than one hour a day	3,4	3,4	5,1	3,2	3,1	4,5	4,3	3,4	4,1	2,8	4,5	2,1
	Total and missing	380	326	311	343	321	333	394	440	416	424	468	433
		17	17	12	10	14	8	22	14	12	18	12	16
Other	I do not work at all or I work at home	27,0	24,7	22,8	20,1	23,6	22,4	30,7	29,7	27,4	26,9	28,3	24,8
	I go to work by car	46,7	45,7	48,2	50,3	51,1	49,4	28,7	31,4	30,2	33,4	32,4	37,3
	Less than 15 minutes a day	7,5	8,8	11,4	9,5	7,7	7,9	11,1	9,1	10,1	8,5	8,3	9,7
	15-30 minutes a day	10,6	13,0	10,4	10,4	9,6	10,6	17,6	15,4	18,4	17,6	17,3	15,7
	30-60 minutes a day	5,7	4,4	4,2	6,1	6,5	7,1	9,1	11,2	11,7	10,7	11,1	10,2
	More than one hour a day	2,4	3,4	3,0	3,6	1,5	2,6	2,8	3,2	2,3	2,8	2,7	2,4
	Total and missing	1081	1057	1005	1003	971	888	1157	1234	1132	1203	1121	1190
		73	40	37	26	40	46	74	60	43	30	33	55

a. Country of study = Finland

Table 171. Commuting physical activity by place of residence, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	I do not work at all or I work at home	8,7	12,2	10,0	12,5	6,0	9,5	18,0	25,5	19,3	21,6	14,2	17,6
	I go to work by car	23,8	24,8	24,9	29,3	35,7	29,1	14,5	15,6	14,5	17,9	15,0	13,5
	Less than 15 minutes a day	7,5	6,9	3,8	1,6	6,5	4,4	6,1	5,8	6,4	3,7	8,8	8,6
	15-30 minutes a day	21,1	20,3	19,1	20,1	16,7	22,8	22,4	23,1	21,2	21,3	21,7	25,3
	30-60 minutes a day	15,5	19,5	16,7	14,7	17,9	19,0	20,3	14,3	20,3	19,6	24,2	18,4
	More than one hour a day	23,4	16,3	25,4	21,7	17,3	15,2	18,6	15,6	18,3	15,9	16,3	16,7
	Total and missing	265	246	209	184	168	158	344	377	311	296	240	245
	4	1	4	2	5	7	4	10	3	4	4	8	
Other	I do not work at all or I work at home	25,2	23,7	18,2	22,6	16,5	10,7	30,9	32,3	29,2	22,9	20,2	21,2
	I go to work by car	19,9	21,6	26,3	25,7	33,4	37,3	8,9	11,2	11,0	13,4	16,2	20,3
	Less than 15 minutes a day	5,8	6,4	7,0	6,4	6,7	5,9	6,5	6,8	6,8	7,4	7,0	6,6
	15-30 minutes a day	14,4	15,8	12,6	13,6	14,8	12,3	18,3	17,8	19,8	20,7	21,3	22,9
	30-60 minutes a day	13,2	12,2	12,9	11,2	11,8	13,8	14,9	15,1	13,2	15,5	14,6	14,8
	More than one hour a day	21,5	20,1	23,0	20,4	16,7	19,9	20,5	16,8	19,9	20,0	20,6	14,1
	Total and missing	652	670	556	455	431	391	799	827	688	619	554	532
	7	5	6	6	10	10	12	4	11	13	12	33	

a. Country of study = Latvia

Table 172. Commuting physical activity by place of residence, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	I do not work at all or I work at home	13,9	16,6	15,4	14,6	12,4	5,3	23,1	23,1	25,4	16,8	16,7	13,7
	I go to work by car	43,5	44,1	40,2	51,1	49,8	54,3	26,0	29,0	26,6	31,7	32,9	41,6
	Less than 15 minutes a day	2,4	5,6	6,0	4,5	7,2	6,8	8,0	8,7	8,5	6,4	6,5	7,7
	15-30 minutes a day	19,3	13,0	17,9	17,2	13,4	17,4	21,2	21,9	19,7	22,0	23,1	19,0
	30-60 minutes a day	10,0	8,9	9,2	7,5	11,4	6,2	11,3	8,8	11,3	15,1	13,0	8,9
	More than one hour a day	10,9	11,7	11,3	5,2	5,9	9,9	10,5	8,5	8,6	7,9	7,9	9,1
	Total and missing	331	392	435	268	307	322	477	520	568	404	432	495
	10	7	8	12	14	7	19	13	19	23	14	12	
Other	I do not work at all or I work at home	28,4	36,8	26,4	24,8	24,7	10,2	38,6	36,3	28,9	30,2	26,8	18,5
	I go to work by car	21,4	25,3	31,4	33,0	38,1	53,6	11,0	14,7	14,6	17,5	17,3	30,1
	Less than 15 minutes a day	7,9	5,2	5,8	5,2	3,9	7,3	9,0	9,0	9,9	8,2	9,3	10,0
	15-30 minutes a day	18,2	14,1	20,2	16,5	15,5	15,4	19,3	19,4	22,4	21,1	22,2	20,6
	30-60 minutes a day	10,3	6,2	7,9	9,0	7,2	7,8	9,0	11,0	13,5	12,1	13,7	11,9
	More than one hour a day	13,9	12,5	8,4	11,5	10,6	5,7	13,1	9,7	10,8	10,9	10,7	8,9
	Total and missing	468	582	382	479	388	384	534	648	446	570	549	471
	11	10	10	16	13	12	20	18	12	33	20	25	

a. Country of study = Lithuania

Overweight and Obesity

Body Mass Index (BMI)

Table 173. Body Mass Index by study year, gender and country (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Estonia	- 18.49	1,2	,6	,8	1,1	,5	,6	3,8	3,2	4,9	3,9	3,8	4,1
	18.5 - 24.99	53,2	52,8	50,2	50,1	44,7	41,1	55,7	53,7	52,4	52,8	52,5	50,2
	25 - 29.99	33,1	33,9	35,6	34,0	39,5	40,5	24,8	26,7	27,2	27,5	26,8	26,6
	30 -	12,5	12,7	13,3	14,8	15,3	17,8	15,7	16,5	15,4	15,8	16,9	19,1
	Total and missing	519	487	480	1168	991	1141	689	723	712	1576	1550	1572
		9	8	4	18	18	19	6	12	7	19	26	26
Finland	- 18.49	,7	,4	,7	,6	,7	,8	3,3	2,2	2,3	2,0	2,8	2,0
	18.5 - 24.99	43,2	44,2	41,2	41,7	40,2	39,9	60,1	59,0	57,0	56,7	53,2	52,0
	25 - 29.99	45,2	43,0	45,3	42,6	43,4	42,9	26,9	27,1	27,7	26,2	29,0	29,0
	30 -	10,9	12,4	12,8	15,1	15,7	16,4	9,7	11,7	12,9	15,2	15,0	17,0
	Total and missing	1546	1424	1352	1370	1327	1242	1632	1721	1583	1648	1620	1645
		5	16	13	12	19	33	15	27	20	27	14	49
Latvia	- 18.49	1,2	1,0	1,1	,8	,8	,4	3,7	3,5	3,3	4,2	3,2	3,5
	18.5 - 24.99	56,9	55,0	55,4	51,8	50,5	43,4	48,0	49,5	51,8	47,6	46,6	46,2
	25 - 29.99	31,6	35,1	32,9	33,8	35,2	38,3	28,2	31,1	27,1	26,4	30,0	28,4
	30 -	10,3	8,8	10,6	13,7	13,5	18,0	20,0	15,9	17,7	21,8	20,2	21,9
	Total and missing	911	905	756	637	602	562	1128	1187	988	905	783	807
		17	17	19	10	12	4	31	31	25	27	27	11
Lithuania	- 18.49	1,0	,6	,6	1,6	1,3	,4	2,7	3,2	4,3	3,2	2,9	3,5
	18.5 - 24.99	53,2	49,3	41,9	45,7	42,4	38,0	50,5	51,3	53,5	51,3	48,4	51,3
	25 - 29.99	35,6	39,1	41,3	38,6	35,7	44,6	29,4	27,5	26,4	29,2	29,5	26,0
	30 -	10,1	11,0	16,3	14,1	20,6	17,0	17,5	18,0	15,8	16,3	19,2	19,2
	Total and missing	808	984	824	757	705	718	1042	1183	1025	1009	1002	989
		12	7	11	18	18	8	8	16	20	21	14	16

BMI by age group

Table 174. Body Mass Index by age group, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	- 18.49	1,7	1,9	1,8	1,9	1,2	,8	10,8	8,6	13,8	10,9	9,9	9,1
	18.5 - 24.99	69,9	73,0	66,9	67,1	63,0	58,6	72,6	71,6	68,7	70,5	71,5	67,8
	25 - 29.99	23,9	19,5	24,5	23,8	28,4	32,9	12,7	14,0	12,9	14,8	13,7	15,4
	30 -	4,5	5,7	6,7	7,2	7,3	7,8	3,8	5,9	4,6	3,9	4,8	7,8
	Total and missing	176	159	163	432	341	374	212	222	217	488	495	540
		3	4	0	4	5	5	1	4	5	4	6	1
35-49	- 18.49	,5	,0	,6	,5	,3	,0	,4	1,2	1,6	1,5	1,5	2,1
	18.5 - 24.99	52,8	48,6	44,0	40,4	40,4	34,7	54,8	58,9	56,7	56,7	55,6	53,9
	25 - 29.99	34,0	35,3	45,2	41,2	41,1	45,3	28,6	26,9	27,4	26,7	26,6	27,3
	30 -	12,7	16,2	10,2	17,9	18,2	20,0	16,2	13,0	14,3	15,0	16,3	16,6
	Total and missing	197	173	166	386	314	404	259	253	252	520	522	512
		5	0	2	9	6	4	5	3	1	9	5	7
50-64	- 18.49	1,4	,0	,0	,9	,0	1,1	,9	,4	,4	,0	,4	1,0
	18.5 - 24.99	33,6	36,8	39,1	39,7	30,1	30,3	40,4	32,3	33,3	34,0	31,7	28,3
	25 - 29.99	43,2	47,1	37,1	38,6	49,1	43,0	32,1	37,9	39,9	39,3	39,2	37,5
	30 -	21,9	16,1	23,8	20,9	20,8	25,6	26,6	29,4	26,3	26,8	28,7	33,3
	Total and missing	146	155	151	350	336	363	218	248	243	568	533	520
		1	4	2	5	7	10	0	5	1	6	15	18

a. Country of study = Estonia

Table 175. Body Mass Index by age group, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	- 18.49	,9	1,1	1,9	,3	2,5	2,3	6,9	4,1	4,7	3,8	5,4	4,4
	18.5 - 24.99	60,6	59,2	57,4	53,5	55,2	55,5	74,0	71,4	69,9	71,2	67,3	68,7
	25 - 29.99	33,2	33,2	34,0	35,4	33,7	32,4	14,1	18,5	18,5	16,1	18,1	17,4
	30 -	5,4	6,6	6,7	10,9	8,6	9,7	5,0	6,1	6,9	8,9	9,2	9,5
	Total and missing	464	380	371	376	315	299	504	542	465	472	465	453
		2	4	5	4	2	10	1	2	5	11	5	11
35-49	- 18.49	,9	,2	,4	,9	,2	,0	2,6	1,8	1,9	1,5	2,2	1,1
	18.5 - 24.99	41,4	43,9	43,2	38,8	36,1	37,7	62,1	59,2	61,2	60,2	53,5	49,5
	25 - 29.99	47,5	44,6	45,8	46,3	46,1	46,6	26,4	26,8	27,4	23,8	29,0	33,3
	30 -	10,2	11,3	10,6	14,1	17,5	15,7	9,0	12,1	9,5	14,4	15,3	16,1
	Total and missing	541	567	461	469	479	408	614	601	577	583	544	541
		0	5	3	2	1	6	8	11	9	9	4	18
50-64	- 18.49	,4	,0	,2	,6	,0	,6	,6	,9	,7	1,0	1,5	1,1
	18.5 - 24.99	30,1	32,7	27,9	35,8	35,1	32,7	44,2	47,2	41,6	41,7	42,2	42,4
	25 - 29.99	53,2	48,8	52,9	44,6	46,7	46,0	40,1	35,5	36,0	36,4	37,2	33,5
	30 -	16,3	18,4	19,0	19,0	18,2	20,7	15,2	16,4	21,6	20,9	19,1	23,0
	Total and missing	541	477	520	525	533	535	514	578	541	593	611	651
		3	7	5	6	16	17	6	14	6	7	5	20

a. Country of study = Finland

Table 176. Body Mass Index by age group, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	- 18.49	,8	2,1	2,1	1,3	1,4	1,0	7,4	9,3	7,4	9,9	8,0	8,7
	18.5 - 24.99	73,8	71,8	69,5	68,8	63,8	60,0	67,4	72,4	73,5	70,4	70,5	70,5
	25 - 29.99	21,4	23,6	22,9	25,0	30,5	27,2	18,3	14,1	14,6	12,0	16,0	17,4
	30 -	3,9	2,4	5,5	4,9	4,3	11,8	6,9	4,2	4,5	7,7	5,5	3,3
	Total and missing	359	330	292	224	210	195	393	377	336	274	237	241
		4	6	5	3	2	0	7	6	7	11	8	2
35-49	- 18.49	1,7	,3	,4	,9	,5	,0	1,6	1,4	1,9	2,9	1,6	1,8
	18.5 - 24.99	51,5	48,0	48,1	45,8	45,5	44,4	47,0	51,7	54,7	49,5	49,6	47,6
	25 - 29.99	35,9	41,6	39,5	33,6	35,1	40,4	30,9	32,0	28,9	27,3	31,4	29,5
	30 -	10,8	10,1	12,0	19,6	19,0	15,2	20,5	14,9	14,6	20,3	17,4	21,1
	Total and missing	295	327	266	214	211	171	385	416	322	315	258	275
		6	7	9	3	5	3	11	9	4	7	11	3
50-64	- 18.49	1,2	,4	,5	,0	,6	,0	2,0	,3	,6	,6	,7	,7
	18.5 - 24.99	39,3	41,9	44,4	39,2	40,9	26,0	27,4	25,1	27,0	25,9	24,3	24,7
	25 - 29.99	40,9	41,9	38,9	43,7	40,9	47,4	36,3	46,4	38,2	38,0	40,3	36,4
	30 -	18,7	15,7	16,2	17,1	17,7	26,5	34,3	28,2	34,2	35,4	34,7	38,1
	Total and missing	257	248	198	199	181	196	350	394	330	316	288	291
		7	4	5	4	5	1	13	16	14	9	8	6

a. Country of study = Latvia

Table 177. Body Mass Index by age group, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	- 18.49	1,7	1,2	,8	2,2	2,4	,9	6,6	7,3	9,1	7,9	7,5	9,8
	18.5 - 24.99	69,1	63,3	60,4	62,6	59,1	56,1	71,1	74,2	75,1	71,0	70,4	72,6
	25 - 29.99	25,4	30,3	32,0	28,6	28,8	36,4	16,6	12,8	11,9	15,2	15,6	14,4
	30 -	3,8	5,2	6,8	6,6	9,6	6,5	5,7	5,7	4,0	5,8	6,5	3,2
	Total and missing	291	346	250	227	208	214	350	384	329	328	321	285
		4	3	1	5	6	3	1	3	4	3	2	5
35-49	- 18.49	,3	,5	,3	,7	,7	,0	1,3	1,1	2,5	1,3	,9	1,9
	18.5 - 24.99	47,2	43,4	38,9	39,5	37,9	34,1	49,2	49,7	53,4	51,3	52,3	53,5
	25 - 29.99	44,1	43,9	44,9	46,2	37,9	47,8	32,6	31,6	29,9	32,3	28,4	28,5
	30 -	8,3	12,2	16,0	13,7	23,6	18,1	16,8	17,7	14,2	15,1	18,4	16,0
	Total and missing	290	378	332	299	280	293	386	453	438	372	342	368
		5	0	5	6	6	1	2	6	7	9	6	5
50-64	- 18.49	,9	,0	,8	2,2	,9	,5	,0	1,4	1,2	,3	,6	,0
	18.5 - 24.99	40,5	39,2	26,9	37,2	32,3	25,1	28,4	28,0	26,0	30,4	23,6	30,7
	25 - 29.99	37,9	43,8	45,9	38,5	39,6	48,3	39,9	38,4	39,1	40,5	44,0	33,0
	30 -	20,7	16,9	26,4	22,1	27,2	26,1	31,7	32,1	33,7	28,8	31,9	36,3
	Total and missing	227	260	242	231	217	211	306	346	258	309	339	336
		3	4	5	7	6	4	5	7	9	9	6	6

a. Country of study = Lithuania

BMI by education

Table 178. Body Mass Index by education, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	- 18.49	1,6	,3	,6	1,2	,5	,7	3,8	3,9	3,8	3,5	3,4	3,7
	18.5 - 24.99	52,0	55,1	50,6	50,8	44,2	41,4	50,9	49,7	48,8	51,0	47,5	44,4
	25 - 29.99	33,2	31,9	34,5	32,9	38,4	39,4	25,8	27,4	29,3	27,6	29,2	29,5
	30 -	13,3	12,7	14,4	15,1	16,9	18,5	19,5	19,0	18,1	17,9	20,0	22,5
	Total and missing	383	332	354	987	615	719	446	441	443	1217	832	764
		7	6	3	18	15	16	2	8	4	14	16	15
High	- 18.49	,0	1,4	1,8	,6	,3	,5	3,4	2,3	5,9	4,9	4,3	4,4
	18.5 - 24.99	55,6	46,6	50,0	46,9	45,2	41,6	65,1	59,2	59,8	59,8	59,6	56,5
	25 - 29.99	33,9	39,0	37,5	38,9	42,0	40,8	22,6	26,0	23,6	27,0	23,0	23,7
	30 -	10,5	13,0	10,7	13,7	12,5	17,0	8,9	12,5	10,6	8,3	13,1	15,4
	Total and missing	124	146	112	175	352	370	235	265	254	348	656	751
		0	0	0	0	2	2	4	4	2	5	5	10

a. Country of study = Estonia

Table 179. Body Mass Index by education, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	- 18.49	,6	,3	,6	,5	1,1	,8	2,6	2,1	1,8	1,1	2,4	1,8
	18.5 - 24.99	40,9	42,3	38,9	41,9	36,5	35,0	53,6	52,9	51,9	50,4	44,2	46,8
	25 - 29.99	46,6	43,4	46,1	41,5	45,0	43,6	32,0	31,0	29,8	29,8	34,4	31,6
	30 -	11,9	14,0	14,4	16,2	17,5	20,7	11,8	14,0	16,5	18,7	19,0	19,9
	Total and missing	1059	934	853	853	834	721	973	907	832	828	749	735
		3	14	8	9	14	23	10	20	17	11	8	24
High	- 18.49	1,1	,4	1,1	,8	,0	,6	4,4	2,4	2,9	3,0	3,3	1,8
	18.5 - 24.99	48,9	48,6	45,0	41,3	46,5	47,0	70,4	66,2	63,5	63,5	60,8	56,7
	25 - 29.99	41,7	41,5	43,9	45,1	40,9	42,0	19,1	22,1	25,4	21,9	24,3	26,7
	30 -	8,3	9,5	10,1	12,8	12,6	10,4	6,0	9,3	8,1	11,6	11,6	14,8
	Total and missing	460	465	467	492	477	502	632	795	716	803	853	873
		1	1	5	3	4	10	5	5	3	12	5	24

a. Country of study = Finland

Table 180. Body Mass Index by education, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	- 18.49	1,5	1,4	,6	1,2	,8	,5	3,6	3,2	3,0	3,1	2,9	2,2
	18.5 - 24.99	57,4	56,9	57,4	51,3	54,2	44,2	45,5	47,5	47,9	39,9	43,0	37,6
	25 - 29.99	31,4	32,7	31,6	34,9	31,1	37,2	28,9	31,7	26,3	30,7	32,0	32,0
	30 -	9,7	9,0	10,3	12,7	13,9	18,1	21,9	17,7	22,8	26,3	22,2	28,2
	Total and missing	733	578	493	347	389	371	852	628	495	414	419	415
		13	13	15	6	7	3	26	13	22	15	20	3
High	- 18.49	,0	,3	2,0	,4	1,0	,0	3,8	3,6	3,8	5,1	3,2	4,5
	18.5 - 24.99	52,7	51,8	51,4	51,7	43,4	42,2	56,8	52,4	55,3	54,0	52,3	55,8
	25 - 29.99	33,7	39,8	36,0	34,1	43,4	39,4	25,6	30,3	28,1	22,3	26,7	24,7
	30 -	13,6	8,0	10,5	13,8	12,1	18,3	13,9	13,7	12,8	18,5	17,7	15,0
	Total and missing	169	299	247	261	198	180	266	525	470	470	344	380
		3	2	3	4	5	0	5	13	3	11	7	8

a. Country of study = Latvia

Table 181. Body Mass Index by education, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	- 18.49	1,2	,7	,4	1,6	1,1	,8	1,9	3,4	4,4	1,9	1,8	2,9
	18.5 - 24.99	53,6	50,2	43,8	48,2	41,8	39,1	46,5	47,9	46,6	47,4	42,3	40,1
	25 - 29.99	35,5	38,4	37,9	37,2	36,5	41,9	31,1	28,4	30,7	30,1	31,3	29,7
	30 -	9,7	10,7	17,9	13,0	20,6	18,2	20,5	20,3	18,4	20,6	24,6	27,3
	Total and missing	575	721	486	492	452	396	621	729	522	538	508	384
		8	5	5	13	10	8	7	13	14	14	9	8
High	- 18.49	,5	,4	,9	1,6	1,3	,0	3,8	2,8	4,0	4,9	4,3	3,9
	18.5 - 24.99	51,0	45,3	38,3	41,1	42,9	37,1	57,7	57,1	61,1	56,4	54,8	58,8
	25 - 29.99	36,7	43,6	46,9	41,1	35,2	47,9	25,7	26,0	22,1	27,7	27,8	23,3
	30 -	11,9	10,7	13,9	16,3	20,6	14,9	12,8	14,1	12,8	11,1	13,1	14,0
	Total and missing	210	234	324	246	233	315	397	434	494	452	467	587
		3	1	5	5	8	0	1	2	6	5	5	8

a. Country of study = Lithuania

BMI by place of residence

Table 182. Body Mass Index by place of residence, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	- 18.49	,7	1,4	,8	2,1	,4	1,1	1,9	3,3	6,0	4,3	3,3	5,9
	18.5 - 24.99	55,8	50,7	46,8	50,7	47,6	43,9	57,3	57,9	62,7	53,8	55,8	50,3
	25 - 29.99	32,0	35,4	36,3	31,9	39,0	40,4	26,2	23,4	20,9	26,5	24,1	24,5
	30 -	11,6	12,5	16,1	15,2	13,0	14,7	14,6	15,4	10,4	15,3	16,8	19,2
	Total and missing	147	144	124	282	231	285	206	214	201	437	423	489
		1	3	0	2	6	5	3	3	2	6	6	9
Other	- 18.49	1,1	,3	,8	,8	,5	,5	4,4	3,2	4,5	3,7	4,0	3,3
	18.5 - 24.99	52,5	53,7	51,3	49,9	43,8	40,2	55,3	51,5	48,2	52,4	51,2	50,1
	25 - 29.99	33,2	33,1	35,5	34,7	39,6	40,5	24,3	28,3	29,8	27,9	27,9	27,5
	30 -	13,2	12,9	12,4	14,7	16,1	18,8	16,0	17,0	17,4	16,0	16,9	19,0
	Total and missing	364	341	355	886	760	856	474	505	506	1139	1127	1083
		8	5	4	16	12	14	3	9	5	13	20	17

a. Country of study = Estonia

Table 183. Body Mass Index by place of residence, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	- 18.49	,8	,6	,9	,3	,3	,3	3,1	3,5	2,6	2,5	4,0	2,3
	18.5 - 24.99	52,0	48,1	43,6	43,1	43,8	43,2	65,0	64,1	63,4	61,8	56,5	55,1
	25 - 29.99	38,6	41,3	44,5	41,4	41,7	44,4	23,2	25,1	24,2	21,7	27,4	28,6
	30 -	8,6	10,0	10,9	15,1	14,2	12,0	8,7	7,3	9,9	14,0	12,1	14,0
	Total and missing	396	341	321	350	331	333	414	451	426	437	478	437
		1	2	2	3	4	8	2	3	2	5	2	12
Other	- 18.49	,7	,3	,7	,7	,8	1,0	3,4	1,7	2,2	1,8	2,4	1,9
	18.5 - 24.99	40,2	43,0	40,4	41,2	39,1	38,6	58,5	57,2	54,7	54,8	51,8	50,8
	25 - 29.99	47,5	43,5	45,5	43,0	44,0	42,4	28,2	27,8	29,0	27,7	29,6	29,1
	30 -	11,7	13,2	13,4	15,1	16,2	18,0	10,0	13,2	14,0	15,6	16,2	18,1
	Total and missing	1150	1083	1031	1020	996	909	1218	1270	1157	1211	1142	1208
		4	14	11	9	15	25	13	24	18	22	12	37

a. Country of study = Finland

Table 184. Body Mass Index by place of residence, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	- 18.49	1,5	,8	1,4	1,1	,6	1,2	4,1	4,8	2,3	5,8	3,8	4,8
	18.5 - 24.99	51,7	55,9	50,2	48,6	54,8	48,5	49,4	52,1	55,7	51,0	41,4	51,2
	25 - 29.99	35,2	35,1	37,8	35,0	33,7	33,9	30,2	31,4	27,5	25,3	32,6	27,0
	30 -	11,5	8,2	10,5	15,3	10,8	16,4	16,3	11,7	14,4	17,8	22,2	16,9
	Total and missing	261	245	209	183	166	165	344	376	305	292	239	248
		8	2	4	3	7	0	4	11	9	8	5	5
Other	- 18.49	1,1	1,1	,9	,7	,9	,0	3,6	3,0	3,8	3,4	2,9	2,9
	18.5 - 24.99	58,9	54,7	57,4	53,1	48,9	41,3	47,4	48,2	50,1	46,0	48,9	44,0
	25 - 29.99	30,2	35,2	31,1	33,3	35,8	40,1	27,3	30,9	26,9	26,9	28,9	29,0
	30 -	9,8	9,1	10,6	13,0	14,4	18,6	21,7	17,9	19,2	23,7	19,3	24,2
	Total and missing	650	660	547	454	436	397	784	811	683	613	544	559
		9	15	15	7	5	4	27	20	16	19	22	6

a. Country of study = Latvia

Table 185. Body Mass Index by place of residence, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	- 18.49	,6	,5	,2	2,2	1,3	,0	3,0	3,8	4,0	4,8	3,8	3,8
	18.5 - 24.99	54,6	50,6	42,0	44,7	43,9	38,2	53,2	57,1	56,3	55,8	50,6	53,0
	25 - 29.99	35,5	37,5	43,6	41,1	36,1	46,5	28,7	25,8	26,0	25,8	29,8	27,9
	30 -	9,3	11,3	14,2	12,0	18,7	15,3	15,0	13,4	13,8	13,6	15,8	15,3
	Total and missing	335	397	436	275	310	327	494	524	574	419	443	502
		6	2	7	5	11	2	2	9	13	8	3	5
Other	- 18.49	1,3	,7	1,0	1,2	1,3	,8	2,4	2,7	4,7	2,0	2,2	3,3
	18.5 - 24.99	52,2	48,4	41,8	46,3	41,4	37,9	48,0	46,7	49,9	48,1	46,6	49,3
	25 - 29.99	35,7	40,2	38,7	37,1	35,3	42,8	29,9	28,8	27,1	31,7	29,4	24,1
	30 -	10,8	10,7	18,6	15,4	22,1	18,5	19,7	21,7	18,4	18,1	21,9	23,3
	Total and missing	473	587	388	482	394	390	548	659	451	590	558	485
		6	5	4	13	7	6	6	7	7	13	11	11

a. Country of study = Lithuania

Traffic safety

Use of reflector

Table 186. Use of reflector by study year, gender and country (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Estonia	Almost always	13,2	15,3	20,0	21,8	31,2	33,3	15,0	19,8	36,2	32,0	46,5	50,6
	Sometimes	13,6	18,8	23,8	20,8	21,0	19,9	12,8	17,5	23,4	20,9	20,0	19,6
	Never	49,6	45,0	31,8	32,4	24,1	19,0	40,9	36,8	21,2	25,5	16,5	11,7
	I never walk on unlit streets when it is dark	23,5	20,9	24,4	25,0	23,7	27,8	31,2	25,9	19,2	21,6	17,0	18,1
	Total and missing	514	489	475	1167	995	1149	679	726	713	1572	1560	1585
		14	6	9	19	14	11	16	9	6	23	16	13
Finland	Almost always	29,6	29,3	29,2	29,3	37,6	40,5	46,0	49,6	51,1	48,2	53,5	57,5
	Sometimes	37,1	36,2	36,0	37,8	38,5	37,9	32,3	29,9	29,5	34,7	33,6	29,7
	Never	23,3	23,0	25,2	28,3	19,9	18,3	10,5	10,6	10,5	13,0	9,0	9,8
	I never walk on unlit streets when it is dark	10,0	11,5	9,6	4,7	4,1	3,3	11,2	10,0	8,8	4,1	3,9	3,0
	Total and missing	1538	1430	1354	1352	1333	1255	1631	1738	1594	1651	1621	1686
		13	10	11	30	13	20	16	10	9	24	13	8
Latvia	Almost always	2,5	3,5	3,2	4,1	14,6	25,3	3,3	2,4	3,1	3,2	19,8	46,8
	Sometimes	6,4	7,5	10,8	12,4	16,8	20,1	6,4	5,6	8,2	7,6	15,5	18,3
	Never	70,4	70,6	66,5	58,8	39,9	25,7	59,5	66,0	64,7	61,4	38,9	16,3
	I never walk on unlit streets when it is dark	20,7	18,3	19,5	24,7	28,7	28,9	30,7	26,0	24,0	27,8	25,8	18,7
	Total and missing	918	916	770	636	602	557	1137	1207	996	920	799	804
		10	6	5	11	12	9	22	11	17	12	11	14
Lithuania	Almost always	3,2	3,7	3,2	5,8	3,8	5,2	1,2	2,3	2,3	2,3	1,8	4,4
	Sometimes	6,3	7,2	6,9	8,9	7,1	12,3	4,9	3,1	4,0	6,3	5,3	6,2
	Never	70,2	65,0	63,9	56,7	55,9	40,8	62,3	59,2	61,2	53,4	54,8	38,9
	I never walk on unlit streets when it is dark	20,2	24,2	25,9	28,6	33,2	41,7	31,7	35,3	32,5	38,0	38,1	50,5
	Total and missing	810	973	821	753	705	715	1029	1180	1031	1000	1000	989
		10	18	14	22	18	11	21	19	14	30	16	16

Use of reflector by age group

Table 187. Use of reflector by age group, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Almost always	9,7	16,1	16,7	20,0	25,8	26,7	17,2	24,9	39,4	33,6	46,1	47,6
	Sometimes	18,3	23,6	30,9	26,5	29,3	27,8	17,2	20,9	33,0	28,1	24,4	27,1
	Never	58,3	49,1	34,0	38,3	28,4	25,7	38,8	37,8	17,2	24,8	17,4	12,8
	I never walk on unlit streets when it is dark	13,7	11,2	18,5	15,3	16,5	19,8	26,8	16,4	10,4	13,4	12,1	12,5
	Total and missing	175	161	162	431	345	374	209	225	221	491	495	538
		4	2	1	5	1	5	4	1	1	1	6	3
35-49	Almost always	16,9	13,4	23,5	21,6	31,5	34,1	15,8	17,4	36,9	30,0	46,8	53,9
	Sometimes	11,8	17,4	25,3	20,6	18,5	17,5	11,6	18,2	21,0	21,0	21,2	17,8
	Never	46,7	48,8	28,4	29,3	22,6	18,8	44,4	41,9	24,2	26,9	15,8	8,1
	I never walk on unlit streets when it is dark	24,6	20,3	22,8	28,5	27,4	29,6	28,2	22,5	17,9	22,1	16,2	20,2
	Total and missing	195	172	162	389	314	405	259	253	252	524	524	516
		7	1	6	6	6	3	5	3	1	5	3	3
50-64	Almost always	12,5	16,7	19,9	24,2	36,3	39,2	11,8	17,7	32,5	32,5	46,8	50,5
	Sometimes	10,4	15,4	14,6	14,1	14,9	14,6	10,0	13,7	17,1	14,4	14,8	13,6
	Never	43,1	36,5	33,1	28,5	21,1	12,4	38,9	30,6	21,7	24,8	16,3	14,1
	I never walk on unlit streets when it is dark	34,0	31,4	32,5	33,1	27,7	33,8	39,3	37,9	28,8	28,4	22,2	21,8
	Total and missing	144	156	151	347	336	370	211	248	240	557	541	531
		3	3	2	8	7	3	7	5	4	17	7	7

a. Country of study = Estonia

Table 188. Use of reflector by age group, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Almost always	20,3	19,6	21,0	16,9	20,9	20,4	41,2	46,2	46,6	36,4	43,8	47,9
	Sometimes	41,3	36,6	37,2	36,7	45,9	44,1	38,2	35,9	35,0	43,5	40,8	37,1
	Never	29,8	36,8	35,6	43,2	31,0	32,6	13,1	12,4	11,8	18,7	13,5	14,3
	I never walk on unlit streets when it is dark	8,6	7,0	6,1	3,2	2,2	3,0	7,4	5,5	6,7	1,5	1,9	,6
	Total and missing	463	383	376	373	316	304	502	541	466	481	468	463
		3	1	0	7	1	5	3	3	4	2	2	1
35-49	Almost always	33,6	30,3	32,7	31,7	39,4	42,7	49,3	53,1	57,2	55,1	59,8	62,1
	Sometimes	35,4	37,0	34,9	40,6	38,2	38,8	29,5	28,4	28,1	31,2	30,5	28,6
	Never	21,0	21,7	24,4	24,6	18,4	16,6	10,2	10,1	9,6	11,0	7,3	7,9
	I never walk on unlit streets when it is dark	10,0	11,1	8,1	3,0	4,0	2,0	11,0	8,3	5,1	2,7	2,4	1,4
	Total and missing	539	568	459	463	477	410	617	612	584	584	545	556
		2	4	5	8	3	4	5	0	2	8	3	3
50-64	Almost always	33,8	35,9	32,2	36,0	45,7	50,1	46,7	49,1	48,5	51,0	55,4	60,4
	Sometimes	35,1	35,1	36,0	36,0	34,4	33,8	29,9	25,8	26,5	31,1	30,8	25,3
	Never	20,0	13,6	18,3	20,7	14,6	11,6	8,2	9,4	10,3	10,2	7,1	8,2
	I never walk on unlit streets when it is dark	11,2	15,4	13,5	7,2	5,2	4,4	15,2	15,7	14,7	7,7	6,7	6,0
	Total and missing	536	479	519	516	540	541	512	585	544	586	608	667
		8	5	6	15	9	11	8	7	3	14	8	4

a. Country of study = Finland

Table 189. Use of reflector by age group, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Almost always	1,1	4,8	3,0	4,0	12,9	21,8	3,3	2,6	2,1	2,8	17,7	44,6
	Sometimes	8,0	8,1	11,8	16,4	22,9	25,4	8,6	5,2	11,5	8,2	23,9	20,7
	Never	76,0	70,1	71,6	65,0	42,9	32,1	66,5	69,1	68,8	64,9	37,9	18,6
	I never walk on unlit streets when it is dark	14,9	17,0	13,5	14,6	21,4	20,7	21,7	23,0	17,6	24,1	20,6	16,1
	Total and missing	362	335	296	226	210	193	397	382	340	282	243	242
		1	1	1	1	2	2	3	1	3	3	2	1
35-49	Almost always	3,4	2,1	4,8	3,7	14,6	25,3	2,8	2,4	2,8	2,8	21,8	45,6
	Sometimes	4,7	7,9	9,9	9,8	15,5	20,0	6,2	5,7	8,4	9,1	14,3	19,7
	Never	73,1	72,0	64,1	60,9	41,8	23,5	64,0	70,3	67,8	66,7	37,2	14,6
	I never walk on unlit streets when it is dark	18,9	17,9	21,2	25,6	28,2	31,2	27,0	21,7	21,1	21,4	26,7	20,1
	Total and missing	297	329	273	215	213	170	389	424	323	318	266	274
		4	5	2	2	3	4	7	1	3	4	3	4
50-64	Almost always	3,5	3,6	1,5	4,6	16,8	28,9	4,0	2,2	4,5	3,8	19,7	49,7
	Sometimes	6,2	6,3	10,4	10,8	11,2	14,9	4,3	5,7	4,8	5,6	9,7	14,9
	Never	59,5	69,4	62,2	49,2	34,1	21,1	46,7	58,6	57,4	53,1	41,4	16,0
	I never walk on unlit streets when it is dark	30,9	20,6	25,9	35,4	38,0	35,1	45,0	33,4	33,3	37,5	29,3	19,4
	Total and missing	259	252	201	195	179	194	351	401	333	320	290	288
		5	0	2	8	7	3	12	9	11	5	6	9

a. Country of study = Latvia

Table 190. Use of reflector by age group, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Almost always	3,7	2,3	2,8	5,7	3,4	4,2	,9	,5	1,8	3,1	1,9	5,6
	Sometimes	5,8	6,9	7,7	7,0	8,2	12,0	4,9	4,1	4,0	8,4	9,3	9,8
	Never	74,1	72,1	61,9	64,0	64,4	46,3	66,9	63,5	61,6	52,3	52,0	41,1
	I never walk on unlit streets when it is dark	16,3	18,7	27,5	23,2	24,0	37,5	27,4	31,9	32,6	36,2	36,8	43,6
	Total and missing	294	348	247	228	208	216	350	386	328	323	321	287
		1	1	4	4	6	1	1	1	5	8	2	3
35-49	Almost always	2,4	4,0	3,9	5,7	4,3	5,1	1,6	2,4	2,5	1,3	1,2	4,4
	Sometimes	8,9	8,8	8,4	10,8	7,9	11,3	6,8	2,4	5,6	6,5	4,7	5,5
	Never	69,5	63,5	62,9	57,6	50,0	36,0	63,2	61,6	61,6	55,1	56,6	35,6
	I never walk on unlit streets when it is dark	19,2	23,6	24,9	25,9	37,9	47,6	28,5	33,6	30,2	37,1	37,6	54,5
	Total and missing	292	373	334	297	280	292	383	453	443	372	343	365
		3	5	3	8	6	2	5	6	2	9	5	8
50-64	Almost always	3,6	5,2	2,5	6,1	3,7	6,3	1,0	4,1	2,7	2,6	2,4	3,6
	Sometimes	3,6	5,2	4,2	8,3	5,1	14,0	2,4	2,9	1,2	3,9	2,1	3,9
	Never	66,1	57,1	67,5	48,2	55,3	42,0	55,7	51,3	60,0	52,5	55,7	40,7
	I never walk on unlit streets when it is dark	26,8	32,5	25,8	37,3	35,9	37,7	40,9	41,6	36,2	41,0	39,9	51,9
	Total and missing	224	252	240	228	217	207	296	341	260	305	336	337
		6	12	7	10	6	8	15	12	7	13	9	5

a. Country of study = Lithuania

Use of reflector by education

Table 191. Use of reflector by education, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Almost always	14,5	15,9	21,7	22,7	32,4	34,7	13,9	20,0	36,6	32,5	48,8	52,5
	Sometimes	13,2	18,9	22,8	21,2	21,5	19,1	11,9	16,7	22,3	20,4	18,1	17,9
	Never	48,9	45,2	29,3	31,1	22,8	19,2	39,5	35,4	22,6	25,6	16,7	11,5
	I never walk on unlit streets when it is dark	23,4	20,1	26,2	25,1	23,3	27,0	34,7	27,9	18,5	21,5	16,4	18,0
	Total and missing	380	334	351	988	618	729	438	444	443	1212	840	771
		10	4	6	17	12	6	10	5	4	19	8	8
High	Almost always	10,7	13,8	13,8	16,2	29,5	31,3	16,7	18,7	36,5	30,0	45,0	49,1
	Sometimes	14,8	17,2	29,4	17,9	19,5	21,7	13,7	18,7	25,5	22,6	22,0	21,4
	Never	50,8	46,9	37,6	41,0	25,8	18,8	44,2	39,9	18,8	26,0	15,4	11,2
	I never walk on unlit streets when it is dark	23,8	22,1	19,3	24,9	25,2	28,3	25,3	22,8	19,2	21,4	17,6	18,2
	Total and missing	122	145	109	173	353	368	233	268	255	350	655	757
		2	1	3	2	1	4	6	1	1	3	6	4

a. Country of study = Estonia

Table 192. Use of reflector by education, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Almost always	30,4	30,7	30,7	29,4	39,0	42,1	47,3	50,5	52,8	49,3	55,5	57,1
	Sometimes	36,9	35,3	35,4	36,4	36,4	36,3	31,0	28,7	26,5	31,2	31,0	28,1
	Never	22,9	22,0	23,2	28,5	19,9	17,3	9,3	9,6	10,8	13,2	8,1	9,1
	I never walk on unlit streets when it is dark	9,8	11,9	10,7	5,7	4,8	4,4	12,5	11,3	10,0	6,3	5,3	5,7
	Total and missing	1052	940	853	840	841	730	971	921	843	821	749	757
		10	8	8	22	7	14	12	6	6	18	8	2
High	Almost always	27,5	26,5	27,0	27,7	36,1	38,1	43,8	48,5	49,6	46,5	51,9	57,3
	Sometimes	37,9	38,1	36,2	41,2	41,6	40,9	35,2	31,2	33,1	38,6	36,0	31,4
	Never	24,0	25,6	28,7	28,1	19,7	19,6	12,0	11,9	10,1	13,0	9,5	10,4
	I never walk on unlit streets when it is dark	10,7	9,9	8,1	3,1	2,5	1,4	9,0	8,4	7,3	2,0	2,6	,9
	Total and missing	459	465	470	488	476	506	633	796	716	809	853	893
		2	1	2	7	5	6	4	4	3	6	5	4

a. Country of study = Finland

Table 193. Use of reflector by education, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Almost always	2,6	3,6	4,0	5,2	16,7	27,7	4,4	2,5	3,8	3,5	18,6	47,7
	Sometimes	7,4	8,2	10,1	13,9	16,2	19,0	7,6	5,5	9,1	8,5	14,0	16,9
	Never	69,1	68,2	64,6	56,2	39,6	25,3	55,2	63,4	60,8	57,3	39,6	15,2
	I never walk on unlit streets when it is dark	20,9	20,1	21,4	24,6	27,5	28,0	32,8	28,6	26,3	30,7	27,7	20,3
	Total and missing	740	588	505	345	389	368	864	637	505	424	429	409
		6	3	3	8	7	6	14	4	12	5	10	9
High	Almost always	2,4	3,0	1,6	2,3	10,6	20,3	,0	1,9	2,4	2,7	20,9	46,1
	Sometimes	2,4	6,0	12,1	10,6	16,7	23,7	2,7	5,8	7,7	7,0	17,7	19,8
	Never	76,3	76,3	71,0	63,9	41,4	24,9	73,8	69,2	69,2	65,4	38,6	16,9
	I never walk on unlit streets when it is dark	18,9	14,7	15,3	23,2	31,3	31,1	23,6	23,1	20,7	24,9	22,9	17,2
	Total and missing	169	300	248	263	198	177	263	533	468	474	350	384
		3	1	2	2	5	3	8	5	5	7	1	4

a. Country of study = Latvia

Table 194. Use of reflector by education, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Almost always	3,3	3,9	3,5	6,9	4,0	5,8	,8	2,6	3,0	2,2	1,6	5,5
	Sometimes	6,3	7,3	7,2	9,8	7,8	13,1	5,2	3,6	4,2	7,3	4,3	6,2
	Never	70,7	65,1	63,3	55,0	57,2	40,9	61,0	57,8	58,6	51,7	54,2	38,4
	I never walk on unlit streets when it is dark	19,7	23,6	26,0	28,3	31,0	40,2	33,0	36,0	34,2	38,8	39,9	49,9
	Total and missing	574	711	485	491	451	396	613	730	527	534	506	385
		9	15	6	14	11	8	15	12	9	18	11	7
High	Almost always	2,8	2,6	2,2	3,7	3,4	4,5	1,3	1,4	1,6	2,5	1,9	3,4
	Sometimes	7,0	6,9	6,5	7,8	6,0	11,2	4,3	2,6	3,8	5,1	5,8	6,1
	Never	69,0	65,1	65,1	60,7	53,6	41,0	64,7	63,1	63,8	54,8	55,8	39,1
	I never walk on unlit streets when it is dark	21,1	25,4	26,2	27,9	37,0	43,3	29,7	32,9	30,7	37,6	36,5	51,4
	Total and missing	213	232	324	244	235	312	394	431	495	447	468	586
		0	3	5	7	6	3	4	5	5	10	4	9

a. Country of study = Lithuania

Use of reflector by place of residence

Table 195. Use of reflector by place of residence, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Almost always	6,2	6,9	14,9	9,5	19,7	18,9	7,4	9,4	17,9	16,6	27,2	30,5
	Sometimes	10,3	15,2	29,8	14,5	19,3	17,8	8,9	16,0	28,4	21,1	23,6	24,2
	Never	63,4	58,6	40,5	51,6	38,6	33,6	54,2	48,6	34,3	38,6	29,8	23,0
	I never walk on unlit streets when it is dark	20,0	19,3	14,9	24,4	22,3	29,7	29,6	25,9	19,4	23,7	19,4	22,4
	Total and missing	145	145	121	283	233	286	203	212	201	435	423	492
		3	2	3	1	4	4	6	5	2	8	6	6
Other	Almost always	16,3	19,0	21,8	25,7	34,6	38,1	18,4	24,1	43,4	37,9	53,7	59,7
	Sometimes	14,4	20,5	21,5	22,9	21,5	20,6	14,6	17,6	21,5	20,8	18,6	17,5
	Never	44,0	39,2	28,9	26,2	19,7	14,1	35,5	32,2	16,2	20,5	11,5	6,7
	I never walk on unlit streets when it is dark	25,2	21,3	27,8	25,2	24,1	27,1	31,5	26,1	18,9	20,8	16,1	16,2
	Total and missing	361	342	353	884	762	863	467	510	507	1137	1137	1093
		11	4	6	18	10	7	10	4	4	15	10	7

a. Country of study = Estonia

Table 196. Use of reflector by place of residence, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Almost always	21,9	19,5	18,8	19,9	24,2	31,5	35,2	36,5	34,0	36,1	45,3	44,6
	Sometimes	34,7	30,4	36,3	38,0	40,6	41,4	33,3	34,3	37,1	38,7	36,7	37,4
	Never	32,7	33,9	34,4	39,5	31,5	25,3	18,1	15,9	17,1	20,8	13,6	15,0
	I never walk on unlit streets when it is dark	10,7	16,2	10,6	2,6	3,6	1,8	13,4	13,3	11,7	4,4	4,4	2,9
	Total and missing	392	339	320	342	330	336	409	452	426	432	477	446
		5	4	3	11	5	5	7	2	2	10	3	3
Other	Almost always	32,3	32,4	32,5	32,5	42,0	43,7	49,6	54,2	57,4	52,5	57,0	62,2
	Sometimes	37,9	38,0	35,9	37,7	37,8	36,7	32,0	28,3	26,8	33,3	32,3	26,9
	Never	20,1	19,6	22,3	24,5	16,1	15,8	7,9	8,7	8,0	10,2	7,1	7,9
	I never walk on unlit streets when it is dark	9,8	10,0	9,3	5,3	4,2	3,8	10,5	8,8	7,8	4,0	3,7	3,1
	Total and missing	1146	1091	1034	1010	1003	919	1222	1286	1168	1219	1144	1240
		8	6	8	19	8	15	9	8	7	14	10	5

a. Country of study = Finland

Table 197. Use of reflector by place of residence, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Almost always	,7	3,3	2,8	2,2	6,5	13,6	1,8	3,4	3,9	2,7	7,0	31,5
	Sometimes	5,6	5,4	7,5	5,5	20,8	21,6	5,3	4,7	6,5	5,4	10,7	19,1
	Never	76,8	76,0	74,5	72,1	47,6	41,4	60,7	67,9	64,3	68,7	58,3	28,7
	I never walk on unlit streets when it is dark	16,9	15,3	15,1	20,2	25,0	23,5	32,3	24,0	25,3	23,2	24,0	20,7
	Total and missing	267	242	212	183	168	162	341	383	308	297	242	251
		2	5	1	3	5	3	7	4	6	3	2	2
Other	Almost always	3,2	3,6	3,4	4,9	17,7	30,1	4,0	1,9	2,8	3,4	25,3	53,7
	Sometimes	6,8	8,3	12,0	15,2	15,2	19,5	6,9	5,9	9,0	8,7	17,6	17,9
	Never	67,7	68,7	63,4	53,4	36,9	19,2	59,0	65,2	64,8	57,9	30,5	10,7
	I never walk on unlit streets when it is dark	22,3	19,4	21,1	26,5	30,2	31,1	30,0	26,9	23,4	30,0	26,6	17,7
	Total and missing	651	674	558	453	434	395	796	824	688	623	557	553
		8	1	4	8	7	6	15	7	11	9	9	12

a. Country of study = Latvia

Table 198. Use of reflector by place of residence, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Almost always	1,5	2,5	2,1	2,6	1,6	1,9	,6	1,3	1,6	1,2	1,4	1,6
	Sometimes	3,0	4,8	5,5	6,7	4,2	9,6	3,7	1,9	1,9	3,9	3,6	4,8
	Never	70,9	65,6	64,1	57,8	58,6	43,3	62,5	61,8	64,0	53,1	55,7	42,1
	I never walk on unlit streets when it is dark	24,6	27,1	28,3	33,0	35,6	45,2	33,2	34,9	32,6	41,8	39,3	51,5
	Total and missing	337	395	434	270	309	323	488	524	580	414	440	499
		4	4	9	10	12	6	8	9	7	13	6	8
Other	Almost always	4,4	4,5	4,4	7,7	5,6	7,9	1,7	3,0	3,3	3,1	2,1	7,4
	Sometimes	8,7	8,8	8,5	10,1	9,1	14,3	5,9	4,1	6,7	8,0	6,6	7,6
	Never	69,8	64,5	63,8	56,1	53,9	38,9	62,1	57,2	57,6	53,6	54,0	35,7
	I never walk on unlit streets when it is dark	17,1	22,1	23,3	26,1	31,4	38,9	30,3	35,7	32,4	35,3	37,2	49,4
	Total and missing	473	578	387	483	395	391	541	656	451	586	559	488
		6	14	5	12	6	5	13	10	7	17	10	8

a. Country of study = Lithuania

Use of seat belt in the front seat

Table 199. Use of seat belt in the front seat by study year, gender and country (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Estonia	Sometimes or never	14,3	19,2	17,3	10,1	8,5	3,2	11,2	9,7	8,3	4,2	3,3	,7
	Almost always	85,7	80,8	82,7	89,9	91,5	96,8	88,8	90,3	91,7	95,8	96,7	99,3
	Total and missing	483	453	446	1052	879	1078	607	637	651	1440	1468	1507
		45	42	38	134	130	82	88	98	68	155	108	91
Finland	Sometimes or never	7,8	8,3	8,1	8,0	7,1	6,3	1,8	2,2	1,5	1,9	1,5	2,1
	Almost always	92,2	91,7	91,9	92,0	92,9	93,7	98,2	97,8	98,5	98,1	98,5	97,9
	Total and missing	1545	1428	1350	1355	1333	1255	1631	1735	1584	1644	1618	1683
		6	12	15	27	13	20	16	13	19	31	16	11
Latvia	Sometimes or never	28,2	31,9	42,4	31,1	15,8	12,1	21,6	24,9	28,5	21,2	6,1	4,7
	Almost always	71,8	68,1	57,6	68,9	84,2	87,9	78,4	75,1	71,5	78,8	93,9	95,3
	Total and missing	861	853	720	602	581	544	991	1085	906	854	749	769
		67	69	55	45	33	22	168	133	107	78	61	49
Lithuania	Sometimes or never	19,9	22,8	17,9	25,5	26,1	12,9	17,8	18,7	17,4	18,5	21,1	6,7
	Almost always	80,1	77,2	82,1	74,5	73,9	87,1	82,2	81,3	82,6	81,5	78,9	93,3
	Total and missing	764	925	797	728	681	715	943	1105	990	962	963	979
		56	66	38	47	42	11	107	94	55	68	53	26

Use of seat belt in the front seat by age group

Table 200. Use of seat belt in the front seat by age group, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Sometimes or never	24,3	31,3	22,8	15,3	12,8	3,1	17,2	15,1	12,4	5,4	5,3	1,0
	Almost always	75,7	68,8	77,2	84,7	87,2	96,9	82,8	84,9	87,6	94,6	94,7	99,0
	Total and missing	169	160	158	378	298	356	198	212	210	461	471	522
		10	3	5	58	48	23	15	14	12	31	30	19
35-49	Sometimes or never	11,7	18,9	22,6	10,3	10,6	4,8	10,9	9,0	7,3	3,9	3,4	,8
	Almost always	88,3	81,1	77,4	89,7	89,4	95,2	89,1	91,0	92,7	96,1	96,6	99,2
	Total and missing	188	159	155	348	274	378	238	223	234	486	495	502
		14	14	13	47	46	30	26	33	19	43	32	17
50-64	Sometimes or never	4,8	5,2	4,5	3,7	2,6	1,5	4,7	5,0	5,3	3,2	1,2	,2
	Almost always	95,2	94,8	95,5	96,3	97,4	98,5	95,3	95,0	94,7	96,8	98,8	99,8
	Total and missing	126	134	133	326	307	344	171	202	207	493	502	483
		21	25	20	29	36	29	47	51	37	81	46	55

a. Country of study = Estonia

Table 201. Use of seat belt in the front seat by age group, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Sometimes or never	11,0	14,6	14,7	12,3	11,1	9,9	4,4	3,7	3,0	3,5	3,4	4,1
	Almost always	89,0	85,4	85,3	87,7	88,9	90,1	95,6	96,3	97,0	96,5	96,6	95,9
	Total and missing	465	384	373	374	316	304	503	543	466	480	468	463
		1	0	3	6	1	5	2	1	4	3	2	1
35-49	Sometimes or never	7,2	7,1	7,2	8,8	6,1	7,6	1,0	2,1	,9	1,0	1,5	1,3
	Almost always	92,8	92,9	92,8	91,2	93,9	92,4	99,0	97,9	99,1	99,0	98,5	98,7
	Total and missing	539	567	457	464	477	410	616	609	582	584	547	557
		2	5	7	7	3	4	6	3	4	8	1	2
50-64	Sometimes or never	5,7	4,6	4,2	4,1	5,7	3,3	,4	1,0	,9	1,4	,2	1,4
	Almost always	94,3	95,4	95,8	95,9	94,3	96,7	99,6	99,0	99,1	98,6	99,8	98,6
	Total and missing	541	477	520	517	540	541	512	583	536	580	603	663
		3	7	5	14	9	11	8	9	11	20	13	8

a. Country of study = Finland

Table 202. Use of seat belt in the front seat by age group, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Sometimes or never	36,6	48,0	56,8	42,7	21,4	14,7	29,3	37,7	40,5	27,9	8,5	5,5
	Almost always	63,4	52,0	43,2	57,3	78,6	85,3	70,7	62,3	59,5	72,1	91,5	94,5
	Total and missing	347	323	285	218	206	191	368	371	328	276	235	238
		16	13	12	9	6	4	32	12	15	9	10	5
35-49	Sometimes or never	27,0	25,9	38,6	34,3	17,3	13,3	19,9	18,6	24,9	22,3	5,5	4,9
	Almost always	73,0	74,1	61,4	65,7	82,7	86,7	80,1	81,4	75,1	77,7	94,5	95,1
	Total and missing	281	316	259	207	208	166	341	388	297	305	253	268
		20	18	16	10	8	8	55	37	29	17	16	10
50-64	Sometimes or never	17,2	16,4	24,4	13,0	7,2	8,6	13,5	17,8	18,1	13,2	4,6	3,8
	Almost always	82,8	83,6	75,6	87,0	92,8	91,4	86,5	82,2	81,9	86,8	95,4	96,2
	Total and missing	233	214	176	177	167	187	282	326	281	273	261	263
		31	38	27	26	19	10	81	84	63	52	35	34

a. Country of study = Latvia

Table 203. Use of seat belt in the front seat by age group, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Sometimes or never	28,1	34,5	29,5	36,3	37,7	18,0	22,6	22,2	25,7	23,8	25,9	8,0
	Almost always	71,9	65,5	70,5	63,7	62,3	82,0	77,4	77,8	74,3	76,2	74,1	92,0
	Total and missing	285	345	244	223	204	217	336	374	323	315	316	286
		10	4	7	9	10	0	15	13	10	16	7	4
35-49	Sometimes or never	17,8	18,1	16,5	24,1	23,0	12,8	14,3	17,4	14,9	14,7	23,5	6,5
	Almost always	82,2	81,9	83,5	75,9	77,0	87,2	85,7	82,6	85,1	85,3	76,5	93,5
	Total and missing	276	348	327	290	269	290	357	437	429	360	332	369
		19	30	10	15	17	4	31	22	16	21	16	4
50-64	Sometimes or never	11,3	12,5	7,5	16,3	18,8	7,7	16,4	16,3	10,5	17,4	13,7	5,9
	Almost always	88,7	87,5	92,5	83,7	81,3	92,3	83,6	83,7	89,5	82,6	86,3	94,1
	Total and missing	203	232	226	215	208	208	250	294	238	287	315	324
		27	32	21	23	15	7	61	59	29	31	30	18

a. Country of study = Lithuania

Use of seat belt in the front seat by education

Table 204. Use of seat belt in the front seat by education, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Sometimes or never	15,3	20,8	17,3	10,2	9,3	3,4	11,1	11,5	8,2	4,3	4,6	,8
	Almost always	84,7	79,2	82,7	89,8	90,7	96,6	88,9	88,5	91,8	95,7	95,4	99,2
	Total and missing	352	303	323	884	539	679	378	373	389	1097	784	718
		38	35	34	121	91	56	70	76	58	134	64	61
High	Sometimes or never	10,1	16,4	13,9	9,2	7,5	3,1	11,3	6,8	8,5	3,9	1,6	,5
	Almost always	89,9	83,6	86,1	90,8	92,5	96,9	88,7	93,2	91,5	96,1	98,4	99,5
	Total and missing	119	140	108	163	318	350	222	249	248	333	627	738
		5	6	4	12	36	22	17	20	8	20	34	23

a. Country of study = Estonia

Table 205. Use of seat belt in the front seat by education, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Sometimes or never	8,9	10,1	10,2	10,0	9,3	8,2	2,3	2,8	1,8	2,1	1,5	2,7
	Almost always	91,1	89,9	89,8	90,0	90,7	91,8	97,7	97,2	98,2	97,9	98,5	97,3
	Total and missing	1058	939	850	843	839	728	967	921	836	816	749	754
		4	9	11	19	9	16	16	6	13	23	8	5
High	Sometimes or never	5,4	4,3	4,5	4,7	2,9	3,5	1,3	1,6	1,1	1,7	1,5	1,6
	Almost always	94,6	95,7	95,5	95,3	97,1	96,5	98,7	98,4	98,9	98,3	98,5	98,4
	Total and missing	459	464	469	488	478	508	637	793	714	807	851	892
		2	2	3	7	3	4	0	7	5	8	7	5

a. Country of study = Finland

Table 206. Use of seat belt in the front seat by education, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Sometimes or never	28,9	31,9	43,9	31,4	14,9	11,2	20,3	26,3	33,6	20,7	7,8	5,2
	Almost always	71,1	68,1	56,1	68,6	85,1	88,8	79,7	73,7	66,4	79,3	92,2	94,8
	Total and missing	688	539	467	325	370	358	729	556	447	381	396	386
		58	52	41	28	26	16	149	85	70	48	43	32
High	Sometimes or never	25,9	31,7	40,9	30,2	16,8	14,9	24,6	23,3	23,5	20,8	4,2	4,0
	Almost always	74,1	68,3	59,1	69,8	83,2	85,1	75,4	76,7	76,5	79,2	95,8	96,0
	Total and missing	166	293	237	255	197	175	256	497	439	456	335	374
		6	8	13	10	6	5	15	41	34	25	16	14

a. Country of study = Latvia

Table 207. Use of seat belt in the front seat by education, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Sometimes or never	19,4	22,4	18,6	23,4	24,8	13,4	19,7	18,1	16,3	19,0	19,3	8,2
	Almost always	80,6	77,6	81,4	76,6	75,2	86,6	80,3	81,9	83,7	81,0	80,7	91,8
	Total and missing	537	674	462	466	431	395	544	664	491	504	476	376
		46	52	29	39	31	9	84	78	45	48	41	16
High	Sometimes or never	21,2	24,0	17,3	30,3	28,4	12,5	15,0	19,8	18,7	17,3	22,6	5,8
	Almost always	78,8	76,0	82,7	69,7	71,6	87,5	85,0	80,2	81,3	82,7	77,4	94,2
	Total and missing	208	229	324	244	232	313	381	425	491	440	460	587
		5	6	5	7	9	2	17	11	9	17	12	8

a. Country of study = Lithuania

Use of seat belt in the front seat by place of residence**Table 208. Use of seat belt in the front seat by place of residence, gender and study year in Estonia (%).**

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Sometimes or never	17,6	11,8	16,2	7,4	5,4	3,4	10,5	9,2	8,7	4,3	2,3	,6
	Almost always	82,4	88,2	83,8	92,6	94,6	96,6	89,5	90,8	91,3	95,7	97,7	99,4
	Total and missing	136	136	117	256	204	268	190	184	183	394	394	462
		12	11	7	28	33	22	19	33	20	49	35	36
Other	Sometimes or never	13,3	22,5	17,7	10,9	9,5	3,1	11,7	10,0	8,0	4,1	3,6	,7
	Almost always	86,7	77,5	82,3	89,1	90,5	96,9	88,3	90,0	92,0	95,9	96,4	99,3
	Total and missing	339	315	328	796	675	810	410	450	463	1046	1074	1045
		33	31	31	106	97	60	67	64	48	106	73	55

a. Country of study = Estonia

Table 209. Use of seat belt in the front seat by place of residence, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Sometimes or never	7,6	7,1	5,0	7,3	6,6	6,0	1,5	,9	1,4	2,6	1,3	1,8
	Almost always	92,4	92,9	95,0	92,7	93,4	94,0	98,5	99,1	98,6	97,4	98,7	98,2
	Total and missing	395	338	318	344	331	336	409	451	422	431	476	443
		2	5	5	9	4	5	7	3	6	11	4	6
Other	Sometimes or never	7,9	8,6	9,1	8,2	7,3	6,4	2,0	2,7	1,5	1,6	1,7	2,2
	Almost always	92,1	91,4	90,9	91,8	92,7	93,6	98,0	97,3	98,5	98,4	98,3	97,8
	Total and missing	1150	1090	1032	1011	1002	919	1222	1284	1162	1213	1142	1240
		4	7	10	18	9	15	9	10	13	20	12	5

a. Country of study = Finland

Table 210. Use of seat belt in the front seat by place of residence, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Sometimes or never	35,7	36,8	51,5	33,3	18,8	16,0	29,2	31,0	32,0	19,5	8,1	5,9
	Almost always	64,3	63,2	48,5	66,7	81,2	84,0	70,8	69,0	68,0	80,5	91,9	94,1
	Total and missing	249	231	200	171	165	162	298	335	275	266	221	238
		20	16	13	15	8	3	50	52	39	34	23	15
Other	Sometimes or never	25,2	30,1	38,8	30,2	14,7	10,5	18,3	22,1	26,9	21,9	5,3	4,1
	Almost always	74,8	69,9	61,2	69,8	85,3	89,5	81,7	77,9	73,1	78,1	94,7	95,9
	Total and missing	612	622	520	431	416	382	693	750	631	588	528	531
		47	53	42	30	25	19	118	81	68	44	38	34

a. Country of study = Latvia

Table 211. Use of seat belt in the front seat by place of residence, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Sometimes or never	21,8	20,8	20,6	25,5	27,0	12,1	17,6	19,2	18,8	17,1	16,7	4,3
	Almost always	78,2	79,2	79,4	74,5	73,0	87,9	82,4	80,8	81,2	82,9	83,3	95,7
	Total and missing	321	379	427	263	300	323	448	499	563	404	430	493
		20	20	16	17	21	6	48	34	24	23	16	14
Other	Sometimes or never	18,5	24,2	14,9	25,6	25,3	13,6	18,0	18,3	15,5	19,5	24,6	9,1
	Almost always	81,5	75,8	85,1	74,4	74,7	86,4	82,0	81,7	84,5	80,5	75,4	90,9
	Total and missing	443	546	370	465	380	391	495	606	427	558	532	484
		36	46	22	30	21	5	59	60	31	45	37	12

a. Country of study = Lithuania

Use of seat belt in the back seat

Table 212. Use of seat belt in the back seat by study year, gender and country (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Estonia	Sometimes or never or there is no belt in the back seat	87,4	84,3	79,6	77,4	78,3	49,6	86,1	79,8	76,1	72,7	71,1	42,3
	Almost always	12,6	15,8	20,4	22,6	21,7	50,4	13,9	20,2	23,9	27,3	28,9	57,7
	Total and missing	419	400	378	991	856	974	610	630	633	1428	1428	1467
		109	95	106	195	153	186	85	105	86	167	148	131
Finland	Sometimes or never or there is no belt in the back seat	27,0	29,7	26,1	23,0	22,8	19,0	18,1	15,8	13,3	12,0	11,3	9,4
	Almost always	73,0	70,3	73,9	77,0	77,2	81,0	81,9	84,2	86,7	88,0	88,7	90,6
	Total and missing	1472	1357	1288	1288	1270	1192	1615	1719	1577	1631	1598	1666
		79	83	77	94	76	83	32	29	26	44	36	28
Latvia	Sometimes or never or there is no belt in the back seat	94,0	94,3	94,4	93,9	81,7	70,3	94,5	92,4	94,0	93,0	70,7	65,6
	Almost always	6,0	5,7	5,6	6,1	18,3	29,7	5,5	7,6	6,0	7,0	29,3	34,4
	Total and missing	788	768	657	537	498	471	1009	1080	904	829	745	742
		140	154	118	110	116	95	150	138	109	103	65	76
Lithuania	Sometimes or never or there is no belt in the back seat	99,1	97,8	95,8	89,3	92,2	83,3	98,6	98,7	96,4	89,3	93,6	82,6
	Almost always	,9	2,2	4,2	10,7	7,8	16,7	1,4	1,3	3,6	10,7	6,4	17,4
	Total and missing	694	853	693	626	591	582	951	1090	949	910	919	903
		126	138	142	149	132	144	99	109	96	120	97	102

Use of seat belt in the back seat by age group

Table 213. Use of seat belt in the back seat by age group, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Sometimes or never or there is no belt in the back seat	94,9	91,9	87,0	85,4	83,7	53,8	90,5	88,5	83,0	79,1	75,5	45,0
	Almost always	5,1	8,1	13,0	14,6	16,3	46,2	9,5	11,5	17,0	20,9	24,5	55,0
	Total and missing	157	148	146	410	331	346	199	218	206	470	465	513
		22	15	17	26	15	33	14	8	16	22	36	28
35-49	Sometimes or never or there is no belt in the back seat	86,0	83,2	80,6	76,0	80,4	51,5	85,0	80,5	76,7	75,2	72,3	41,0
	Almost always	14,0	16,8	19,4	24,0	19,6	48,5	15,0	19,5	23,3	24,8	27,7	59,0
	Total and missing	150	143	124	308	260	340	240	215	219	475	488	473
		52	30	44	87	60	68	24	41	34	54	39	46
50-64	Sometimes or never or there is no belt in the back seat	78,6	75,2	68,5	67,0	69,4	42,4	82,5	69,5	68,8	64,0	65,7	40,7
	Almost always	21,4	24,8	31,5	33,0	30,6	57,6	17,5	30,5	31,3	36,0	34,3	59,3
	Total and missing	112	109	108	273	265	288	171	197	208	483	475	481
		35	50	45	82	78	85	47	56	36	91	73	57

a. Country of study = Estonia

Table 214. Use of seat belt in the back seat by age group, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Sometimes or never or there is no belt in the back seat	35,1	37,4	30,5	27,0	20,2	15,7	24,2	19,4	18,1	13,2	11,9	9,5
	Almost always	64,9	62,6	69,5	73,0	79,8	84,3	75,8	80,6	81,9	86,8	88,1	90,5
	Total and missing	456	374	370	366	312	299	501	542	464	477	462	463
		10	10	6	14	5	10	4	2	6	6	8	1
35-49	Sometimes or never or there is no belt in the back seat	24,8	27,7	24,1	26,5	24,6	23,4	15,6	12,7	10,5	12,0	11,6	10,5
	Almost always	75,2	72,3	75,9	73,5	75,4	76,6	84,4	87,3	89,5	88,0	88,4	89,5
	Total and missing	509	542	435	441	451	397	614	606	580	583	542	552
		32	30	29	30	29	17	8	6	6	9	6	7
50-64	Sometimes or never or there is no belt in the back seat	21,9	25,6	24,4	16,6	22,7	17,5	15,2	15,8	12,0	10,9	10,6	8,3
	Almost always	78,1	74,4	75,6	83,4	77,3	82,5	84,8	84,2	88,0	89,1	89,4	91,7
	Total and missing	507	441	483	481	507	496	500	571	533	571	594	651
		37	43	42	50	42	56	20	21	14	29	22	20

a. Country of study = Finland

Table 215. Use of seat belt in the back seat by age group, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Sometimes or never or there is no belt in the back seat	95,5	96,0	98,2	96,1	86,2	74,7	95,8	94,5	95,4	94,1	76,0	63,0
	Almost always	4,5	4,0	1,8	3,9	13,8	25,3	4,2	5,5	4,6	5,9	24,0	37,0
	Total and missing	331	297	272	206	189	170	381	362	328	271	233	230
		32	39	25	21	23	25	19	21	15	14	12	13
35-49	Sometimes or never or there is no belt in the back seat	95,1	95,3	93,8	95,6	86,5	71,3	96,1	92,4	96,9	94,8	70,4	69,6
	Almost always	4,9	4,7	6,3	4,4	13,5	28,7	3,9	7,6	3,1	5,2	29,6	30,4
	Total and missing	244	277	224	182	170	150	335	370	286	288	250	253
		57	57	51	35	46	24	61	55	40	34	19	25
50-64	Sometimes or never or there is no belt in the back seat	90,6	90,2	88,8	88,6	69,8	64,2	91,1	90,2	89,7	90,0	66,4	64,1
	Almost always	9,4	9,8	11,2	11,4	30,2	35,8	8,9	9,8	10,3	10,0	33,6	35,9
	Total and missing	213	194	161	149	139	151	293	348	290	270	262	259
		51	58	42	54	47	46	70	62	54	55	34	38

a. Country of study = Latvia

Table 216. Use of seat belt in the back seat by age group, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Sometimes or never or there is no belt in the back seat	99,2	97,8	97,8	95,1	96,9	90,3	99,4	99,2	97,7	92,8	94,3	87,1
	Almost always	,8	2,2	2,2	4,9	3,1	9,7	,6	,8	2,3	7,2	5,7	12,9
	Total and missing	263	319	229	206	191	195	335	357	309	307	300	271
		32	30	22	26	23	22	16	30	24	24	23	19
35-49	Sometimes or never or there is no belt in the back seat	99,6	98,4	96,3	88,6	91,2	83,0	98,6	98,8	97,5	88,6	94,8	82,7
	Almost always	,4	1,6	3,7	11,4	8,8	17,0	1,4	1,2	2,5	11,4	5,2	17,3
	Total and missing	250	315	269	236	227	223	353	429	404	325	306	330
		45	63	68	69	59	71	35	30	41	56	42	43
50-64	Sometimes or never or there is no belt in the back seat	98,3	96,8	92,8	83,7	88,4	75,6	97,7	98,0	92,8	86,3	91,7	78,5
	Almost always	1,7	3,2	7,2	16,3	11,6	24,4	2,3	2,0	7,2	13,7	8,3	21,5
	Total and missing	181	219	195	184	173	164	263	304	236	278	313	302
		49	45	52	54	50	51	48	49	31	40	32	40

a. Country of study = Lithuania

Use of seat belt in the back seat by education**Table 217. Use of seat belt in the back seat by education, gender and study year in Estonia (%).**

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Sometimes or never or there is no belt in the back seat	87,0	84,4	78,3	78,0	78,7	50,2	86,6	81,6	76,2	72,9	71,2	42,7
	Almost always	13,0	15,6	21,7	22,0	21,3	49,8	13,4	18,4	23,8	27,1	28,8	57,3
	Total and missing	307	276	272	841	525	606	387	376	378	1086	758	703
		83	62	85	164	105	129	61	73	69	145	90	76
High	Sometimes or never or there is no belt in the back seat	88,5	85,3	81,9	73,8	77,9	47,5	85,2	77,0	76,4	72,7	70,1	41,4
	Almost always	11,5	14,7	18,1	26,2	22,1	52,5	14,8	23,0	23,6	27,3	29,9	58,6
	Total and missing	104	116	94	145	307	324	216	239	242	333	609	711
		20	30	18	30	47	48	23	30	14	20	52	50

a. Country of study = Estonia

Table 218. Use of seat belt in the back seat by education, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Sometimes or never or there is no belt in the back seat	29,0	33,1	30,6	25,5	27,7	24,5	19,3	18,3	13,5	12,6	13,4	12,1
	Almost always	71,0	66,9	69,4	74,5	72,3	75,5	80,7	81,7	86,5	87,4	86,6	87,9
	Total and missing	1000	881	808	791	792	681	958	912	831	807	738	743
		62	67	53	71	56	63	25	15	18	32	19	16
High	Sometimes or never or there is no belt in the back seat	22,2	22,7	17,6	18,9	13,8	10,9	16,5	12,8	12,7	11,3	9,4	7,0
	Almost always	77,8	77,3	82,4	81,1	86,2	89,1	83,5	87,2	87,3	88,7	90,6	93,0
	Total and missing	446	454	450	476	463	494	631	786	711	804	842	889
		15	12	22	19	18	18	6	14	8	11	16	8

a. Country of study = Finland

Table 219. Use of seat belt in the back seat by education, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Sometimes or never or there is no belt in the back seat	94,0	94,5	94,4	94,3	82,0	69,2	94,3	92,1	93,8	93,2	70,5	67,2
	Almost always	6,0	5,5	5,6	5,7	18,0	30,8	5,7	7,9	6,2	6,8	29,5	32,8
	Total and missing	635	487	429	297	316	315	756	555	451	369	393	375
		111	104	79	56	80	59	122	86	66	60	46	43
High	Sometimes or never or there is no belt in the back seat	95,2	94,6	95,3	92,7	80,4	73,0	95,5	92,7	94,9	92,8	71,5	64,0
	Almost always	4,8	5,4	4,7	7,3	19,6	27,0	4,5	7,3	5,1	7,2	28,5	36,0
	Total and missing	145	259	213	220	168	148	246	492	433	444	333	358
		27	42	37	45	35	32	25	46	40	37	18	30

a. Country of study = Latvia

Table 220. Use of seat belt in the back seat by education, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Sometimes or never or there is no belt in the back seat	98,8	97,6	96,8	86,2	90,1	81,8	98,6	98,4	95,1	87,6	91,6	81,2
	Almost always	1,2	2,4	3,2	13,8	9,9	18,2	1,4	1,6	4,9	12,4	8,4	18,8
	Total and missing	493	627	405	399	372	314	561	668	473	485	463	345
		90	99	86	106	90	90	67	74	63	67	54	47
High	Sometimes or never or there is no belt in the back seat	100,0	98,5	95,0	94,8	96,1	85,2	98,9	99,3	97,9	91,2	96,3	84,3
	Almost always	,0	1,5	5,0	5,2	3,9	14,8	1,1	,7	2,1	8,8	3,7	15,7
	Total and missing	181	201	278	211	203	263	376	406	469	408	431	543
		32	34	51	40	38	52	22	30	31	49	41	52

a. Country of study = Lithuania

Use of seat belt in the back seat by place of residence

Table 221. Use of seat belt in the back seat by place of residence, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Sometimes or never or there is no belt in the back seat	87,5	84,3	76,7	82,4	82,6	55,4	88,7	78,4	73,9	73,4	73,1	51,1
	Almost always	12,5	15,7	23,3	17,6	17,4	44,6	11,3	21,6	26,1	26,6	26,9	48,9
	Total and missing	120	121	103	238	207	242	186	171	180	387	387	456
		28	26	21	46	30	48	23	46	23	56	42	42
Other	Sometimes or never or there is no belt in the back seat	87,0	84,5	80,7	75,8	76,9	47,7	84,9	80,3	77,2	72,4	70,4	38,4
	Almost always	13,0	15,5	19,3	24,2	23,1	52,3	15,1	19,7	22,8	27,6	29,6	61,6
	Total and missing	292	277	274	753	649	732	417	456	448	1041	1041	1011
		80	69	85	149	123	138	60	58	63	111	106	89

a. Country of study = Estonia

Table 222. Use of seat belt in the back seat by place of residence, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Sometimes or never or there is no belt in the back seat	26,7	27,9	24,4	23,7	18,3	17,3	17,9	14,5	13,5	12,3	8,9	8,7
	Almost always	73,3	72,1	75,6	76,3	81,7	82,7	82,1	85,5	86,5	87,7	91,1	91,3
	Total and missing	378	330	308	329	317	324	407	448	421	431	470	438
		19	13	15	24	18	17	9	6	7	11	10	11
Other	Sometimes or never or there is no belt in the back seat	27,1	30,3	26,6	22,7	24,2	19,7	18,2	16,3	13,1	11,8	12,3	9,6
	Almost always	72,9	69,7	73,4	77,3	75,8	80,3	81,8	83,7	86,9	88,2	87,7	90,4
	Total and missing	1094	1027	980	959	953	868	1208	1271	1156	1200	1128	1228
		60	70	62	70	58	66	23	23	19	33	26	17

a. Country of study = Finland

Table 223. Use of seat belt in the back seat by place of residence, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Sometimes or never or there is no belt in the back seat	96,1	96,7	96,8	96,1	84,8	77,3	97,7	95,0	96,8	93,4	76,3	72,7
	Almost always	3,9	3,3	3,2	3,9	15,2	22,7	2,3	5,0	3,2	6,6	23,7	27,3
	Total and missing	231	211	189	153	145	141	305	340	277	259	224	231
		38	36	24	33	28	24	43	47	37	41	20	22
Other	Sometimes or never or there is no belt in the back seat	93,2	93,4	93,4	93,0	80,5	67,3	93,2	91,2	92,8	92,8	68,3	62,4
	Almost always	6,8	6,6	6,6	7,0	19,5	32,7	6,8	8,8	7,2	7,2	31,7	37,6
	Total and missing	557	557	468	384	353	330	704	740	627	570	521	511
		102	118	94	77	88	71	107	91	72	62	45	54

a. Country of study = Latvia

Table 224. Use of seat belt in the back seat by place of residence, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Sometimes or never or there is no belt in the back seat	99,7	97,6	97,4	93,0	94,2	86,8	99,3	98,6	97,4	88,6	92,8	82,9
	Almost always	,3	2,4	2,6	7,0	5,8	13,2	,7	1,4	2,6	11,4	7,2	17,1
	Total and missing	293	332	378	228	257	265	452	495	548	376	404	463
		48	67	65	52	64	64	44	38	39	51	42	44
Other	Sometimes or never or there is no belt in the back seat	98,8	97,9	94,0	87,2	90,7	80,4	98,0	98,8	95,0	89,9	94,2	82,2
	Almost always	1,2	2,1	6,0	12,8	9,3	19,6	2,0	1,2	5,0	10,1	5,8	17,8
	Total and missing	401	521	315	398	333	316	499	595	401	534	514	438
		78	71	77	97	68	80	55	71	57	69	55	58

a. Country of study = Lithuania

Driving under the influence of alcohol

Table 225. Knowing someone driving under the influence of alcohol during last year by study year, gender and country (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Estonia	No	29,6	31,0	30,0	41,0	46,7	50,3	43,8	50,9	46,9	57,2	61,7	64,4
	Yes	45,0	43,0	47,3	59,0	53,3	49,7	30,3	25,0	29,6	42,8	38,3	35,6
	Difficult to say	25,4	26,0	22,7	,0	,0	,0	25,9	24,1	23,5	,0	,0	,0
	Total and missing	524	493	480	1167	986	1144	692	721	716	1567	1545	1566
		4	2	4	19	23	16	3	14	3	28	31	32
Finland	No	57,7	60,9	66,0	69,6	69,9	,0	73,6	71,5	78,1	77,0	78,1	,0
	Yes	29,6	27,0	23,3	20,2	20,6	,0	17,4	18,7	14,5	15,5	14,4	,0
	Difficult to say	12,7	12,1	10,7	10,2	9,5	,0	8,9	9,8	7,3	7,5	7,5	,0
	Total and missing	1545	1426	1354	1351	1333	0	1634	1735	1588	1649	1608	0
		6	14	11	31	13	1275	13	13	15	26	26	1694
Latvia	No	34,4	32,8	24,9	31,4	34,6	37,7	49,4	51,5	38,2	43,0	53,4	49,6
	Yes	45,0	49,9	62,8	57,0	52,2	49,6	34,7	32,0	48,5	42,1	35,6	39,6
	Difficult to say	20,6	17,2	12,3	11,6	13,3	12,7	15,9	16,5	13,2	15,0	11,0	10,9
	Total and missing	918	917	763	640	596	560	1137	1207	991	915	794	811
		10	5	12	7	18	6	22	11	22	17	16	7
Lithuania	No	34,2	35,6	42,7	35,6	38,3	44,2	49,0	48,3	55,0	47,6	51,8	57,2
	Yes	44,9	46,2	42,2	43,8	43,4	37,3	34,1	36,4	29,7	37,1	36,0	29,6
	Difficult to say	20,9	18,2	15,0	20,5	18,3	18,6	16,9	15,3	15,3	15,3	12,1	13,2
	Total and missing	799	973	819	755	705	722	1026	1182	1030	998	1005	994
		21	18	16	20	18	4	24	17	15	32	11	11

Driving under the influence of alcohol by age group

Table 226. Knowing someone driving under the influence of alcohol during last year by age group, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	No	24,6	19,1	20,2	32,1	33,8	38,2	30,0	41,2	29,4	40,8	50,0	50,6
	Yes	59,8	61,7	67,5	67,9	66,2	61,8	47,4	38,9	51,6	59,2	50,0	49,4
	Difficult to say	15,6	19,1	12,3	,0	,0	,0	22,5	19,9	19,0	,0	,0	,0
	Total and missing	179	162	163	433	343	374	213	226	221	488	494	536
		0	1	0	3	3	5	0	0	1	4	7	5
35-49	No	26,0	28,9	24,2	36,2	45,4	49,0	45,4	47,6	48,2	53,9	58,1	62,5
	Yes	50,0	42,2	50,9	63,8	54,6	51,0	27,1	25,8	28,5	46,1	41,9	37,5
	Difficult to say	24,0	28,9	24,8	,0	,0	,0	27,5	26,6	23,3	,0	,0	,0
	Total and missing	200	173	165	390	313	404	262	252	253	525	518	510
		2	0	3	5	7	4	2	4	0	4	9	9
50-64	No	40,7	45,6	46,7	57,6	61,2	64,2	55,3	63,4	61,6	74,7	76,2	80,4
	Yes	20,0	24,7	21,7	42,4	38,8	35,8	17,5	11,1	10,7	25,3	23,8	19,6
	Difficult to say	39,3	29,7	31,6	,0	,0	,0	27,2	25,5	27,7	,0	,0	,0
	Total and missing	145	158	152	344	330	366	217	243	242	554	533	520
		2	1	1	11	13	7	1	10	2	20	15	18

a. Country of study = Estonia

Table 227. Knowing someone driving under the influence of alcohol during last year by age group, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	No	48,2	46,6	54,9	57,6	57,4	,0	68,1	64,8	68,2	67,3	67,7	,0
	Yes	40,6	38,0	36,0	31,9	31,5	,0	23,0	26,9	23,9	26,5	22,5	,0
	Difficult to say	11,2	15,4	9,1	10,5	11,0	,0	9,0	8,3	8,0	6,3	9,9	,0
	Total and missing	463	382	375	373	317	0	501	542	465	480	467	0
		3	2	1	7	0	309	4	2	5	3	3	464
35-49	No	56,6	64,0	67,5	74,9	70,9	,0	73,3	72,2	81,5	78,3	78,6	,0
	Yes	30,4	25,0	21,6	16,4	20,4	,0	19,3	19,0	11,6	13,7	14,4	,0
	Difficult to say	13,0	11,0	10,9	8,6	8,6	,0	7,5	8,8	6,8	8,0	7,0	,0
	Total and missing	539	564	458	463	475	0	617	611	584	584	542	0
		2	8	6	8	5	414	5	1	2	8	6	559
50-64	No	67,0	68,8	72,7	73,4	76,3	,0	79,5	77,0	83,1	83,8	85,8	,0
	Yes	19,3	20,6	15,5	15,1	14,2	,0	9,9	10,8	9,6	8,2	8,0	,0
	Difficult to say	13,6	10,6	11,7	11,5	9,4	,0	10,7	12,2	7,2	8,0	6,2	,0
	Total and missing	543	480	521	515	541	0	516	582	539	585	599	0
		1	4	4	16	8	552	4	10	8	15	17	671

a. Country of study = Finland

Table 228. Knowing someone driving under the influence of alcohol during last year by age group, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	No	24,7	20,5	14,3	20,4	26,2	24,6	34,4	36,9	24,1	31,8	41,4	40,7
	Yes	56,2	64,3	72,7	70,7	60,0	59,2	48,7	45,0	62,6	55,0	48,8	46,1
	Difficult to say	19,1	15,2	13,0	8,9	13,8	16,2	16,8	18,1	13,2	13,2	9,8	13,2
	Total and missing	361	336	293	225	210	191	398	382	340	280	244	243
		2	0	4	2	2	4	2	1	3	5	1	0
35-49	No	27,9	30,5	23,0	27,3	33,0	38,5	49,4	48,1	30,8	39,6	46,6	43,3
	Yes	50,5	50,2	65,6	59,7	53,8	51,1	34,5	35,8	54,8	44,3	40,5	47,3
	Difficult to say	21,5	19,3	11,5	13,0	13,2	10,3	16,1	16,0	14,3	16,1	12,9	9,4
	Total and missing	297	331	270	216	212	174	391	424	321	316	264	277
		4	3	5	1	4	0	5	1	5	6	5	1
50-64	No	55,4	52,4	43,0	48,2	46,6	49,7	66,7	69,1	60,0	56,1	69,9	62,9
	Yes	23,1	30,4	44,5	38,7	40,8	39,0	18,7	15,5	27,9	28,5	19,9	26,8
	Difficult to say	21,5	17,2	12,5	13,1	12,6	11,3	14,7	15,5	12,1	15,4	10,1	10,3
	Total and missing	260	250	200	199	174	195	348	401	330	319	286	291
		4	2	3	4	12	2	15	9	14	6	10	6

a. Country of study = Latvia

Table 229. Knowing someone driving under the influence of alcohol during last year by age group, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	No	25,4	29,2	30,5	32,8	30,1	33,8	37,4	37,6	40,7	37,0	42,1	50,5
	Yes	55,0	55,5	52,2	48,9	50,2	49,1	41,7	46,7	43,1	47,2	44,6	36,9
	Difficult to say	19,6	15,3	17,3	18,3	19,6	17,1	20,9	15,7	16,2	15,7	13,3	12,5
	Total and missing	291	346	249	229	209	216	350	383	327	324	323	287
		4	3	2	3	5	1	1	4	6	7	0	3
35-49	No	31,9	32,7	42,0	31,4	35,4	40,8	47,9	45,4	56,6	46,8	47,1	53,9
	Yes	44,8	47,0	41,7	46,2	47,1	39,5	38,6	39,1	27,4	38,4	40,2	30,9
	Difficult to say	23,3	20,3	16,2	22,4	17,5	19,7	13,5	15,5	16,1	14,9	12,7	15,2
	Total and missing	288	370	333	299	280	294	386	458	442	370	346	369
		7	8	4	6	6	0	2	1	3	11	2	4
50-64	No	48,6	48,2	56,5	44,1	50,0	59,4	64,5	64,2	70,1	59,9	66,1	66,6
	Yes	31,8	32,7	32,5	35,7	31,9	22,2	19,0	21,1	16,9	24,7	23,5	21,9
	Difficult to say	19,5	19,1	11,0	20,3	18,1	18,4	16,6	14,7	13,0	15,5	10,4	11,5
	Total and missing	220	257	237	227	216	212	290	341	261	304	336	338
		10	7	10	11	7	3	21	12	6	14	9	4

a. Country of study = Lithuania

Driving under the influence of alcohol by education

Table 230. Knowing someone driving under the influence of alcohol during last year by education, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	No	31,7	31,2	30,3	41,2	44,1	47,7	44,0	52,2	46,9	59,0	64,1	66,7
	Yes	41,8	42,7	48,2	58,8	55,9	52,3	28,1	24,0	28,3	41,0	35,9	33,3
	Difficult to say	26,5	26,1	21,5	,0	,0	,0	27,9	23,8	24,9	,0	,0	,0
	Total and missing	388	337	353	986	614	725	445	437	446	1207	827	757
		2	1	4	19	16	10	3	12	1	24	21	22
High	No	23,4	28,1	29,5	40,0	50,6	53,1	43,1	47,6	44,7	50,9	57,1	60,9
	Yes	54,8	45,2	43,8	60,0	49,4	46,9	35,1	27,0	33,3	49,1	42,9	39,1
	Difficult to say	21,8	26,7	26,8	,0	,0	,0	21,8	25,5	22,0	,0	,0	,0
	Total and missing	124	146	112	175	348	367	239	267	255	350	655	752
		0	0	0	0	6	5	0	2	1	3	6	9

a. Country of study = Estonia

Table 231. Knowing someone driving under the influence of alcohol during last year by education, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	No	56,1	59,4	60,8	63,8	66,7	,0	72,0	68,7	75,9	75,0	76,5	,0
	Yes	30,1	28,8	26,7	23,7	23,4	,0	17,8	19,4	16,0	17,1	15,2	,0
	Difficult to say	13,8	11,8	12,5	12,5	9,9	,0	10,2	11,8	8,1	7,9	8,3	,0
	Total and missing	1057	938	855	839	841	0	971	921	838	821	744	0
		5	10	6	23	7	744	12	6	11	18	13	759
High	No	61,1	63,4	75,9	79,7	75,8	,0	75,6	74,9	81,5	78,7	79,3	,0
	Yes	28,9	23,7	17,1	14,3	15,5	,0	17,1	17,6	12,6	14,1	13,8	,0
	Difficult to say	10,0	12,9	7,1	5,9	8,6	,0	7,2	7,4	5,9	7,2	6,8	,0
	Total and missing	460	464	468	488	476	0	636	794	715	807	847	0
		1	2	4	7	5	512	1	6	4	8	11	897

a. Country of study = Finland

Table 232. Knowing someone driving under the influence of alcohol during last year by education, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	No	34,2	34,0	26,5	30,1	33,9	36,3	51,0	53,1	37,5	44,1	54,9	51,7
	Yes	44,1	49,7	61,7	55,9	51,2	50,5	32,9	30,1	48,4	39,8	33,9	38,6
	Difficult to say	21,7	16,3	11,8	14,0	14,9	13,2	16,1	16,9	14,1	16,1	11,2	9,7
	Total and missing	739	589	501	349	383	372	861	635	504	422	428	412
		7	2	7	4	13	2	17	6	13	7	11	6
High	No	34,3	28,7	22,4	31,9	36,7	40,9	44,2	49,3	38,7	41,6	51,4	47,7
	Yes	49,7	52,0	64,2	60,1	53,8	46,6	41,2	34,5	48,8	44,2	38,4	40,5
	Difficult to say	16,0	19,3	13,4	8,0	9,5	12,5	14,6	16,2	12,5	14,2	10,1	11,9
	Total and missing	169	300	246	263	199	176	267	536	465	471	346	388
		3	1	4	2	4	4	4	2	8	10	5	0

a. Country of study = Latvia

Table 233. Knowing someone driving under the influence of alcohol during last year by education, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	No	32,7	34,4	40,8	33,5	38,5	42,3	48,4	48,2	57,0	51,3	52,5	58,1
	Yes	47,1	45,9	42,7	43,9	42,3	38,8	33,4	35,2	27,6	32,5	34,7	28,7
	Difficult to say	20,2	19,7	16,6	22,6	19,2	19,0	18,2	16,6	15,4	16,2	12,7	13,2
	Total and missing	569	712	483	492	454	400	611	730	525	532	510	387
		14	14	8	13	8	4	17	12	11	20	7	5
High	No	37,3	37,8	44,6	39,8	37,3	46,7	48,9	48,0	52,6	43,0	50,0	56,6
	Yes	39,7	48,5	42,5	44,3	46,4	35,2	35,9	38,6	32,1	43,4	38,2	30,0
	Difficult to say	23,0	13,7	12,9	15,9	16,3	18,1	15,2	13,4	15,3	13,6	11,8	13,4
	Total and missing	209	233	325	246	233	315	395	433	496	447	468	590
		4	2	4	5	8	0	3	3	4	10	4	5

a. Country of study = Lithuania

Driving under the influence of alcohol by place of residence**Table 234. Knowing someone driving under the influence of alcohol during last year by place of residence, gender and study year in Estonia (%).**

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	No	37,2	39,7	39,5	53,0	53,3	57,5	51,0	54,5	53,0	64,7	65,6	70,0
	Yes	41,9	35,6	40,3	47,0	46,7	42,5	28,8	21,1	24,8	35,3	34,4	30,0
	Difficult to say	20,9	24,7	20,2	,0	,0	,0	20,2	24,4	22,3	,0	,0	,0
	Total and missing	148	146	124	279	227	285	208	209	202	434	416	486
		0	1	0	5	10	5	1	8	1	9	13	12
Other	No	26,4	27,5	26,5	37,2	44,7	48,0	41,1	49,4	44,2	54,3	60,3	61,9
	Yes	46,7	45,8	49,9	62,8	55,3	52,0	31,4	26,4	31,6	45,7	39,7	38,1
	Difficult to say	26,9	26,7	23,7	,0	,0	,0	27,6	24,2	24,2	,0	,0	,0
	Total and missing	368	345	355	888	759	859	475	508	509	1133	1129	1080
		4	1	4	14	13	11	2	6	2	19	18	20

a. Country of study = Estonia

Table 235. Knowing someone driving under the influence of alcohol during last year by place of residence, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	No	59,3	66,1	72,2	74,1	72,8	,0	78,0	74,2	80,9	79,7	80,4	,0
	Yes	27,5	23,0	18,4	16,6	17,5	,0	15,4	17,0	14,1	13,6	13,7	,0
	Difficult to say	13,2	10,9	9,4	9,3	9,7	,0	6,6	8,8	4,9	6,7	5,9	,0
	Total and missing	393	339	320	344	331	0	410	453	425	433	475	0
		4	4	3	9	4	341	6	1	3	9	5	449
Other	No	57,2	59,3	64,1	68,0	69,0	,0	72,1	70,5	77,1	76,1	77,1	,0
	Yes	30,3	28,2	24,8	21,4	21,6	,0	18,1	19,3	14,7	16,1	14,7	,0
	Difficult to say	12,5	12,4	11,1	10,5	9,5	,0	9,7	10,1	8,2	7,8	8,2	,0
	Total and missing	1152	1087	1034	1007	1002	0	1224	1282	1163	1216	1133	0
		2	10	8	22	9	934	7	12	12	17	21	1245

a. Country of study = Finland

Table 236. Knowing someone driving under the influence of alcohol during last year by place of residence, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	No	37,2	43,3	33,8	50,0	45,6	44,4	60,0	54,7	52,8	59,5	62,1	63,9
	Yes	42,9	38,8	53,3	41,3	35,5	42,0	24,3	29,4	35,8	30,1	25,8	24,6
	Difficult to say	19,9	18,0	12,9	8,7	18,9	13,6	15,7	15,9	11,4	10,5	12,1	11,5
	Total and missing	266	245	210	184	169	162	345	384	307	296	240	252
		3	2	3	2	4	3	3	3	7	4	4	1
Other	No	33,3	29,0	21,5	23,9	30,2	34,9	44,8	50,1	31,7	35,1	49,6	43,1
	Yes	45,9	54,0	66,4	63,4	58,8	52,8	39,1	33,2	54,2	47,8	39,9	46,3
	Difficult to say	20,9	17,0	12,1	12,7	11,0	12,3	16,0	16,8	14,0	17,1	10,5	10,6
	Total and missing	652	672	553	456	427	398	792	823	684	619	554	559
		7	3	9	5	14	3	19	8	15	13	12	6

a. Country of study = Latvia

Table 237. Knowing someone driving under the influence of alcohol during last year by place of residence, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	No	41,9	42,5	45,5	46,3	45,2	51,5	54,5	57,6	57,6	52,9	58,4	64,0
	Yes	38,0	37,9	37,9	35,3	36,1	30,1	28,9	27,1	27,2	32,9	31,0	24,6
	Difficult to say	20,2	19,6	16,6	18,4	18,7	18,4	16,6	15,3	15,2	14,3	10,6	11,4
	Total and missing	332	393	433	272	310	326	488	528	580	414	442	500
		9	6	10	8	11	3	8	5	7	13	4	7
Other	No	28,7	30,9	39,6	29,6	32,7	38,2	44,1	40,8	51,6	43,8	46,6	50,6
	Yes	49,9	51,9	47,2	48,7	49,2	43,0	38,8	43,9	32,9	40,1	40,0	34,6
	Difficult to say	21,4	17,2	13,2	21,7	18,0	18,7	17,1	15,3	15,6	16,1	13,3	14,8
	Total and missing	467	580	386	483	394	395	538	654	450	584	562	492
		12	12	6	12	7	1	16	12	8	19	7	4

a. Country of study = Lithuania

Self-assessed health

Assessment of present state of health

Table 238. Assessment of present state of health by study year, gender and country (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Estonia	Good	5,3	4,7	6,7	18,5	20,9	20,5	5,4	4,0	6,7	16,3	20,4	24,3
	Reasonably good	29,9	30,7	33,6	21,5	22,6	25,4	25,5	28,8	30,0	23,5	25,1	27,5
	Average	54,7	54,7	47,8	47,3	45,1	43,7	58,8	54,7	53,0	49,2	45,4	40,2
	Rather poor	9,5	9,6	9,6	9,2	8,2	7,1	9,3	11,2	9,1	7,4	6,6	6,3
	Poor	,6	,2	2,3	3,4	3,3	3,3	1,0	1,2	1,3	3,7	2,4	1,8
	Total and missing	525	488	479	1170	1002	1156	690	729	717	1575	1565	1591
		3	7	5	16	7	4	5	6	2	20	11	7
Finland	Good	31,5	32,3	33,2	32,6	34,2	32,7	34,6	33,3	32,5	32,7	32,3	33,5
	Reasonably good	32,6	31,7	32,1	31,3	29,1	33,5	32,3	34,3	37,0	34,3	36,2	33,3
	Average	27,6	26,6	26,7	28,9	26,1	23,2	25,6	25,5	23,7	25,7	24,1	25,1
	Rather poor	7,0	7,9	6,5	5,8	8,8	8,8	6,5	5,8	6,0	6,1	6,7	6,8
	Poor	1,2	1,6	1,5	1,4	1,8	1,7	1,0	1,2	,9	1,2	,7	1,2
	Total and missing	1545	1435	1363	1373	1339	1269	1636	1737	1594	1666	1624	1690
		6	5	2	9	7	6	11	11	9	9	10	4
Latvia	Good	19,6	21,2	20,1	20,5	21,3	19,5	14,8	15,1	15,4	15,2	17,1	19,5
	Reasonably good	23,5	21,8	22,2	20,2	24,7	28,9	20,6	22,1	19,6	22,8	21,3	27,2
	Average	45,4	45,9	47,4	47,7	43,5	43,4	49,7	48,4	52,3	47,3	50,0	42,0
	Rather poor	8,6	8,1	6,4	8,2	7,0	6,2	10,9	10,4	8,3	10,0	7,7	8,6
	Poor	2,8	2,9	3,9	3,4	3,4	2,0	4,0	4,0	4,4	4,7	4,0	2,8
	Total and missing	922	921	770	644	611	564	1154	1212	1004	929	808	817
		6	1	5	3	3	2	5	6	9	3	2	1
Lithuania	Good	23,0	26,4	25,7	23,0	21,2	25,1	18,2	21,7	21,7	19,0	22,3	21,3
	Reasonably good	18,8	21,3	23,5	20,6	21,4	27,0	14,8	18,5	21,6	21,2	22,2	28,0
	Average	51,0	45,6	41,7	46,1	49,1	42,0	54,2	51,1	48,0	51,6	48,3	44,0
	Rather poor	4,5	3,8	5,9	6,4	4,6	4,3	8,0	4,6	4,5	5,2	4,3	4,7
	Poor	2,7	3,0	3,2	3,8	3,7	1,5	4,8	4,1	4,3	3,0	3,0	2,1
	Total and missing	814	981	825	761	711	721	1045	1184	1032	1018	1002	987
		6	10	10	14	12	5	5	15	13	12	14	18

Assessment of present state of health by age group

Table 239. Assessment of present state of health by age group, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Good	7,9	9,3	13,7	29,6	33,1	34,7	10,5	6,7	11,7	30,8	32,7	34,8
	Reasonably good	42,1	54,0	50,9	29,6	29,9	34,9	38,6	42,4	44,1	32,4	33,7	37,8
	Average	44,9	31,7	32,9	34,5	29,1	25,9	46,2	46,0	38,3	32,6	30,9	24,6
	Rather poor	4,5	5,0	1,9	4,9	6,1	3,7	4,8	4,9	5,4	2,9	1,4	2,4
	Poor	,6	,0	,6	1,4	1,7	,8	,0	,0	,5	1,2	1,2	,4
	Total and missing	178	161	161	432	344	378	210	224	222	487	498	540
		1	2	2	4	2	1	3	2	0	5	3	1
35-49	Good	5,0	4,0	4,2	15,8	18,9	18,7	4,2	4,7	6,3	12,6	20,5	26,9
	Reasonably good	28,9	23,1	29,2	25,1	23,0	24,8	25,2	29,1	32,4	26,8	25,4	27,3
	Average	56,7	67,6	55,4	48,7	51,6	51,1	61,5	54,7	54,5	51,4	45,9	38,5
	Rather poor	9,0	5,2	9,5	7,8	4,4	3,4	8,4	11,0	6,3	7,3	6,1	5,8
	Poor	,5	,0	1,8	2,6	2,2	2,0	,8	,4	,4	1,9	2,1	1,5
	Total and missing	201	173	168	386	318	407	262	254	253	523	523	517
		1	0	0	9	2	1	2	2	0	6	4	2
50-64	Good	2,7	,6	2,0	8,0	10,3	8,1	1,8	,8	2,5	7,1	9,2	11,0
	Reasonably good	16,4	14,9	20,0	7,7	14,7	16,4	13,3	16,3	14,5	12,7	16,9	17,2
	Average	63,7	64,3	55,3	61,4	55,3	53,6	67,9	62,5	64,9	61,4	58,1	57,7
	Rather poor	16,4	19,5	18,0	16,2	13,8	14,6	14,7	17,1	15,3	11,3	11,9	10,7
	Poor	,7	,6	4,7	6,8	5,9	7,3	2,3	3,2	2,9	7,4	3,9	3,4
	Total and missing	146	154	150	352	340	371	218	251	242	565	544	534
		1	5	3	3	3	2	0	2	2	9	4	4

a. Country of study = Estonia

Table 240. Assessment of present state of health by age group, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Good	46,9	45,8	47,6	46,1	47,9	51,0	42,9	41,3	39,4	38,7	39,5	41,5
	Reasonably good	31,4	31,3	31,4	30,3	31,5	28,2	32,5	34,8	37,5	37,4	36,3	35,0
	Average	18,3	19,0	17,0	20,8	17,0	17,5	20,8	20,3	19,0	21,0	21,8	20,7
	Rather poor	3,0	3,1	3,7	2,6	2,5	3,2	3,6	3,3	3,6	2,5	2,1	2,6
	Poor	,4	,8	,3	,3	,9	,0	,2	,4	,4	,4	,2	,2
	Total and missing	465	384	376	380	317	308	501	543	469	481	468	463
		1	0	0	0	0	1	4	1	1	2	2	1
35-49	Good	29,7	30,4	34,9	34,6	34,5	34,0	38,2	37,1	35,7	37,8	35,2	37,3
	Reasonably good	33,6	33,9	33,0	31,4	27,6	37,1	31,1	33,2	35,9	34,5	35,9	31,7
	Average	31,2	27,9	24,4	28,0	29,3	20,9	25,2	25,5	23,3	21,4	22,5	24,0
	Rather poor	5,2	7,0	6,0	5,1	8,2	7,0	4,4	4,1	4,1	5,6	5,5	5,9
	Poor	,4	,9	1,7	,9	,4	1,0	1,1	,2	1,0	,7	,9	1,1
	Total and missing	539	570	464	468	478	412	618	609	580	588	546	558
		2	2	0	3	2	2	4	3	6	4	2	1
50-64	Good	20,1	23,7	21,2	21,1	25,9	21,5	22,2	21,9	23,1	22,8	24,1	24,8
	Reasonably good	32,7	29,5	31,7	32,0	29,0	33,7	33,5	35,0	37,6	31,7	36,4	33,5
	Average	32,2	31,0	35,8	35,6	28,5	28,2	30,8	30,4	28,1	33,7	27,4	29,1
	Rather poor	12,2	12,7	9,0	8,6	13,1	13,3	11,8	9,7	10,1	9,5	11,1	10,5
	Poor	2,8	3,1	2,3	2,7	3,5	3,3	1,7	2,9	1,1	2,3	1,0	2,1
	Total and missing	541	481	523	525	544	549	517	585	545	597	610	669
		3	3	2	6	5	3	3	7	2	3	6	2

a. Country of study = Finland

Table 241. Assessment of present state of health by age group, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Good	31,0	32,5	29,0	30,4	33,2	30,8	24,3	24,0	26,8	25,6	28,3	36,2
	Reasonably good	27,1	29,6	30,6	27,3	29,4	36,9	30,1	30,6	26,8	32,3	27,0	33,3
	Average	35,7	32,8	37,0	39,2	33,6	28,7	38,8	39,6	41,2	36,1	40,6	24,7
	Rather poor	4,7	2,7	1,0	1,3	2,8	3,1	5,8	5,0	3,5	5,6	3,3	4,5
	Poor	1,4	2,4	2,4	1,8	,9	,5	1,0	,8	1,8	,4	,8	1,2
	Total and missing	361	335	297	227	211	195	399	379	340	285	244	243
		2	1	0	0	1	0	1	4	3	0	1	0
35-49	Good	15,0	18,0	17,0	19,0	19,4	18,5	12,9	15,5	12,7	13,4	18,2	17,3
	Reasonably good	26,3	21,9	21,8	19,9	27,8	28,3	19,0	23,5	19,5	23,1	24,5	30,9
	Average	48,0	49,7	49,4	50,0	44,0	47,4	54,2	49,6	58,8	51,3	49,4	43,5
	Rather poor	9,0	8,1	7,7	8,3	6,5	4,6	9,6	8,2	6,5	8,8	5,2	6,1
	Poor	1,7	2,4	4,1	2,8	2,3	1,2	4,3	3,1	2,5	3,4	2,6	2,2
	Total and missing	300	334	271	216	216	173	395	425	323	320	269	278
		1	0	4	1	0	1	1	0	3	2	0	0
50-64	Good	9,2	10,3	11,4	10,9	9,8	9,2	6,4	6,4	6,7	7,7	6,8	7,8
	Reasonably good	15,3	11,5	10,4	12,4	15,8	21,4	11,9	12,7	12,6	14,2	13,6	18,6
	Average	55,9	58,3	59,9	54,7	54,3	54,6	56,7	55,4	57,2	53,1	58,3	54,7
	Rather poor	13,4	15,5	12,4	15,9	12,5	10,7	18,1	17,6	14,7	15,1	13,6	14,2
	Poor	6,1	4,4	5,9	6,0	7,6	4,1	6,9	7,8	8,8	9,9	7,8	4,7
	Total and missing	261	252	202	201	184	196	360	408	341	324	295	296
		3	0	1	2	2	1	3	2	3	1	1	1

a. Country of study = Latvia

Table 242. Assessment of present state of health by age group, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
20-34	Good	33,1	37,7	39,0	35,7	36,7	39,8	29,7	32,9	31,9	28,9	35,1	36,6
	Reasonably good	26,9	30,7	34,1	33,0	33,8	31,5	22,6	30,5	31,0	32,3	31,0	38,7
	Average	37,2	29,3	22,9	29,1	27,6	26,4	43,1	34,7	34,6	36,0	31,7	23,7
	Rather poor	2,4	,9	3,2	1,8	,5	2,3	3,7	,8	2,1	2,5	1,3	1,0
	Poor	,3	1,4	,8	,4	1,4	,0	,9	1,0	,3	,3	,9	,0
	Total and missing	290	345	249	227	210	216	350	383	332	325	319	287
		5	4	2	5	4	1	1	4	1	6	4	3
35-49	Good	18,6	22,6	22,0	19,6	17,5	23,0	16,6	22,3	20,0	17,8	21,9	20,8
	Reasonably good	16,9	21,8	25,9	19,9	21,8	33,7	15,8	15,5	23,4	23,7	23,7	32,0
	Average	58,3	48,9	44,6	51,8	55,4	40,9	56,2	55,8	49,1	52,9	48,5	42,9
	Rather poor	4,4	4,3	4,5	5,3	3,2	1,7	7,3	4,6	4,5	4,0	3,5	3,6
	Poor	1,7	2,4	3,0	3,3	2,1	,7	4,1	1,8	3,0	1,6	2,3	,8
	Total and missing	295	376	332	301	280	291	386	452	440	376	342	366
		0	2	5	4	6	3	2	7	5	5	6	7
50-64	Good	15,7	16,9	17,2	15,0	11,3	13,1	7,1	8,6	11,5	10,1	10,6	8,7
	Reasonably good	10,9	8,1	9,4	9,4	9,0	13,6	4,9	9,2	6,5	6,9	12,3	14,4
	Average	59,0	62,3	57,0	55,4	61,5	59,3	64,1	63,0	63,1	65,9	63,6	62,6
	Rather poor	7,4	6,9	10,7	12,4	10,4	9,8	13,9	8,9	7,3	9,5	7,9	9,0
	Poor	7,0	5,8	5,7	7,7	7,7	4,2	10,0	10,3	11,5	7,6	5,6	5,4
	Total and missing	229	260	244	233	221	214	309	349	260	317	341	334
		1	4	3	5	2	1	2	4	7	1	4	8

a. Country of study = Lithuania

Assessment of present state of health by education

Table 243. Assessment of present state of health by education, gender and study year in Estonia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Good	4,7	4,5	4,3	17,8	17,7	16,9	4,0	2,9	5,6	15,3	17,2	20,6
	Reasonably good	28,4	26,0	30,7	20,0	18,2	22,3	22,0	26,2	25,2	19,5	21,6	21,5
	Average	57,4	58,4	52,6	48,6	50,2	48,6	63,5	56,5	57,3	52,7	49,8	46,2
	Rather poor	8,8	10,8	9,9	9,7	9,7	7,9	9,4	13,2	10,1	8,0	8,2	8,6
	Poor	,8	,3	2,6	3,9	4,2	4,2	1,1	1,1	1,8	4,5	3,2	3,0
	Total and missing	387	334	352	994	626	734	446	446	445	1220	842	775
		3	4	5	11	4	1	2	3	2	11	6	4
High	Good	5,6	4,9	11,6	22,9	25,9	26,3	7,6	5,2	9,0	19,5	24,9	28,2
	Reasonably good	35,5	42,4	42,0	29,7	29,9	33,1	32,6	33,6	37,9	37,9	30,5	34,1
	Average	46,0	46,5	35,7	40,0	37,0	34,7	49,6	51,5	45,3	37,4	38,7	33,5
	Rather poor	12,9	6,3	9,8	6,9	5,4	4,9	9,3	8,2	7,4	4,9	4,7	3,6
	Poor	,0	,0	,9	,6	1,7	1,1	,8	1,5	,4	,3	1,2	,7
	Total and missing	124	144	112	175	351	369	236	268	256	348	659	759
		0	2	0	0	3	3	3	1	0	5	2	2

a. Country of study = Estonia

Table 244. Assessment of present state of health by education, gender and study year in Finland (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Good	27,3	26,9	29,3	26,5	28,1	24,1	28,0	27,8	26,7	26,0	24,2	26,2
	Reasonably good	34,7	32,3	32,1	32,9	29,7	34,9	34,0	33,4	37,4	34,9	37,2	33,3
	Average	29,3	29,8	29,3	31,8	28,9	26,6	28,3	30,5	27,3	29,1	28,7	30,0
	Rather poor	7,7	9,2	7,3	7,0	11,2	12,0	8,2	6,6	7,4	8,3	8,6	8,6
	Poor	1,0	1,7	2,0	1,7	2,1	2,4	1,5	1,7	1,2	1,8	1,2	1,9
	Total and missing	1059	943	860	859	842	740	976	922	847	835	752	756
		3	5	1	3	6	4	7	5	2	4	5	3
High	Good	42,5	43,6	39,7	44,2	45,2	45,6	44,7	39,8	39,6	39,8	38,9	40,2
	Reasonably good	27,7	29,4	32,3	27,3	28,1	31,3	29,9	35,1	36,0	33,6	35,5	33,1
	Average	23,1	20,2	22,5	23,8	21,0	18,2	21,6	19,9	19,6	22,0	20,5	20,7
	Rather poor	5,0	5,4	4,9	3,8	4,6	4,3	3,5	4,6	4,5	3,9	4,8	5,2
	Poor	1,7	1,5	,6	,8	1,0	,6	,3	,5	,3	,6	,4	,7
	Total and missing	459	466	471	495	480	511	633	797	713	812	854	897
		2	0	1	0	1	1	4	3	6	3	4	0

a. Country of study = Finland

Table 245. Assessment of present state of health by education, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Good	19,3	22,4	18,8	21,8	20,6	17,2	13,0	11,5	12,1	12,4	14,9	17,0
	Reasonably good	21,7	18,3	20,4	14,7	21,8	26,8	18,3	16,8	13,5	12,6	17,6	19,9
	Average	46,6	46,6	49,3	51,0	45,4	45,6	52,6	53,7	56,3	56,3	51,7	48,7
	Rather poor	9,6	9,2	6,9	7,1	7,4	7,5	11,4	12,7	11,3	11,4	9,4	9,8
	Poor	2,8	3,6	4,6	5,4	4,8	2,9	4,6	5,3	6,8	7,2	6,4	4,6
	Total and missing	741	590	505	353	394	373	874	637	512	428	437	417
		5	1	3	0	2	1	4	4	5	1	2	1
High	Good	20,9	19,3	21,8	18,6	23,2	23,9	20,4	19,0	18,6	17,7	20,2	22,2
	Reasonably good	31,4	29,6	26,6	28,5	31,0	32,8	28,1	28,7	26,7	32,2	26,5	34,8
	Average	40,7	43,5	44,0	42,2	38,4	39,4	39,6	42,5	48,4	38,6	46,7	35,1
	Rather poor	4,7	6,3	4,8	9,5	6,4	3,9	9,6	7,5	5,1	9,0	5,4	7,0
	Poor	2,3	1,3	2,8	1,1	1,0	,0	2,2	2,2	1,3	2,5	1,1	1,0
	Total and missing	172	301	248	263	203	180	270	536	469	479	351	388
		0	0	2	2	0	0	1	2	4	2	0	0

a. Country of study = Latvia

Table 246. Assessment of present state of health by education, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Low	Good	22,1	27,2	23,2	21,0	18,9	22,1	16,6	22,0	17,3	17,0	19,8	18,7
	Reasonably good	17,1	17,4	20,3	17,1	16,7	24,3	10,1	13,0	14,4	14,5	14,7	16,9
	Average	52,9	47,9	45,4	51,0	54,2	45,4	56,9	53,9	55,1	55,7	54,9	53,8
	Rather poor	5,0	3,9	8,0	6,0	5,1	6,3	9,7	5,6	6,1	7,5	6,7	7,3
	Poor	2,9	3,6	3,1	4,8	5,1	2,0	6,7	5,5	7,0	5,3	3,9	3,4
	Total and missing	580	720	487	496	454	399	626	731	526	546	510	385
		3	6	4	9	8	5	2	11	10	6	7	7
High	Good	25,6	23,3	29,7	27,5	25,9	28,6	21,0	21,8	26,6	21,5	24,9	23,2
	Reasonably good	23,2	34,5	29,4	27,9	31,4	30,2	23,2	28,5	29,0	29,9	30,8	35,2
	Average	45,0	38,8	35,3	36,4	38,5	38,4	49,0	45,4	40,4	46,0	40,6	37,3
	Rather poor	3,8	2,6	2,8	6,1	3,3	1,9	5,3	3,0	2,6	2,4	1,9	2,9
	Poor	2,4	,9	2,8	2,0	,8	1,0	1,5	1,4	1,4	,2	1,7	1,4
	Total and missing	211	232	323	247	239	315	396	432	497	452	465	585
		2	3	6	4	2	0	2	4	3	5	7	10

a. Country of study = Lithuania

Assessment of present state of health by place of residence

Table 247. Assessment of present state of health by place of residence, gender and study year in Estonia (%)

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Good	6,1	6,8	8,9	21,7	27,5	27,4	4,3	6,0	9,4	17,7	24,6	25,8
	Reasonably good	32,4	32,7	36,6	25,6	22,5	27,1	33,7	29,0	37,4	27,0	26,1	25,8
	Average	52,7	54,4	45,5	44,8	42,4	39,6	53,4	53,0	47,3	45,7	43,2	42,7
	Rather poor	8,1	6,1	8,1	6,4	5,1	3,8	7,7	9,7	5,4	6,6	4,0	4,0
	Poor	,7	,0	,8	1,4	2,5	2,1	1,0	2,3	,5	3,0	2,1	1,8
	Total and missing	148	147	123	281	236	288	208	217	203	440	426	497
		0	0	1	3	1	2	1	0	0	3	3	1
Other	Good	5,1	3,8	5,9	17,5	18,8	18,2	5,5	3,1	5,7	15,7	18,9	23,6
	Reasonably good	29,0	29,8	32,4	20,2	22,6	24,9	21,8	28,5	27,3	22,1	24,8	28,2
	Average	55,6	55,2	48,7	48,0	46,0	45,0	61,5	55,5	55,0	50,6	46,2	39,1
	Rather poor	10,0	10,9	10,1	10,1	9,1	8,2	10,1	12,0	10,4	7,7	7,6	7,3
	Poor	,3	,3	2,8	4,0	3,5	3,7	1,1	,8	1,6	4,0	2,5	1,7
	Total and missing	369	339	355	889	766	868	473	508	509	1135	1139	1094
		3	7	4	13	6	2	4	6	2	17	8	6

a. Country of study = Estonia

Table 248. Assessment of present state of health by place of residence, gender and study year in Finland (%)

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Good	29,1	37,9	34,9	34,4	38,4	36,5	37,2	36,7	35,1	36,3	35,5	36,3
	Reasonably good	39,2	32,4	34,0	34,4	28,2	33,5	32,1	35,4	35,6	29,5	36,1	32,7
	Average	24,3	21,3	22,7	26,9	24,0	21,5	20,8	22,1	22,4	26,7	20,0	23,8
	Rather poor	6,8	7,6	7,5	3,4	7,5	7,1	8,7	5,5	5,9	6,4	7,1	6,2
	Poor	,5	,9	,9	,9	1,8	1,5	1,2	,2	,9	1,1	1,3	,9
	Total and missing	395	343	321	349	333	340	414	452	424	438	476	449
		2	0	2	4	2	1	2	2	4	4	4	0
Other	Good	32,3	30,5	32,6	32,0	32,8	31,3	33,7	32,1	31,5	31,4	30,9	32,5
	Reasonably good	30,3	31,5	31,5	30,3	29,4	33,5	32,3	33,9	37,4	36,1	36,2	33,5
	Average	28,8	28,2	27,9	29,6	26,7	23,9	27,3	26,7	24,1	25,3	25,9	25,6
	Rather poor	7,0	8,0	6,2	6,5	9,2	9,5	5,7	5,8	6,1	6,0	6,4	7,0
	Poor	1,5	1,8	1,7	1,6	1,8	1,8	1,0	1,5	,9	1,2	,5	1,4
	Total and missing	1150	1092	1042	1024	1006	929	1222	1285	1170	1228	1148	1241
		4	5	0	5	5	5	9	9	5	5	6	4

a. Country of study = Finland

Table 249. Assessment of present state of health by place of residence, gender and study year in Latvia (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Good	20,9	22,7	18,0	22,7	29,5	23,6	17,8	16,6	16,4	17,0	16,0	19,8
	Reasonably good	22,0	23,9	23,7	20,0	26,6	30,9	22,7	20,8	19,3	25,3	22,5	30,6
	Average	45,9	47,4	50,2	47,6	41,0	37,6	48,9	47,8	55,9	44,0	48,8	39,7
	Rather poor	9,0	4,9	5,7	5,9	1,2	7,3	7,5	10,1	5,1	10,7	7,8	7,5
	Poor	2,2	1,2	2,4	3,8	1,7	,6	3,2	4,7	3,2	3,0	4,9	2,4
	Total and missing	268	247	211	185	173	165	348	385	311	300	244	252
		1	0	2	1	0	0	0	2	3	0	0	1
Other	Good	19,1	20,6	20,9	19,6	18,0	17,8	13,5	14,4	15,0	14,3	17,6	19,3
	Reasonably good	24,2	21,1	21,6	20,3	24,0	28,1	19,7	22,7	19,8	21,6	20,7	25,7
	Average	45,3	45,4	46,3	47,7	44,5	45,9	50,0	48,7	50,6	48,8	50,5	43,0
	Rather poor	8,4	9,3	6,6	9,2	9,4	5,8	12,4	10,5	9,7	9,7	7,6	9,0
	Poor	3,1	3,6	4,5	3,3	4,1	2,5	4,3	3,6	4,9	5,6	3,5	3,0
	Total and missing	654	674	559	459	438	399	806	827	693	629	564	565
		5	1	3	2	3	2	5	4	6	3	2	0

a. Country of study = Latvia

Table 250. Assessment of present state of health by place of residence, gender and study year in Lithuania (%).

%		Male						Female					
		1998	2000	2002	2004	2006	2008	1998	2000	2002	2004	2006	2008
Metropol.	Good	23,7	28,4	28,4	26,9	21,8	26,3	18,7	23,6	22,7	19,0	20,9	21,6
	Reasonably good	23,4	26,8	27,8	26,9	25,9	27,2	19,5	21,9	21,8	25,0	23,4	30,3
	Average	46,9	37,7	36,0	37,1	45,9	41,0	50,1	47,0	46,6	48,6	49,3	41,7
	Rather poor	4,5	4,6	4,6	5,8	3,5	4,0	7,1	3,6	4,8	5,2	4,3	4,6
	Poor	1,5	2,5	3,2	3,3	2,8	1,5	4,7	3,8	4,1	2,1	2,0	1,8
	Total and missing	337	395	436	275	316	327	493	525	582	420	440	499
		4	4	7	5	5	2	3	8	5	7	6	8
Other	Good	22,4	25,1	22,6	20,8	20,6	24,2	17,8	20,2	20,4	18,9	23,4	20,9
	Reasonably good	15,5	17,6	18,8	17,1	17,8	27,0	10,7	15,8	21,3	18,6	21,2	25,5
	Average	53,9	50,9	48,1	51,2	51,8	42,7	57,8	54,3	49,8	53,7	47,4	46,4
	Rather poor	4,6	3,2	7,5	6,8	5,6	4,6	8,9	5,5	4,0	5,2	4,3	4,7
	Poor	3,6	3,2	3,1	4,1	4,3	1,5	4,9	4,2	4,4	3,7	3,7	2,5
	Total and missing	477	586	389	486	394	393	552	659	450	598	561	487
		2	6	3	9	7	3	2	7	8	5	8	9

a. Country of study = Lithuania